Enrolled House Bill 2475

Sponsored by Representative SCHAUFLER

CHAPTER

AN ACT

Relating to electrical installations; amending ORS 479.570.

Be It Enacted by the People of the State of Oregon:

SECTION 1. ORS 479.570 is amended to read:

479.570. (1) Except as provided in subsection (2) of this section, a person who sells electricity [shall] **may** not energize an electrical installation unless the installation is first approved by an inspector authorized to perform inspections under ORS 479.510 to 479.945.

- (2) Subsection (1) of this section does not apply to:
- (a) An installation for which a written request to energize has been made by a licensed supervising electrician qualified pursuant to ORS 479.630 (2) and to which the appropriate electrical permit has been attached;
- (b) A temporary installation of less than 480 volts made to provide service to a construction site or irrigation pump if the installation is properly grounded and the appropriate electrical permit is attached thereto;
- (c) An installation within a plant or system of a person who sells electricity. As used in this paragraph, "person who sells electricity" does not include small power production facilities as defined in ORS 758.500 (1981 Replacement Part); or
 - (d) A minor electrical installation for which a valid installation label has been issued.
- (3) Electrical installations energized without inspection pursuant to subsection (2)(a) and (b) of this section must receive final inspection as required by ORS 479.510 to 479.945.
- (4) Notwithstanding ORS 756.040, 756.060 and 757.035, the Department of Consumer and Business Services, in consultation with the Electrical and Elevator Board, may adopt rules regulating the use of a written request by a licensed supervising electrician as described in subsection (2)(a) of this section as adequate authority for a person who sells electricity to energize an electrical installation.

Received by Governor:
, 2007
Approved:
, 200°
Filed in Office of Secretary of State:
, 2007
Secretary of State