

**2010 Special Session**  
**FISCAL ANALYSIS OF PROPOSED LEGISLATION**  
**Prepared by the Oregon Legislative Fiscal Office**

---

**MEASURE NUMBER:** SB 1033                      **STATUS:** Original  
**SUBJECT:** Requires schools to have automated external defibrillator on premises  
**GOVERNMENT UNIT AFFECTED:** Department of Education and Local Education Agencies  
**PREPARED BY:** John Terpening  
**REVIEWED BY:** Monica Brown  
**DATE:** February 2, 2010

---

**EXPENDITURES:** See analysis

**EFFECTIVE DATE:** On passage

**INTERIM JOINT COMMITTEE ON WAYS AND MEANS:** The budgetary impact of this bill was not reviewed and approved by the Interim Joint Committee on Ways and Means Committee and is not included in the omnibus budget bill to be introduced by the committee.

**LOCAL GOVERNMENT MANDATE:** This bill does not affect local governments' service levels or shared revenues sufficient to trigger Section 15, Article XI of the Oregon Constitution.

**ANALYSIS:** The measure requires each school in a school district, private school and public charter school to have at least one automated external defibrillator (AED) on the premises and removes exemption of facilities owned by an education service district, public charter school or school district.

The fiscal impact is indeterminate but anticipated to be minimal. The numbers of public, private, and public charter schools that currently have an AED on the premises are unknown. Each school that does not currently have an AED on the premises would incur the cost of procuring at least one AED. An automated external defibrillator costs between \$1,200 and \$4,000.

To avoid the risk of liability, each school is required to maintain, inspect, and service the AED and ensure a sufficient number of employees receive training. The training certification requirements and the frequency of training are not defined. The costs to maintain, inspect, and service the AED and provide training to employees is unknown.