

#	Short Title	Measure Description	Baseline	Rationale										2011 Actual	2014 Target	2015 Target	Data Cycle
				OHA Goals for Health Systems			Quality Improvement Focus Areas										
				Better Care / Access	Lower Cost	Better Health	Reducing preventable rehospitalizations	Addressing discrete health issues	Integrate primary care and behavioral health	Improving access to effective and timely care	Improving perinatal and maternity care	Improving primary care for all populations					
State Monitored CCO Metrics				CMS Monitored Innovation Metrics													
1	Initiation and engagement of alcohol and other drug dependence treatment - <i>Medicaid population</i>	Percentage of members with a new episode of alcohol or other drug dependence who received the following: a) initiation of AOD treatment within 14 days of diagnosis; and b) received two or more services within 30 days of initiation visit		√	√	√			√	√							
		a) initiation of AOD treatment within 14 days of diagnosis	TBD	√	√	√							Preliminary 27%				CY 2011
		b) received two or more services within 30 days of initiation visit	TBD	√	√	√							Preliminary 9%				CY 2011
2	Follow-up after hospitalization for mental illness - <i>Medicaid population</i>	Percentage of enrollees 6 years of age and older who were hospitalized for treatment of mental health disorders and who were seen on an outpatient basis or were in intermediate treatment within seven days of discharge	57.6% (2011)		√	√	√		√				Preliminary 57.6%				CY 2011
3	Mental and physical health assessment for children in DHS custody	Percentage of children in DHS custody who receive a mental and physical health assessment within 60 days of initial custody date				√			√	√							
		a) mental health assessment	TBD										58%				CY 2011
		b) physical health assessment	TBD										TBD				
4	Follow-up care for children prescribed with ADHD medication - <i>Medicaid population</i>	Percentage of children newly prescribed attention-deficit/hyperactivity disorder (ADHD) medication who had at least three follow-up care visits within a 10-month period, one of which was within 30 days of when the first ADHD medication dispensed. Two rates: a) initiation, b) continuation and maintenance.				√			√	√							
		a) initiation	52.3% (2011)										Preliminary 52.3%				CY 2011
		b) continuation and maintenance	61% (2011)										Preliminary 61%				CY 2011
5	30 day substance use (illicit drugs and alcohol) among 6th, 8th and 11th graders - <i>Population</i>	Percentage of 6th, 8th and 11th graders who have used illicit drugs or alcohol in the past 30 days				√			√								
		Alcohol use:															
		a) 6th graders											a) 6.7%				CY
		b) 8th graders											b) 19.6%				
		c) 11th graders											c) 35.9%				
		Illicit drug use:															
		a) 6th graders											a) 1.8%				CY
		b) 8th graders											b) 9.0%				
		c) 11th graders											c) 22.2%				

#	Short Title	Measure Description	Baseline	Rationale									2011 Actual	2014 Target	2015 Target	Data Cycle
				OHA Goals for Health Systems			Quality Improvement Focus Areas									
				Better Care / Access	Lower Cost	Better Health	Reducing preventable rehospitalizations	Addressing discrete health issues	Integrate primary care and behavioral health	Improving access to effective and timely care	Improving perinatal and maternity care	Improving primary care for all populations				
State Monitored CCO Metrics				CMS Monitored Innovation Metrics												
6	Prenatal care - <i>Population and Medicaid population</i>	Percentage of women who initiated prenatal care in the first 3 months of pregnancy or within 42 days of enrollment		√	√	√				√	√					
	a) Population										√					
	b) Medicaid population	65.3% (2011)									√		75.1% Preliminary 65.3%		CY 2011	
7	Primary care sensitive hospital admissions/inpatient stays - <i>Medicaid population</i>	Percentage of admissions (for 12 diagnoses) that are more appropriately treated in an outpatient setting			√	√	√						Preliminary 2,091/100,000 client years		CY	
8	Patient Centered Primary Care Home (PCPCH) enrollment - <i>Medicaid population</i>	Number of members enrolled in patient-centered primary care homes (PCPCH) by tier	TBD				√		√	√		√	TBD		CY	
9	Access to care - <i>Medicaid population</i>	Percentage of members who responded "always" or "usually" to getting care quickly (composite for adult and child)	74%	√		√				√			Adult: 74%, Child: 74%, Average: 74%		CY 2011	
10	Member experience of care - <i>Medicaid population</i>	Composite measurement areas for adults and children: how well doctors communicate; health plan information and customer service	78% (2011)	√						√			Adult: 76%, Child: 80%, Average 78%		CY 2011	
11	Member health status - <i>Medicaid population</i>	Percentage of CAHPS survey respondents with a positive self-reported rating of overall health (Excellent, very good, and good).				√		√				√	56%		CY 2011	
12	Rate of tobacco use - <i>Population and Medicaid population</i>	Population: Tobacco use. Medicaid: Percentage of CCO enrollees who currently smoke cigarettes or use tobacco every day or some days				√						√				
	a) Population (adult)												22%		CY 2011	
	b) Medicaid population				√	√		√					31%		CY 2011	
13	Rate of obesity - <i>Population and Medicaid population</i>	Percentage of people who are obese among Oregonians				√						√				
	a) Population (adult)												27%		CY 2011	
	b) Medicaid population					√		√					37%		CY 2011	

#	Short Title	Measure Description	Baseline	Rationale									2011 Actual	2014 Target	2015 Target	Data Cycle	
				OHA Goals for Health Systems			Quality Improvement Focus Areas										
				Better Care / Access	Lower Cost	Better Health	Reducing preventable rehospitalizations	Addressing discrete health issues	Integrate primary care and behavioral health	Improving access to effective and timely care	Improving perinatal and maternity care	Improving primary care for all populations					
State Monitored CCO Metrics				CMS Monitored Innovation Metrics													
14	All cause readmissions - <i>Medicaid population</i>	Percentage of acute inpatient stays that were followed by an acute readmission for any diagnosis within 30 days and the predicted probability of an acute readmission for members 18 years and older			√		√							Preliminary 12.8%			CY 2011
15	Effective contraceptive use - <i>Population and Medicaid population</i>	Percentage of reproductive age women who do not desire pregnancy using an effective method of contraception				√							√				CY
		a) Population												53.2%			
		b) Medicaid population											√	58.6%			
16	Flu shots - ages 50-64 - <i>Population and Medicaid population</i>	Percentage of adults ages 50-64 who receive a flu vaccine				√							√				CY
		a) Population												37.4%			
		b) Medicaid population												42.2%			
17	Child immunization rates - <i>Population and Medicaid population</i>	Children who turned 2 in 2011 who are adequately immunized, immunization series 4:3:1:3:3:1:4				√							√				CY
		a) Population												66.6%			CY
		b) Medicaid population										√	√	68.4%			CY
18	OHA customer satisfaction	Percentage of OHA customers rating their satisfaction as "good" or "excellent"															CY