

Enrolled Senate Bill 5527

Printed pursuant to Senate Interim Rule 213.28 by order of the President of the Senate in conformance with pre-session filing rules, indicating neither advocacy nor opposition on the part of the President (at the request of Oregon Department of Administrative Services)

CHAPTER

AN ACT

Relating to the financial administration of the Oregon Health Authority; and declaring an emergency.

Be It Enacted by the People of the State of Oregon:

SECTION 1. For the purpose of carrying out the provisions of ORS 291.055 (1)(e), the following new or increased fees, adopted by the Oregon Health Authority and approved by the Oregon Department of Administrative Services, are approved:

- (1) **Radioactive Material Licensing:**
 - (a) **Analytical/Leak**
 - Test/Fixed X-ray Fluorescence . \$ 690
 - (b) **Basic License** \$ 1,220
 - (c) **Brachytherapy** \$ 2,755
 - (d) **Broad Scope B** \$ 2,755
 - (e) **Broad Scope C**..... \$ 1,370
 - (f) **Distribution**..... \$ 1,370
 - (g) **Fixed Gauge** \$ 345
 - (h) **High-, medium- and low-dose rate brachytherapy** \$ 3,000
 - (i) **Imaging and Localization**..... \$ 1,370
 - (j) **In Vitro Laboratory**..... \$ 455
 - (k) **Instrument Calibration**..... \$ 1,035
 - (L) **Investigational New Drug**..... \$ 2,065
 - (m) **Self-shielded Irradiator**..... \$ 1,370
 - (n) **Manufacturing/Compounding** \$ 3,000
 - (o) **Mobile Nuclear Medicine**..... \$ 3,000
 - (p) **NORM (no processing)** \$ 920
 - (q) **Other Measuring Device** \$ 200
 - (r) **Portable Gauge—X-ray Fluorescence** \$ 690
 - (s) **Portable Gauge** \$ 920
 - (t) **Radiopharmaceutical**..... \$ 2,065
 - (u) **RAM/NOS Facility**..... \$ 3,000
 - (v) **Research and Development**..... \$ 2,065

(w) Sealed Sources for Diagnosis....	\$	690
(x) Nuclear Material Sealed.....	\$	1,370
(y) Nuclear Material Unsealed.....	\$	3,000
(z) Uptake and Dilution.....	\$	920
(aa) Use of Xenon Gas	\$	920
(bb) Well Logging.....	\$	2,065
(cc) Sealed Sources	\$	1,220
(dd) General In Vitro	\$	200
(ee) General Material.....	\$	200
(ff) Producing Light	\$	82
(gg) General Depleted Uranium	\$	200
(hh) General Source Material.....	\$	300
(ii) Gamma Isotopic Liquid.....	\$	310
(jj) Gamma Isotopic Solid.....	\$	355
(kk) Low-level Iodine-131.....	\$	265
(LL) Tritium (H-3).....	\$	115
(2) Public Health Laboratory		
Newborn Screening:		
(a) One-specimen kit	\$	32
(b) Two-specimen kit.....	\$	64
(c) Three-specimen kit	\$	64

SECTION 2. This 2015 Act being necessary for the immediate preservation of the public peace, health and safety, an emergency is declared to exist, and this 2015 Act takes effect July 1, 2015.

Passed by Senate June 30, 2015

.....
Lori L. Brocker, Secretary of Senate

.....
Peter Courtney, President of Senate

Passed by House July 2, 2015

.....
Tina Kotek, Speaker of House

Received by Governor:

.....M.,....., 2015

Approved:

.....M.,....., 2015

.....
Kate Brown, Governor

Filed in Office of Secretary of State:

.....M.,....., 2015

.....
Jeanne P. Atkins, Secretary of State