

From: MADIN Ian * DGMI
To: [Sen Girod](#)
Cc: [JWMNR Exhibits](#)
Subject: Tsunami Maritime hazard brochures
Date: Friday, March 03, 2017 8:25:32 AM
Attachments: [MTRG-2015-OR-01_Newport-Toledo.pdf](#)
[TsunamiBrochureMaritime.pdf](#)

In response to your question in the DOGAMI budget hearing yesterday, here are the brochures we currently have for maritime guidance for tsunami hazards. Maritime Tsunami Resource Guides for Port Orford and Brookings are being developed. I mentioned. Let me know if you have further questions.

Ian Madin

Deputy Director and Chief Scientist

Oregon Department of Geology and Mineral Industries

800 NE Oregon St. Suite 965, Portland OR 97232

971 673 1542 office, 503 807 9975 mobile

ian.madin@oregon.gov

WHAT TO KNOW ABOUT TSUNAMIS

Tsunami Dangers

A tsunami is a series of waves, usually caused by an earthquake beneath the sea floor. As tsunamis enter shallow water near land, they increase in height and can cause great loss of life and property damage.

For boaters, tsunami dangers also include:

- Sudden water-level fluctuations
- Grounding of vessels as water level suddenly drops
- Capsizing from incoming surges (bores), complex coastal waves and surges hitting grounded boats
- Strong and unpredictable currents that can change direction quickly
- Eddies/whirlpools
- Drag on large-keeled boats
- Collision with other boats, docks, and debris

Tsunami Types and Warnings

LOCAL TSUNAMIS are caused by great earthquakes near the Oregon coast and will strike in 10 to 30 minutes. The earthquake is the warning for a local tsunami. Be alert for natural warning signs:

- Onshore
 - Strong ground shaking for minutes
 - Loud ocean roar
 - Water receding unusually far, exposing the sea floor
 - Water surging onshore faster than any tide
- Offshore
 - You may feel the earthquake through the hull of your boat
 - You could see a rapid and extreme shift in currents and simultaneous changes in wind wave heights

Smaller **DISTANT TSUNAMIS** are caused by great earthquakes far away from the Oregon coast and will strike four hours or more after the earthquake. Be alert for warning statements and natural warning signs:

- Sign up to receive notifications from the National Tsunami Warning Center, which issues two types of warnings for Oregon boaters:
 - **Advisories:** Peak tsunami wave heights of 1 to 3 feet are expected, indicating strong and dangerous currents can be produced in harbors
 - **Warnings:** Tsunami wave heights could exceed 3 feet, indicating very strong, dangerous currents and inundation of dry land is anticipated
- Contact your harbormaster or emergency services office to find out what notifications you can sign up for locally
- Listen for warnings from sirens or announcements from airplanes and from the media
- Heed natural warnings such as a loud ocean roar or rapid changes in sea level or currents

Tsunamis Can Trick You

- The first surge may not be the last or the largest
- It is not unusual for tsunami surges to continue for 12 hours
- Dangerous currents can persist in harbors for 60 hours or more
- The National Tsunami Warning Center forecasts how long dangerous conditions persist

WHAT TO DO TO PREPARE

Are you prepared for a great earthquake and tsunami to strike, rendering ports, fuel supplies, and other infrastructure inaccessible?

For more information on how to better prepare, check with:

- Harbor masters and port captains
- US Coast Guard contacts
- State and local emergency managers
- National Tsunami Warning Center: www.wcatwc.arh.noaa.gov
- Oregon Department of Geology and Mineral Industries – download evacuation maps: www.oregontsunami.org
- National Weather Service – sign up for alerts: www.weather.gov/emailupdates/
- Weather Forecast Offices:
 - Medford www.wrh.noaa.gov/mfr/
 - Portland www.wrh.noaa.gov/pqr/
- Oregon Emergency Management: www.oregon.gov/OMD/OEM/
- NOAA: www.tsunami.gov
- Federal Emergency Management Agency: www.ready.gov/tsunamis
- Centers for Disease Control: www.bt.cdc.gov/disasters/tsunamis
- Red Cross: www.redcross.org



Support provided by the National Tsunami Hazard Mitigation Program,
NOAA Award Number NA13NWS4670013

TSUNAMI!

WHAT OREGON

BOAT OWNERS

NEED TO KNOW




Port of Brookings, Ore., following wave surges from the March 11, 2011 tsunami off the coast of Japan. Photo: Jamie Francis/The Oregonian



Marina damage near Chetco River, Ore., following wave surges from the March 11, 2011 tsunami off the coast of Japan. Photo: U.S. Coast Guard



If you are on the water and a tsunami is coming, how far offshore should you take your boat?



Minimum safe distance offshore for local tsunamis: 100 fathoms

Minimum safe distance offshore for distant tsunamis: 30 fathoms

WHAT TO DO WHEN A TSUNAMI STRIKES

What to do depends on what type of tsunami occurred and where you are

Distant Tsunamis

You generally have at least 4 hours after the distant earthquake to take action.

If you are on the water

- Check with the US Coast Guard (USCG) before taking any action. If advised that offshore evacuation is an option and this option looks practical for your vessel, proceed to a staging area **greater than 30 fathoms (180 ft)**. If conditions do not permit, dock your boat and get out of the tsunami evacuation zone.

If you are on land or tied up at the dock

- Your choices are to a) evacuate out to sea beyond 30 fathoms, b) leave your vessel and evacuate out of the distant tsunami inundation zone, or c) go upriver. **DO YOUR HOMEWORK** before the event to understand how practical these options are for the largest distant tsunamis that might strike your area. Check with local authorities and www.oregontsunami.org for information.
- Check with local authorities before taking any action. Most distant tsunamis are small enough that it is safer to keep your boat docked. Congestion in the waterway or among those trying to pull boats out with trailers can create serious problems. Sea and weather conditions may be more dangerous than the tsunami! Get yourself out of the tsunami evacuation zone.

After the tsunami

- If in an offshore staging area**, check with the USCG for guidance before leaving the staging area; conserve fuel by drifting until you know what actions you need to take.
- If in an onshore assembly area**, check with local authorities for guidance before returning to the inundation zone.

BROADCASTS DURING A TSUNAMI EVENT

USCG will issue Urgent Marine Information Broadcasts on CH 16, and additional information will be available from NOAA Weather Radio.



Local Tsunamis

You have only ~10 minutes to take action, so have a plan ahead of time that includes a quick way to release commercial fishing gear so your boat is not dragged down by currents; have at least 3 days of food, fuel and water.

If you are on the water

- At less than 100 fathoms (600 ft):** (1) Stop commercial fishing operations immediately, (2) free the vessel from any bottom attachment (cut lines if necessary), and (3) if you can beach or dock your boat and evacuate on foot within 10 minutes of a natural warning, then this is your best chance. If that is not possible, head to greater than 100 fathoms, keeping in mind the following:
 - Proceed as perpendicular to shore as possible.
 - Sail directly into wind waves, keeping in mind that wind waves opposed by tsunami currents will be greatly amplified.
 - Maintain as much separation as possible from other vessels.
 - Synchronize movements with other vessels to avoid collisions.
- At greater than 100 fathoms:** If you are in deep water but not quite 100 fathoms, head to deeper water. If you are already at greater than 100 fathoms, then you are relatively safe from tsunamis, but deeper water is safer from tsunami currents and the amplification of wind waves by those currents.

If you are on land or tied up at dock

- Evacuate out of the tsunami evacuation zone.** You don't have time to save your boat and could die if you try to do so.

After the tsunami

- If in an offshore staging area**, check with the USCG for guidance before leaving the staging area; conserve fuel by drifting until you know what actions you need to take.
- If in an onshore assembly area**, check with local authorities for guidance before returning to the inundation zone.
- Do not return to local ports** until you have firm guidance from USCG and local authorities.
 - Local ports will sustain heavy damage from a local tsunami and may not be safe for days, weeks or months.
 - If at sea, check to see if you can reach an undamaged port with your current fuel supply and watch for floating debris or survivors that may have been washed out on debris.
 - If at sea, consider checking with USCG about your role in response and recovery.



Maritime Guidance for Distant Source Tsunami Events

Ports of Newport and Toledo Lincoln County, Oregon

Oregon Maritime Tsunami Response Guidance (MTRG) No. 2015-OR-01

Maritime response guidance in this document is based on anticipated effects of a **maximum-considered distant tsunami event**, scenario **AKmax** of the Oregon Department of Geology and Mineral Industries (see www.oregontsunami.org for more information on this scenario). Smaller distant source tsunamis will occur more commonly and are likely to cause significantly less damage than this maximum considered scenario. Check with local authorities for more specific guidance that may be appropriate for smaller distant tsunami events.

INTRODUCTION..... 2

BACKGROUND ON TSUNAMIS 3

NOTABLE HISTORICAL TSUNAMIS IN NEWPORT AREA..... 4

 Lessons learned in northern California from the March 11, 2011 Japanese tsunami..... 4

ACTIONABLE TSUNAMI ALERT LEVELS..... 5

GENERAL GUIDANCE ON RESPONSE TO NOAA ADVISORIES AND WARNINGS 6

 In and near the PORT OF TOLEDO... 6

 In and near the PORT OF NEWPORT..... 8


ADDITIONAL GUIDANCE..... 11

 Do Your Homework 11

 Know real-time and permanent mitigation measures appropriate for your area..... 11

 Consult local tsunami evacuation maps..... 11

REFERENCES CITED..... 14



Oregon Department of Geology and Mineral Industries



Oregon Office of Emergency Management



Virginia Institute of Marine Sciences



National Oceanic and Atmospheric Administration



Members of the Oregon Marine Advisory Council

Funded by the National Tsunami Hazard Mitigation Program (Document adapted from the Humboldt Bay Tsunami Maritime Actions website and the California Maritime Tsunami Response Playbook No. 2014-Humb-01)

INTRODUCTION

DISTANT TSUNAMIS are caused by great earthquakes far away from the Oregon coast and will strike *approximately* 4 hours or more after the earthquake and cause water level and current changes for many hours after first arrival. This document provides response guidance in the event of a **DISTANT TSUNAMI** for **SMALL CRAFT** (vessels under 300 gross tons) such as recreational sailing and motor vessels, and commercial fishing vessels. For **LOCAL TSUNAMIS** caused by great earthquakes on the Oregon coast, see maritime response guidance at <http://www.oregongeology.org/tsuclearinghouse/maritime.htm>.

TSUNAMI HAZARDS that can directly affect boats include:

- Sudden water-level fluctuations
- Grounding of vessels as water level suddenly drops
- Capsizing from incoming surges (bores), complex coastal waves, and surges hitting grounded boats
- Strong and unpredictable currents that can change direction quickly
- Eddies/whirlpools
- Drag on large-keeled boats
- Collision with other boats, docks, and debris

BACKGROUND ON TSUNAMIS

Very large underwater earthquakes are the most likely cause of tsunami waves, which can produce significant damage at very distant shores. Earthquake-caused tsunami waves occur when the seafloor abruptly deforms and vertically displaces the overlying water column. The displaced water travels outward in a series of waves that grow in intensity as they encounter shallower water along coastlines. Tsunami wave impacts are greatest in and around ocean beaches, low-lying coastal areas, and bounded water bodies such as harbors and estuaries. These areas should always be avoided during tsunami events. Any tsunami event can threaten harbors, facilities, and vessels. A distant source tsunami event does allow some time for local agencies and citizens to take steps to help mitigate the expected impacts of tsunami surges. However, there may not be enough time to accomplish all needed mitigation actions before the first wave arrives. Therefore, the actions to be taken must be prioritized and based on life-safety preservation. Only those actions assured to be successful should be attempted.

The source of the distant tsunami greatly impacts the ability of local governments to respond and the public to mitigate expected impacts. A tsunami originating in Chile (14-15 hours away) or Japan (9-10 hours away) will allow much more local mitigation activity than will a tsunami originating in the closest distant sources in the Gulf of Alaska or the Aleutian Islands (4-5 hours away). Response entities and the public should allow enough time to complete the mitigation activity and to depart the ***Distant Tsunami Evacuation Zone*** (see maps on last two pages) prior to the projected arrival time of the first tsunami surge. Local mitigation activities will be extensive and involve large numbers of people resulting in congestion and delayed actions—it may not be possible to complete normally simple mitigation actions in the time frame available.

NOTABLE HISTORICAL TSUNAMIS IN NEWPORT AREA

The table provides basic information about historical tsunami events; very minor tsunamis are not shown. The largest, most damaging distant-source tsunamis in Newport area have come from large earthquakes in the Alaska-Aleutian Islands region. The peak amplitude and damage information may help provide port authorities background for comparing future Advisory and Warning level tsunamis in the area. For example, the 2011 Japan tsunami may provide a threshold for no damage occurring below a forecast amplitude (wave height) of 0.43 m (1.4 ft).

| Location | Event | Peak Amplitude Observed | | NTWC Tsunami Alert Level Assigned | Tides During First 5 Hours | Damage Summary |
|--------------|------------------|-------------------------|------|--|-------------------------------------|-----------------------------------|
| | | (m) | (ft) | | | |
| Newport area | 1964 M9.2 Alaska | 3.5 | 11.5 | Warning | High* | light damage to ships and docks** |
| South Beach | 2009 M8.0 Samoa | 0.08 | 0.3 | Advisory*** | High | no damage reported |
| South Beach | 2010 M8.8 Chile | 0.16 | 0.5 | Advisory*** | Low | no damage reported |
| South Beach | 2006 M8.3 Kuril | 0.17 | 0.6 | — | Low | no damage reported |
| South Beach | 2011 M9.0 Japan | 0.43 | 1.4 | Warning*** | Low | no damage reported |

*Alaska 1964 arrival on PNW coast was at mean high water flood tide.

** 1964 observation by ship captain Terry Thompson communicated February 19, 2015 to George Priest.

***Alert assigned by forecast OUTSIDE of bay.



Lessons learned in northern California from the March 11, 2011 Japanese tsunami

During the March 11, 2011 event, Crescent City boats headed to sea. Once the tsunami hit and they realized they were unable to return to Crescent City harbor, decisions had to be made as to where to go because of a huge storm approaching the coast. Some vessels had enough fuel to make it to Brookings Harbor in Oregon or to Humboldt Bay, California. Some smaller vessels did not have enough fuel and made the choice to re-enter Crescent City harbor to anchor. Some Crescent City captains had never been to Humboldt Bay and some were running single handed as they did not have enough time to round up crewmen. As with the captains who chose to go to Brookings, all of the captains heading to Humboldt Bay kept in close contact with each other for safety and for moral support. Even though the tsunami initially impacted the west coast on the morning of March 11, 2011, the largest surges in Crescent City did not arrive until later in the evening.

ACTIONABLE TSUNAMI ALERT LEVELS

Tsunami Advisories and Warnings are the two actionable alert levels for maritime communities. For both Advisory and Warning level events, it is important that clear and consistent directions are provided to the entire boating community and to waterfront businesses.

Sign up to receive notifications from the National Tsunami Warning Center in Palmer, Alaska at the following website: <http://wcatwc.arh.noaa.gov>. The Center issues two types of bulletins that require action by Oregon boaters:

|  Tsunami Advisories |  Tsunami Warnings |
|--|--|
| <p>Peak tsunami wave heights of 1 to 3 feet are expected, indicating strong and dangerous currents can be produced in harbors near the open coast.</p> <ul style="list-style-type: none">• NO significant tsunami currents or damage are expected at Toledo.• SIGNIFICANT tsunami currents or damage are possible at Newport near harbor entrances or narrow constrictions. | <p>Tsunami wave heights could exceed 3 feet in harbors near the open coast, indicating very strong, dangerous currents and inundation of dry land is anticipated.</p> <ul style="list-style-type: none">• SIGNIFICANT tsunami currents or damage are possible at Toledo and Newport.• Depending on the tidal conditions, docks may overtop the pilings in the Ports of Toledo and Newport. |

GENERAL GUIDANCE ON RESPONSE TO NOAA ADVISORIES AND WARNINGS

In and near the PORT OF TOLEDO...



Tsunami Advisories


NO significant tsunami currents or damage is expected at Toledo. Therefore, no actions are necessary.



Tsunami Warnings

- **Before and during the tsunami,**
 - Remain in port; do not try to reach deep water. Projected currents from distant-source tsunamis should be less than approximately 3 knots, so no significant damage to port facilities is expected.¹
 - Secure and strengthen all mooring lines, specifically areas near harbor entrances or narrow constrictions.
 - Get out of the ***Distant Tsunami Evacuation Zone*** (orange zone on map at <http://www.oregongeology.org/tsuclearinghouse/pubs-evacbro.htm> (PDF) or <http://nvs.nanoos.org/TsunamiEvac> (interactive map)).
 - Monitor VHF FM Channel 16 and the marine WX channels for periodic updates of tsunami and general weather conditions; additional information will be available from NOAA Weather Radio.
 - **After the tsunami,**
 - Check with local authorities to assess safety of navigation in and out of the port.
 - "CAUTIONARY RE-ENTRY" DOES NOT MEAN THAT YOU CAN SAFELY NAVIGATE ALL THE WAY TO OPEN SEA.
 - The "CAUTIONARY RE-ENTRY" is for land entry only.
 - If in an onshore assembly or evacuation area, check with local authorities for guidance before returning to the inundation zone.
-

¹ Based on scientific studies (e.g., Lynett et al., 2013).



TOLEDO. Map of maximum tsunami current velocities and expected port damage resulting from a maximum-considered DISTANT tsunami. Rise of water above prevailing tide should be no more than 3-4 ft. Floating dock pilings should be constructed to handle this change in water level plus an appropriate tide such as mean higher high water (MHHW). MHHW is 7.6 ft above geodetic mean sea level (NAVD88) in this area. Be aware that tsunamis are many surges of water over at least several hours. Withdrawing tsunami waves will rapidly drain the estuary and can ground your vessel, making it vulnerable to being sunk by the next incoming tsunami wave.

GENERAL GUIDANCE ON RESPONSE TO NOAA ADVISORIES AND WARNINGS

In and near the PORT OF NEWPORT...



Tsunami Advisories

- **During the event** (before the tsunami arrives):
 - Evacuate from all structures and vessels in the water.
 - Access of public along waterfront areas will be limited by local authorities.
 - All personnel working on or near the water should wear personal flotation devices.
 - Port authorities will shut off fuel to fuel docks, and all electrical and water services to all docks.
 - Secure and strengthen all mooring lines throughout harbor, specifically areas near the entrance or narrow constrictions.
 - **After the event**: Port authorities will not allow public to re-enter structures and vessels in the water until Advisory is cancelled.
-



Tsunami Warnings

- **During the event**:
 - Access of public along waterfront areas will be limited by local authorities.
 - Port authorities will shut off fuel to fuel docks, and all electrical and water services to all docks.
 - If you are on the water,
 - Prepare for heavy seas and currents. Maintain extra vigilance and monitor VHF Channel 16 for possible Urgent Marine Information Broadcast from the US Coast Guard.
 - Monitor VHF FM Channel 16 and the marine WX channels for periodic updates of tsunami and general weather conditions; additional information will be available from NOAA Weather Radio.
 - If advised that offshore evacuation is an option and this option looks practical for your vessel, proceed to a staging area **greater than 30 fathoms (180 ft)**; at Yaquina Bay go to greater than 5 nautical miles offshore.
 - If conditions do not permit, dock your boat and get out of the ***DISTANT Tsunami Evacuation Zone*** (ORANGE zone on map at <http://www.oregongeology.org/tsuclearinghouse/pubs-evacbro.htm> (PDF) or <http://nvs.nanoos.org/TsunamiEvac> (interactive map)).
-

(continued on next page)

General guidance on response to NOAA advisories and warnings in and near the PORT OF NEWPORT




Tsunami Warnings

During the event (continued from previous page):

- VESSELS considering leaving the harbor and heading to sea, please consider the following:
 - Make sure your family is safe first.
 - Check tide, bar, and ocean conditions.
 - Check the weather forecast for the next couple of days.
 - Ensure you have enough fuel, food and water to last a couple of days.
 - Have someone drive you to the marina so your vehicle is not in the DISTANT Tsunami Evacuation Zone (ORANGE zone on map at <http://www.oregongeology.org/tsuclearinghouse/pubs-evacbro.htm> (PDF) or <http://nvs.nanoos.org/TsunamiEvac> (interactive map).
 - PLEASE REMEMBER: There may be road congestion. There may also be vessel congestion in the harbor as ships, barges and other vessels attempt to depart at the same time. All vessels should monitor VHF Channel 16 and use extreme caution. NEVER impede another vessel.
 - If you do not have time to accomplish your goal, you should not make the attempt.
 - **VESSELS that stay in port** should check with local port authorities for guidance on what is practical or necessary with respect to vessel removal or mooring options, given the latest information on the distant tsunami event; then go outside the DISTANT Tsunami Evacuation Zone (ORANGE zone on map links listed above).
 - **After the tsunami:**
 - The "CAUTIONARY RE-ENTRY" DOES NOT MEAN THAT THE HARBOR IS OPEN. The "CAUTIONARY RE-ENTRY" message is for land entry only.
 - Mariners at sea should monitor VHF Channel 16 for possible US Coast Guard Safety Marine Information Broadcasts regarding the conditions and/or potential restrictions placed on navigation channels and the entrances to harbors.
 - Check with your docking facility to determine its ability to receive vessels. Adverse tsunami surge impacts may preclude safe use of the harbor. Vessels may be forced to anchor offshore or to travel great distances to seek safe harbor. An extended stay at sea is a possibility if the Harbor is impacted by debris or shoaling. Make sure your vessel is prepared to stay at sea. Where possible, mariners should congregate for mutual support while at sea, anchor or during transit elsewhere.
 - If in an onshore assembly or evacuation area, check with local authorities
-

for guidance before returning to the inundation zone.



NEWPORT. Map of maximum tsunami current velocities and expected port damage resulting from a maximum-considered DISTANT tsunami. Dangerous eddies and whirlpools can be expected in narrow channel constrictions like in and near the entrance to the South Beach Marina. Maximum rise of water above prevailing tide should be 7-8 ft at the US Coast Guard docks, 8-9 ft at the South Beach Marina and Newport docks, and 6-7 ft at the International Docks on the east side of Yaquina Bay. Floating dock pilings should be constructed to handle these changes in water level plus an appropriate tide such as mean higher high water (MHHW). MHHW is 7.6 ft above geodetic mean sea level (NAVD88) in this area. Be aware that tsunamis are many surges of water over at least several hours. Withdrawing tsunami waves will rapidly drain the estuary and can ground your vessel, making it vulnerable to being sunk by the next tsunami surge.

ADDITIONAL GUIDANCE

Do Your Homework


Check the Oregon Department of Geology and Mineral Industries Tsunami Clearinghouse at www.oregontsunami.org for detailed information on tsunami hazards in your area and tips on preparedness. Preparedness information is also available from Oregon Emergency Management at www.oregon.gov/OMD/OEM/. Download and review the statewide tsunami maritime guidance brochure at <http://www.oregongeology.org/tsuclearinghouse/maritime.htm>. For general information on tsunami maritime hazards consult www.tsunami.noaa.gov and the information below.


Know real-time and permanent mitigation measures appropriate for your area

| Real-time response mitigation measures may include: | Permanent mitigation measures may include: |
|--|---|
| Moving boats and ships out of harbors | Fortify and armor breakwaters |
| Repositioning ships within harbor | Increase size and stability of dock piles |
| Move large, deep keeled ships from harbor entrances | Strengthen cleats and single-point moorings |
| Remove small boats/assets from water | Improve floatation portions of docks |
| Shut down infrastructure before tsunami arrives | Increase flexibility of interconnected docks |
| Evacuate public/vehicles from water-front areas | Improve movement along dock/pile connections |
| Restrict boats from moving during tsunami | Increase height of piles to prevent overtopping |
| Prevent boats from entering harbor during event | Deepen/dredge channels near high hazard zones |
| Secure boat/ship moorings | Move docks/assets away from high hazard zones |
| Personal flotation devices/vests for harbor staff | Widen size of harbor entrance to prevent jetting |
| Remove hazardous materials away from water | Reduce exposure of petroleum/chemical facilities |
| Remove buoyant assets away from water | Strengthen boat/ship moorings |
| Stage emergency equipment outside affected area | Construct floodgates |
| Activate Mutual Aid System as necessary | Prevent uplift of wharfs by stabilizing platform |
| Activate Incident Command at evacuation sites | Debris deflection booms to protect docks |
| Alert key first responders at local level | Make harbor control structures tsunami resistant |
| Restrict traffic entering harbor; aid traffic evacuating | Construct breakwaters farther away from harbor |
| Personnel to assist rescue, survey and salvage | Install Tsunami Warning Signs |
| Identify boat owners/live-aboards; establish phone tree, or other notification process | Equipment/assets (patrol/tug/fireboats, cranes, etc.) to assist response activities |

Consult local tsunami evacuation maps

Use the maps on the following pages to determine where the DISTANT tsunami evacuation zone (orange zone) is, and how to reach high ground.





REFERENCES CITED

California Maritime Tsunami Response Playbook for Humboldt Bay, 2015 in press, California Geological Survey, California Office of Emergency Services, and University of Southern California, No. 2015-Humb-01, p. 22.

Humboldt Bay Tsunami Maritime Actions website:

<http://humboldt harborsafety.org/sites/humboldt harborsafety.org/files/BMP%20Tsunami%20Maritime%20Actions%20Small%20Craft%20Final.pdf>.

Lynett, P., Borrero, J., Son, S., Wilson, R., and Miller, K., 2013, Assessment of the tsunami-induced current hazards: Geophysical Research Letters, v. 41, no. 6, 2048-2055.

Tsunami evacuation maps for Oregon:

<http://www.oregongeology.org/tsuclearinghouse/pubs-evacbro.htm> (PDFs)

and <http://nvs.nanoos.org/TsunamiEvac> (interactive map)

Smartphone apps:

Android: <https://play.google.com/store/apps/details?id=org.nanoos.tsunami&hl=en>

iPhone: <https://itunes.apple.com/us/app/tsunamievac-nw/id478984841?mt=8>

Warning: After an earthquake and tsunami, cell phone towers might be damaged. Know and practice your evacuation plan beforehand.