

Dear Legislators,

I was born in Oregon and have raised two daughters in Bend, who are now 13 and 17. I have a B.S. in Biology and a R.N. degree. When I had my babies, I did not really see the need to question the safety of vaccines. In my education, mild side effects were considered a small risk for a great reward of immunity against infectious disease. However, my perspective changed greatly after three events: 1) My uncle (who is only 6 years older than I) had a perfectly healthy baby who died a few days after her two month vaccinations. 2) I took care of a man at St. Charles Medical Center who was completely paralyzed from a flu vaccine. He developed a syndrome called Guillain-Barre that paralyzed every muscle in his body except for some muscles in his face. He could not regulate his temperature, he was confined to lying flat on his back, and he was completely dependent on care from others. 3) A close family friend's daughter developed thrombocytopenia from an MMR vaccine. She was hospitalized with bruising all over her body and an inability to create platelets. She was at risk of bleeding to death, but luckily survived.

I believe that we all are deeply concerned about the health of children and our greater population. That is certainly what has driven me, for over a decade now, to closely follow the debate on vaccine safety. I have read many studies and listened to many stories. The stories of parents whose children develop vaccine injuries always sound very similar. The child develops a high fever after a round of vaccines, lets out a high pitched scream, starts seizing, and is rushed to the hospital to be diagnosed with encephalopathy (brain swelling). Later, a diagnosis of autism is common. There are thousands of parents with this same story. In addition, while children are receiving many more vaccinations than they did in our generation, chronic illness among children has increased to an estimated 40% with autoimmune disorders, ADHD, ADD, autism, and childhood cancers.

The CDC claims to have researched the link between autism and vaccines extensively, and established no link, but that is a false claim. There is a whistleblower named William Thompson, a researcher from the CDC who came forward with thousands of documents showing that they falsified data.

In 1986, Pharmaceutical companies were absolved of any liability for vaccine injuries and the vaccine injury court was established by the U.S. Government. Our federal government has paid out over \$4 Billion dollars in claims to people who could prove vaccine injury or death of a family member. Those were only the ones who could prove it.

HB 3063 is being sponsored by Reps Mitch Greenlick and Reps Cheri Helt. It would eliminate non-medical vaccine exemptions for school children. I believe that holding the education of a child hostage when a parent does not feel that the risks of vaccination outweigh the reward is a deep infringement on civil rights.

The list of possible adverse reactions on a vaccine insert is extensive. Here is a list from just the MMR vaccine insert:

The following adverse reactions are listed in decreasing order of severity, without regard to causality, within each body system category and have been reported during clinical trials, with use of the marketed vaccine, or with use of monovalent or bivalent vaccine containing measles, mumps, or rubella:

Body as a Whole

Panniculitis; atypical measles; fever; syncope; headache; dizziness; malaise; irritability.

Cardiovascular System

Vasculitis.

Digestive System

Pancreatitis; diarrhea; vomiting; parotitis; nausea.

Endocrine System

Diabetes mellitus.

Hemic and Lymphatic System

Thrombocytopenia (see WARNINGS, leukocytosis.

Immune System

Thrombocytopenia);

purpura;

regional

lymphadenopathy;

Anaphylaxis and anaphylactoid reactions have been reported as well as related phenomena such as angioneurotic edema (including peripheral or facial edema) and bronchial spasm in individuals with or without an allergic history.

6

Musculoskeletal System

Arthritis; arthralgia; myalgia.

Arthralgia and/or arthritis (usually transient and rarely chronic), and polyneuritis are features of infection with wild-type rubella and vary in frequency and severity with age and sex, being greatest in adult females and least in prepubertal children. This type of involvement as well as myalgia and paresthesia, have also been reported following administration of MERUVAX II.

Chronic arthritis has been associated with wild-type rubella infection and has been related to persistent virus and/or viral antigen isolated from body tissues. Only rarely have vaccine recipients developed chronic joint symptoms.

Following vaccination in children, reactions in joints are uncommon and generally of brief duration. In women, incidence rates for arthritis and arthralgia are generally higher than those seen in children (children: 0-3%; women: 12-26%),{17,56,57} and the reactions tend to be more marked and of longer duration. Symptoms may persist for a matter of months or on rare occasions for years. In adolescent girls, the reactions appear to be intermediate in incidence between those seen in children and in adult women. Even in women older than 35 years, these reactions are generally well tolerated and rarely interfere with normal activities.

Nervous System

Encephalitis; encephalopathy; measles inclusion body encephalitis (MIBE) (see CONTRAINDICATIONS); subacute sclerosing panencephalitis (SSPE); Guillain-Barré Syndrome (GBS); acute disseminated encephalomyelitis (ADEM); transverse myelitis; febrile convulsions; afebrile convulsions or seizures; ataxia; polyneuritis; polyneuropathy; ocular palsies; paresthesia.

The list of ingredients in vaccines includes several known neurotoxins and carcinogens. Many ingredients have absolutely not been tested for safety. Keep in mind that we are purposely eliciting an immune response using known neurotoxins like Aluminum and carcinogenic surfactants like Triton X-100. The long term effects of these ingredients have are not understood.

Adenovirus	human-diploid fibroblast cell cultures (strain WI-38), Dulbecco's Modified Eagle's Medium, fetal bovine serum, sodium bicarbonate, monosodium glutamate, sucrose, D-mannose, D- fructose, dextrose, human serum albumin, potassium phosphate, plasdone C, anhydrous lactose, microcrystalline cellulose, polacrillin potassium, magnesium stearate, cellulose acetate phthalate, alcohol, acetone, castor oil, FD&C Yellow #6 aluminum lake dye
Anthrax (Biothrax)	amino acids, vitamins, inorganic salts, sugars, aluminum hydroxide, sodium chloride, benzethonium chloride, formaldehyde
BCG (Tice)	glycerin, asparagine, citric acid, potassium phosphate, magnesium sulfate, iron ammonium citrate, lactose
Cholera (Vaxchora)	casamino acids, yeast extract, mineral salts, anti-foaming agent, ascorbic acid, hydrolyzed casein, sodium chloride, sucrose, dried lactose, sodium bicarbonate, sodium carbonate
DT (Sanofi)	aluminum phosphate, isotonic sodium chloride, formaldehyde, casein, cystine, maltose, uracil, inorganic salts, vitamins, dextrose
DTaP (Daptacel)	aluminum phosphate, formaldehyde, glutaraldehyde, 2-phenoxyethanol, Stainer-Scholte medium, casamino acids, dimethyl-beta-cyclodextrin, Mueller's growth medium, ammonium sulfate, modified Mueller-Miller casamino acid medium without beef heart infusion
DTaP (Infanrix)	Fenton medium containing a bovine extract, modified Latham medium derived from bovine casein, formaldehyde, modified Stainer-Scholte liquid medium, glutaraldehyde, aluminum hydroxide, sodium chloride, polysorbate 80 (Tween 80)

DTaP-IPV (Kinrix)	Fenton medium containing a bovine extract, modified Latham medium derived from bovine casein, formaldehyde, modified Stainer-Scholte liquid medium, glutaraldehyde, aluminum hydroxide, VERO cells, a continuous line of monkey kidney cells, Calf serum, lactalbumin hydrolysate, sodium chloride, polysorbate 80 (Tween 80), neomycin sulfate, polymyxin B
DTaP-IPV (Quadracel)	modified Mueller's growth medium, ammonium sulfate, modified Mueller-Miller casamino acid medium without beef heart infusion, formaldehyde, aluminum phosphate, Stainer-Scholte medium, casamino acids, dimethyl-beta-cyclodextrin, MRC-5 cells, normal human diploid cells, CMRL 1969 medium supplemented with calf serum, Medium 199 without calf serum, 2-phenoxyethanol, polysorbate 80, glutaraldehyde, neomycin, polymyxin B sulfate

Centers for Disease Control and Prevention June 2018 Epidemiology and Prevention of Vaccine-Preventable Diseases, 13th Edition

Vaccine	Contains
DTaP-HepB-IPV (Pediatrix)	Fenton medium containing a bovine extract, modified Latham medium derived from bovine casein, formaldehyde, glutaraldehyde, modified Stainer-Scholte liquid medium, VERO cells, a continuous line of monkey kidney cells, calf serum and lactalbumin hydrolysate, aluminum hydroxide, aluminum phosphate, aluminum salts, sodium chloride, polysorbate 80 (Tween 80), neomycin sulfate, polymyxin B, yeast protein.
DTaP-IPV/Hib (Pentacel)	aluminum phosphate, polysorbate 80, sucrose, formaldehyde, glutaraldehyde, bovine serum albumin, 2-phenoxyethanol, neomycin, polymyxin B sulfate, modified Mueller's growth medium, ammonium sulfate, modified Mueller-Miller casamino acid medium without beef heart infusion, Stainer-Scholte medium, casamino acids, dimethyl-beta-cyclodextrin. MRC-5 cells (a line of normal human diploid cells), CMRL 1969 medium supplemented with calf serum, Medium 199 without calf serum, modified Mueller and Miller medium
Hib (ActHIB)	sodium chloride, modified Mueller and Miller medium (the culture medium contains milk-derived raw materials [casein derivatives]), formaldehyde, sucrose
Hib (Hiberix)	saline, synthetic medium, formaldehyde, sodium chloride, lactose
Hib (PedvaxHIB)	complex fermentation media, amorphous aluminum hydroxyphosphate sulfate, sodium chloride
Hep A (Havrix)	MRC-5 human diploid cells, formalin, aluminum hydroxide, amino acid supplement, phosphate-buffered saline solution, polysorbate 20, neomycin sulfate, aminoglycoside antibiotic
Hep A (Vaqta)	MRC-5 diploid fibroblasts, amorphous aluminum hydroxyphosphate sulfate, non-viral protein, DNA, bovine albumin, formaldehyde, neomycin, sodium borate, sodium chloride
Hep B (Engerix-B)	aluminum hydroxide, yeast protein, sodium chloride, disodium phosphate dihydrate, sodium dihydrogen phosphate dihydrate
Hep B (Recombivax)	soy peptone, dextrose, amino acids, mineral salts, phosphate buffer, formaldehyde, potassium aluminum sulfate, amorphous aluminum hydroxyphosphate sulfate, yeast protein
Hep B (Heplisav-B)	vitamins and mineral salts, yeast protein, yeast DNA, deoxycholate, phosphorothioate linked oligodeoxynucleotide, phosphate buffered saline, sodium phosphate, dibasic dodecahydrate, monobasic dehydrate, polysorbate 80

Hep A/Hep B (Twinrix)	MRC-5 human diploid cells, formalin, aluminum phosphate, aluminum hydroxide, amino acids, sodium chloride, phosphate buffer, polysorbate 20, neomycin sulfate, yeast protein
Human Papillomavirus (HPV) (Gardasil 9)	vitamins, amino acids, mineral salts, carbohydrates, amorphous aluminum hydroxyphosphate sulfate, sodium chloride, L-histidine, polysorbate 80, sodium borate, yeast protein
Influenza (Afluria) Trivalent & Quadrivalent	sodium chloride, monobasic sodium phosphate, dibasic sodium phosphate, monobasic potassium phosphate, potassium chloride, calcium chloride, sodium taurodeoxycholate, ovalbumin, sucrose, neomycin sulfate, polymyxin B, beta-propiolactone, thimerosal (multi-dose vials)
Influenza (Fluad)	squalene, polysorbate 80, sorbitan trioleate, sodium citrate dehydrate, citric acid monohydrate, neomycin, kanamycin, barium, egg proteins, cetyltrimethylammonium bromide (CTAB), formaldehyde
Influenza (Fluarix) Trivalent & Quadrivalent	octoxynol-10 (TRITON X-100), α -tocopheryl hydrogen succinate, polysorbate 80 (Tween 80), hydrocortisone, gentamicin sulfate, ovalbumin, formaldehyde, sodium deoxycholate, sodium phosphate-buffered isotonic sodium chloride
Influenza (Flublok) Trivalent & Quadrivalent	sodium chloride, monobasic sodium phosphate, dibasic sodium phosphate, polysorbate 20 (Tween 20), baculovirus and <i>Spodoptera frugiperda</i> cell proteins, baculovirus and cellular DNA, Triton X-100, lipids, vitamins, amino acids, mineral salts
Influenza (Flucelvax) Trivalent & Quadrivalent	Madin Darby Canine Kidney (MDCK) cell protein, protein other than HA, MDCK cell DNA, polysorbate 80, cetyltrimethylammonium bromide, and β -propiolactone
Influenza (Flulaval) Trivalent & Quadrivalent	ovalbumin, formaldehyde, sodium deoxycholate, α -tocopheryl hydrogen succinate, polysorbate 80, thimerosal (multi-dose vials)
Influenza (Fluvirin)	ovalbumin, polymyxin, neomycin, betapropiolactone, nonylphenol ethoxylate, thimerosal
Influenza (Fluzone) Quadrivalent	formaldehyde, egg protein, octylphenol ethoxylate (Triton X-100), sodium phosphate-buffered isotonic sodium chloride solution, thimerosal (multi-dose vials), sucrose

I deeply hope that our Oregon state legislature will dismiss all attempts to infringe on personal medical freedoms with vaccine mandates. I am a well-educated parent who will remove my child from school, before I allow them to be injected again with chemicals that I believe damage their immune system and their brains.

Regards,

Shawn Blount
Bend
541-788-7006

shawnieblount@yahoo.com