

Béchamp, Antoine, The Blood and its Third Element [1912]

# CDC FOUNDATION DONORS LIST includes:

Merck, Amgen, Pfizer Inc,
Procter & Gamble Company,
The Bill & Melinda Gates Foundation,
Sanofi-Aventis, Johnson&Johnson,
Genentech Inc., Lupin
Pharmaceuticals Inc., Cargill,
ExxonMobil, Kingdom of
Saudi Arabia Ministry of Health

CDC MUST BE SO UNBIASED, HAVING PEOPLE'S BEST INTEREST AT HEART!

# The rise of mandatory and forced vaccination

legislation should send a chill up every single

American spine.

That government can


That government can force you to accept any kind of medicine and inject you against your will is


# totalitarianism

at its worst! This egregious form of state power is metastasizing.

Dr. Ron Paul

@JasonBassler1 | TheFreeThoughtProject.com





Aldous Huxley (1894-1963)

"There will be in the next generation or so a pharmacological method of making people love their servitude and producing dictatorship without tears so to speak. Producing a kind of painless concentration camp for entire societies so that people will in fact have their liberties taken away from them, but will rather enjoy it, because they will be distracted from any desire to rebel by propaganda, or brainwashing, or brainwashing enhanced by pharmacological methods. And this seems to be the final revolution."


# VACCINE FACT:


As of 1900, the number of people who died from Measles was 13.3 in 100,000.

In 1940 it had declined to 0.5 in 100,000, and by 1960 the mortality rate declined to as low as 0.2 in 100,000.

In what year was the Measles vaccine introduced in the U.S.?

THE VACCINE WAS INTRODUCED IN 1963





### Background

In the 1980s vaccine manufacturers were frequently sued by the parents of children who were permanently disabled or died following vaccination. After paying out millions of dollars in these lawsuits, vaccine manufacturers were prepared to stop producing vaccines unless the federal government provided them with immunity from jury verdicts.

In response to pharmaceutical manufacturers' threat to close their own vaccine factories, in 1986 Congress passed the National Childhood Vaccine Injury Act (NCVIA), protecting vaccine manufacturers from most financial liability associated with their products. Under NCVIA, the National Vaccine Injury Compensation Program (VICP) was created to provide cost-effective arbitration for vaccine injury claims. Vaccine manufacturers can no longer be sued in a state or federal court for damages arising from a vaccine-related injury or death unless a petition for compensation under the new program is filed and denied.

Compensation under the program is paid for by a 75-cent excise tax on every vaccine purchased. (MMR contains three vaccines, so the tax is \$2.25.) The money goes into a Trust Fund managed by the U.S. Department of the Treasury. As of Mar 1, 2016, more than \$3.2 billion had already been paid out, most of it to compensate parents whose children were severely disabled or died after receiving vaccines. Today, vaccine manufacturers not only make millions of dollars annually from their lucrative business, but they have been disincentivized from producing safer vaccines, since they are shielded from liability when their mandatory products harm consumers.

Vaccine Adverse Event Reporting System (VAERS)

### **AUTOIMMUNE DISEASE**

## VACCINE

Measles, mumps, nubela (MMR)

Yellow fever

Bacillus Calmette-Guerin (BCG)

Hepatitis B virus (HBV)

Human Papilloma Virus (HPV)

Influenza

Meningococcal

Pneumococcal

Diphtheria-Tetanus-Pertussis (dTP)

Varicella

Small Pox

Arthrex

H1N1 Influenza

Rotavirus

idiopathic thrombocytopenic purpura

Arthralgia/Arthritis including rheumatoid arthritis

Neurologic disease- related to yellow fever

Dermatomyositis

Takayasu's arteritis

Optic neuritis

Guillain Barre Syndrome (GBS)

Myelitis

Multiple Sclerosis

Systemic lupus erythematosus (SLE)

Antiphospholipid syndrome (APS)

Myopathy/Myositis

Acute disseminated encephalomyelitis

Transverse Myelitis

**Pancreatitis** 

Postural Orthostatic tachycardia syndrome (POT)

Primary Ovarian Failure (POF)

Autoimmune hepatitis

Vasculitis

Henoch-Schonlein purpura (HSP)

**Bullous Pemphigiod** 

Narcolepsy

Celliac disease

Polymyalgia rheumatica

Fibromyalgia/Chronic Fatigue syndrome

#### **6.2 Postmarketing Experience**

The safety experience with FLUCELVAX (trivalent influenza vaccine) is relevant to FLUCELVAX QUADRIVALENT, because both vaccines are manufactured using the same process and have overlapping compositions.

The following additional adverse events have been identified during post-approval use of FLUCELVAX. Because these events are reported voluntarily from a population of uncertain size, it is not always possible to reliably estimate their frequency or establish a causal relationship to the vaccine.

Immune system disorders: Anaphylactic reaction, angioedema.

Skin and subcutaneous tissue disorders: Generalized skin reactions including pruritus, urticaria or non-specific rash.

Nervous systems disorders: Syncope, Presyncope

General disorders and administration site conditions: Extensive swelling of injected limb.

#### 7 DRUG INTERACTIONS

#### 7.1 Concomitant use with Other Vaccines

No data are available to assess the concomitant administration of FLUCELVAX OUADRIVALENT with other vaccines.

#### 8 USE IN SPECIFIC POPULATIONS 8.1 Pregnancy

It appears that women who are vaccinated during pregnancy will be part of a study to determine whether the vaccine is safe for pregnant women. Anyone who's pregnant should be informed of this. Also,...

#### Pregnancy Exposure Registry

There is a pregnancy exposure registry that monitors pregnancy outcomes in women exposed to FLUCELVAX QUADRIVALENT during pregnancy. Women who are vaccinated with FLUCELVAX QUADRIVALENT during pregnancy are encouraged to enroll in the registry by calling 1-855-358-8966 or sending an email to Seqirus at us.medicalinformation@seqirus.com.

Pregnancy Category B: The developmental and reproductive toxicity study performed with the trivalent formulation of FLUCELVAX is relevant to FLUCELVAX QUADRIVALENT because both vaccines share the same manufacturing process and route of administration. A reproductive and developmental toxicity study has been performed in rabbits with FLUCELVAX, with a dose level that was approximately 11 times the human dose based on body weight. The study revealed no evidence of impaired female fertility or harm to the fetus. There are, however, no adequate and well-controlled studies in pregnant women. Because animal reproduction studies are not always predictive of human response, this vaccine should be used during pregnancy only if clearly needed.

In a reproductive and developmental toxicity study, the effect of FLUCELVAX containing 45 mcg HA/dose on embryo-fetal and post-natal development was evaluated in pregnant rabbits. Animals were administered vaccine by intramuscular injection 3 times prior to gestation, during the period of organogenesis (gestation day 7) and later in pregnancy (gestation day 20), 0.5 mL/rabbit/occasion (approximately 11-fold excess relative to the projected human dose on

## 2019 CHILDHOOD VACCINE SCHEDULE

1962

OPV Smallpox DTP 5 Doses 1983

DTP (2 months)
OPV (2 months)
DTP (4 months)
OPV (4 months)
OPV (4 months)
DTP (6 months)
DTP (18 months)
OPV (18 months)
OPV (18 months)
DTP (4 years)
OPV (4 years)
Td (15 years)
24 Doses

#### 2019

Influenza (pregnancy)
Tdap (pregnancy)
Hep B (birth)
Hep B (2 months)
Rotavirus (2 months)
DTaP (2 months)
HIB (2 months)
PCV (2 months)
IPV (2 months)
Rotavirus (4 months)
DTaP (4 months)
HIB (4 months)
PCV (4 months)
IPV (4 months)
IPV (4 months)

Hep B (6 months) Influenza (18 months) Rotavirus (6 months) Hep A (18 months) DTaP (6 months) Influenza (30 months) HIB (6 months) Influenza (42 months) PCV (6 months) DTaP (4 years) IPV (6 months) IPV (4 years) Influenza (6 months) MMR (4 years) Influenza (7 months) Varicella (4 years) HIB (12 months) Influenza (5 years) PCV (12 months) Influenza (6 years) MMR (12 months) Influenza (7 years) Varicella (12 months) Influenza (8 years) Hep A (12 months) Influenza (9 years) DTaP (18 months) HPV (9 years)

Influenza (10 years)
HPV (10 years)
Influenza (11 years)
HPV (11 years)
Tdap (12 years)
Influenza (12 years)
Meningococcal (12 years)
Influenza (13 years)
Influenza (14 years)
Influenza (15 years)
Influenza (16 years)
Meningococcal (16 years)
Influenza (17 years)
Influenza (18 years)

72 Doses

#### WHAT HAPPENED IN 1986?

- In 1986, Reagan passed a law that gave legal immunity to vaccine manufacturers.
- They could no longer be sued for injuries or death caused by their products. Safe vaccines wouldn't need such protection.
- Once that law passed, we suddenly 'needed' 48 additional doses of vaccines. (Do you remember any outbreaks in 1989?)
- Also, since that law was passed, U.S. Federal Government has paid out more than \$4 Billion in vaccine injury compensation, and that's only a fraction of actual injuries.
- The U.S. gives more vaccines than most developed countries, yet we have the sickest kids

#### GUESS WHAT?

The CDC has only ever tested MMR and Thimerosal for a link to autism. The remaining 15 vaccines and 37 common ingredients remain untested for links to autism.



For more information and sources, please visit www.InformedChoiceUSA.org

THERE ARE RISKS | YOU HAVE CHOICES

# If "science were settled..."

...we'd still be giving kids safe, side-effect-free heroin for their coughs

...we'd still think hand washing and disease spread weren't related




...we'd still think radiation had "health benefits"


...we'd still be smoking doctor-recommended cigarettes


...we'd still be lobotomizing mental health patients

Science is constantly changing.
Ask more questions.









Once a government is committed to the principle of silencing the voice of opposition, it has only one way to go, and that is down the path of increasingly repressive measures, until it becomes a source of terror to all its citizens and creates a country where everyone lives in fear.

— Harry S. Truman —

AZ QUOTES



"A critical point which is never mentioned by those advocating mass vaccination, is that children's health has declined significantly since 1960 when vaccines began to be widely used. According to the National Health Interview Survey conducted annually...a shocking 31% of US children today have chronic health problems... In my medical career, I've treated vaccinated and unvaccinated children, and the unvaccinated were far healthier and more robust. Allergies, asthma, and behavioral and attention disturbances were clearly more common in my young patients who were vaccinated."

Philip Incao MD, Testimony on the Hepatitis Vaccine, Ohio 3/1/99