

COVID-19 Treatments Updates

Dr. Dean Sidelinger
Acknowledgments
CRRU Therapeutic Team

Oregon
Health
Authority

Oregon's Epi Curve



Note: The shaded area shows the past 17 days. Not all people who got sick during this time period have been reported yet to OHA.

■ Not Hospitalized ■ Hospitalization unknown ■ Hospitalized during illness

Available COVID-19 Therapeutics

- Monoclonal Antibodies (EVUSHELD, Bebtelovimab)
 - Given by vein or shot
 - EVUSHELD is used for prevention of COVID-19
- Antivirals (Remdesivir, Paxlovid, Molnupiravir)
 - Usually taken by mouth
 - Must take within 5 days of symptoms onset
- Treatments are for people with COVID-19 infection at high risk for severe illness (hospitalization or death)

Tixagevimab/Cilgavimab (EVUSHELD)

- Intramuscular (IM)
- Preexposure prevention of COVID-19
- Not currently infected, no recent exposure, **and**
 - Moderate to severe immunocompromise, or
 - Can't get vaccine for medical reasons (severe allergy to vaccine ingredients)

Antivirals

Remdesivir (Intravenous)

- Approved by FDA in 2020 for hospitalized patients
- Available commercially; not distributed by State
- Can prevent serious COVID-19 in those with mild-to-moderate disease who are at high risk of bad disease
- Decreased risk of hospitalization/death by 87%, compared to placebo
- On April 25, 2022, FDA approves treatment for pediatric patients, hospitalized or not hospitalized

Paxlovid (Oral)

- Mechanism of action: Stops virus from multiplying
- Reduced risk of hospitalization/death by 88% if given within 5 days of symptoms onset
- Indications
 - Positive test within 5 days of symptoms, and
 - Mild-to-moderate COVID-19, and
 - High risk for severe illness
- Challenges
 - Not recommended for those with severe kidney, liver disease, uncontrolled HIV
 - Multiple serious drug interactions

Molnupiravir (Oral)

Lagevrio


- Mechanism of action: modify virus's RNA
- Reduces risk of hospitalization/death by 31%
- Indications
 - Positive test within 5 days of symptoms, and
 - Mild-to-moderate COVID-19, and
 - High risk for severe illness, and
 - No other FDA-authorized treatment available
- Challenges
 - Not recommended during pregnancy or lactation; use not authorized in children
 - Concerns about mutations resulting in viable new strains

Region 10 Courses Report

Paxlovid Ordered vs. Administered (12/17/22-5/26/22): Region 10 Jurisdictions

Region	Jurisdiction	Paxlovid Ordered	Paxlovid Administered	Pop. Estimate	Ordered per 1,000 Residents	Administered per 1,000 Residents	Utilization %
10	Alaska	6,420	1,569	733,391	8.8	2.1	24%
10	Idaho	6,475	1,560	1,839,106	3.5	0.8	24%
10	Oregon	29,280	10,154	4,237,256	6.9	2.4	35%
10	Washington	48,370	26,436	7,705,281	6.3	3.4	55%

Paxlovid Ordered vs. Administered (12/17/21 - 5/26/22): Region 10 States



	Alaska	Idaho	Oregon	Washington
Ordered per 1,000 Residents	8.8	3.5	6.9	6.3
Administered per 1,000 Residents	2.1	0.8	2.4	3.4
Utilization %	24%	24%	35%	55%

Federal Programs

- **Test to Treat Program (T2T)** Participating sites will test (or accept a positive at-home test), prescribe antivirals, and give you the medication all in one visit.
- **Federal Retail Pharmacy Therapeutic Program (FRPTP)** Have a healthcare provider send a prescription to a participating pharmacy.

Geographic Distribution Locator

- [The COVID-19 Therapeutics Locator](#)
 - Evusheld, Lagevrio, Paxlovid, Bebtelovimab availability
- [The Test to Treat Locator](#)
 - For oral antivirals availability at Test to Treat sites
 - For oral antiviral availability at pharmacies

How to get treatment

- Contact your healthcare provider as soon as you develop symptoms
- Don't have a healthcare provider?
 - Call 211
 - Call Vive NW at 844-291-4970 (Spanish and Indigenous languages)
 - Utilize the federal ***Test to Treat Program Locator***
- Recently test positive for COVID-19?
 - **Call OHA hotline at (866)-917-8881**
 - **Visit** <https://govstatus.egov.com/or-oha-covid-19-positive-test>
 - **Español** <https://govstatus.egov.com/or-oha-covid-19-positive-test/es>

How to get treatment (cont.)

- **Test to Treat Locator:** <https://covid-19-test-to-treat-locator-dhhs.hub.arcgis.com/>
 - **How it Works:**
 - Enter your address, city or zip code
 - Search within a certain distance from your location (in miles)
 - Search locations with testing, medical visits, and medication
 - Search locations to fill a prescription only
- The locator is new, and sites are being added constantly, however it does not represent an exhaustive collection of sites providing the Test to Treat model of care.

Accessibility

- Those who may have difficulty accessing the internet or need additional support locating a Test to Treat site can call [1-800-232-0233](tel:1-800-232-0233) (TTY [1-888-720-7489](tel:1-888-720-7489)) to get help in English, Spanish, and more than 150 other languages
- The [Disability Information and Access Line \(DIAL\)](#) is also available to specifically help people with disabilities access services. To get help, call [1-888-677-1199](tel:1-888-677-1199), Monday-Friday from 9am to 8pm ET or email DIAL@usaginganddisability.org.

Contact Us

- **Visit** <https://govstatus.egov.com/or-oha-covid-19-treatments>
- **Español** <https://govstatus.egov.com/or-oha-covid-19-treatments/es>
- **Email** OHA.therapeutics@dhsoha.state.or.us

Thank you!