Senate Bill 742

Sponsored by Senators KNOPP, HANSELL

SUMMARY

The following summary is not prepared by the sponsors of the measure and is not a part of the body thereof subject to consideration by the Legislative Assembly. It is an editor's brief statement of the essential features of the measure **as introduced.**

Limits local government regulations on certain nonresidential alarm systems and battery-charged fences. Requires signage for battery-charged fences.

A BILL FOR AN ACT

2 Relating to alarms.

1

4

5 6

7

8 9

10

11

12 13

14

15

16 17

18

19 20

21 22

23 24

25

26 27

28

29

30

- 3 Be It Enacted by the People of the State of Oregon:
 - **SECTION 1.** (1) As used in this section:
 - (a) "Alarm system" means any electrical, mechanical or electronic device or sensor used to prevent, detect or alert law enforcement or occupants of burglary, theft, or intrusion of a structure or a vehicle used as a commercial structure.
 - (b) "Battery-charged fence" means a fence that:
 - (A) Interfaces with an alarm system in a manner that enables the fence to cause the connected alarm system to transmit a signal intended to summon law enforcement in response to an intrusion;
 - (B) Has an energizer that is driven by battery that is not more than 12 volts of direct current;
 - (C) Produces an electric charge on contact that does not exceed energizer characteristics set for electric fence energizers by IEC standards;
 - (D) Is surrounded by a nonelectric perimeter fence or wall that is not less than five feet in height; and
 - (E) Is not higher than the greater of 10 feet in height or two feet higher than the height of the nonelectric perimeter fence or wall.
 - (c) "IEC standards" means the standards set by the International Electrotechnical Commission as most recently published on or before January 1, 2021.
 - (2) Except as required by state building code, a local government, as defined in ORS 197.015, may not adopt or enforce any ordinance, land use regulation or building code for property not zoned or used for residential use that:
 - (a) Prohibits the installation or use of a battery-charged fence.
 - (b) Imposes installation or operational requirements inconsistent with IEC standards or this section for an alarm system or battery-charged fence.
 - (c) Requires a permit for the installation or use of a battery-charged fence that is additional to an alarm system permit issued by the local government.
 - (3) A battery-charged fence must be marked with conspicuous warning signs that are located on the fence at not less than 60-foot intervals and that read: "WARNING: ELECTRIC

1 **FENCE."**

2