

Requested by Representative HARTMAN

**PROPOSED AMENDMENTS TO  
A-ENGROSSED HOUSE BILL 3525**

1 On page 1 of the printed A-engrossed bill, line 8, after “water” insert “and  
2 is within a ground water management area, as defined in ORS 468B.150”.

3 On page 2, line 23, delete “no less than” and insert “within”.

4 In line 33, after “water” insert “and is within a ground water management  
5 area, as defined in ORS 468B.150”.

6 On page 3, delete lines 17 through 21 and insert:

7 **“SECTION 3. Before June 1, 2027, and notwithstanding section 2  
8 (3)(b) of this 2025 Act, for each dwelling unit that is subject to section  
9 2 (2) of this 2025 Act on the operative date specified in section 4 of this  
10 2025 Act, the landlord shall sample and test for all contaminants as  
11 described in section 2 (5) of this 2025 Act.**

12 **“SECTION 4. (1) Section 2 of this 2025 Act becomes operative on  
13 January 1, 2027.**

14 **“(2) The Oregon Health Authority may take any action before the  
15 operative date specified in subsection (1) of this section that is neces-  
16 sary for the authority to exercise, on and after the operative date  
17 specified in subsection (1) of this section, all of the duties, functions  
18 and powers conferred on the authority by section 2 of this 2025 Act.”.**

19

---