

Kimberly CLARK PUGSLEY

Date of Birth: 06/28/1965

The information below was updated on April 26, 2023

Basic Information About You

Name

Kimberly CLARK PUGSLEY

Previous Name

Date Of Birth

June 28, 1965

Race

Other Race

Ethnicity

Unknown

Sex

Female

Marital Status

Preferred Language

English

Patient Identifier

16509

Contact Information

Main Address*

1055 N 5th St

No 102

Jacksonville, OR 97530, US

Previous Address

No Information Available

Email Address

Kimsdoolittle@gmail.com

Phone Number(s)

5412615833

5412615833

Related Person Details

Primary Care Provider

No Information

Care Team Members

Ashley Shrader, DNP FNPC

2205 Ashland St

Ashland , OR97520-1995

Allergies, Adverse Reactions, Alerts

Statins-HMG-CoA Reductase Inhibitors

Reaction

Status

Active

Criticality

No Information

morphine

Reaction

Status

Unknown

Active

Criticality

No Information

Medications

Flonase Allergy Relief 50 mcg/actuation nasal spray,suspension

Instructions

Dosage

spray 1 - 2 spray by intranasal route
every day in each nostril as needed

50-100 MCG

Effective Dates (start - Stop)

Status

Apr-26-2023 -

Active

Comments

methylphenidate 10 mg tablet

Instructions

Dosage

TAKE ONE TABLET BY MOUTH
TWICE DAILY

Effective Dates (start - Stop)

Status

Mar-02-2023 -

Active

Comments

neomycin-polymyxin-dexameth 3.5 mg/mL-10,000 unit/mL-0.1% eye drops

Instructions

Dosage

Instill 1 drop into both eyes four times a
day pt to use 4 TIMES DAILY FOR 1
week, TWICE DAILY FOR 1 week and
ONCE DAILY FOR 1 week then stop

Effective Dates (start - Stop)

Status

Feb-07-2023 -

Active

Comments

Synthroid 137 mcg tablet

Instructions

Dosage

Effective Dates (start - Stop)

Status

Feb-07-2023 -

Active

Comments

rizatriptan 10 mg tablet

Instructions

Dosage

take One tablet by mouth at onset of
migraine, may repeat after 2 hrs x 1 of
needed (20mg max/day)

Effective Dates (start - Stop)

Status

Jan-13-2023 -

Active

Comments

trazodone 150 mg tablet

Instructions	Dosage
Effective Dates (start - Stop)	Status
Jan-13-2023 -	Active
Comments	

duloxetine 60 mg capsule, delayed release

Instructions	Dosage
TAKE TWO CAPSULES BY MOUTH EVERY DAY	
Effective Dates (start - Stop)	Status
Jan-11-2023 -	Active
Comments	

lidocaine 5 % topical cream

Instructions	Dosage
Apply 2-4 g topically 4 times daily.	
Effective Dates (start - Stop)	Status
Dec-22-2022 -	Active
Comments	

liothyronine 5 mcg tablet

Instructions	Dosage
TAKE ONE TABLET BY MOUTH TWICE DAILY ON EMPTY STOMACH	
Effective Dates (start - Stop)	Status
Dec-21-2022 -	Active
Comments	

ondansetron HCl 4 mg tablet

Instructions	Dosage
TAKE ONE TABLET BY MOUTH EVERY 4 TO 6 HOURS AS NEEDED FOR NEAUSEA/VOMMITING	

Effective Dates (start - Stop)

Status

Dec-07-2022 -

Active

Comments

hydrocodone 10 mg-acetaminophen 325 mg tablet

Instructions

Dosage

TAKE ONE TABLET BY MOUTH FOUR
TIMES DAILY AS NEEDED FOR PAIN
FOR 28 DAYS

Effective Dates (start - Stop)

Status

Sep-21-2022 -

Active

Comments

lidocaine 5 % topical patch

Instructions

Dosage

Place 1 patch onto the skin daily.
Remove & Discard patch within 12 hours
or as directed by MD

Effective Dates (start - Stop)

Status

Aug-01-2022 -

Active

Comments

meloxicam 7.5 mg tablet

Instructions

Dosage

TAKE ONE TABLET BY MOUTH
EVERY DAY

Effective Dates (start - Stop)

Status

Jul-27-2022 -

Active

Comments

lorazepam 0.5 mg tablet

Instructions

TAKE ONE TABLET BY MOUTH DAILY
as needed FOR SLEEP

Dosage

Effective Dates (start - Stop)

Jun-14-2022 -

Status

Active

Comments

ibuprofen 800 mg tablet

Instructions

take One tablet by mouth as needed up
to three times daily

Dosage

Effective Dates (start - Stop)

Mar-31-2022 -

Status

Active

Comments

prednisone 10 mg tablet

Instructions

take 4 tablets by oral route every
morning for five days

Dosage

Effective Dates (start - Stop)

Apr-14-2023 - Apr-26-2023

Status

No Longer Active

Comments

ondansetron 4 mg disintegrating tablet

Instructions

Effective Dates (start - Stop)

Feb-23-2023 - Apr-26-2023

Dosage

Status

No Longer Active

Comments

fluconazole 150 mg tablet

Instructions

Effective Dates (start - Stop)

Feb-16-2023 - Apr-26-2023

Dosage

Status

No Longer Active

Comments

prednisone 20 mg tablet

Instructions

TAKE TWO TABLETS BY MOUTH IN
THE MORNING FOR 3 DAYS

Dosage

Effective Dates (start - Stop)

Dec-07-2022 - Apr-26-2023

Status

No Longer Active

Comments

meclizine 25 mg tablet

Instructions

TAKE ONE TABLET BY MOUTH
EVERY TWELVE HOURS AS NEEDED
FOR DIZZINESS

Dosage

Effective Dates (start - Stop)

Dec-06-2022 - Apr-26-2023

Status

No Longer Active

Comments

methocarbamol 500 mg tablet

Instructions

TAKE THREE TABLETS BY MOUTH
EVERY 6 HOURS AS NEEDED FOR
MUSCLE SPASMS for up to 3 days.

Dosage

Effective Dates (start - Stop)

Aug-17-2022 - Apr-26-2023

Status

No Longer Active

Comments

triamcinolone acetonide 0.1 % topical cream

Instructions

APPLY TO THE AFFECTED AREA(S)
TWICE DAILY a small amount. dab to
lower lip TWICE DAILY FOR 7 DAYS

Dosage

Effective Dates (start - Stop)

Aug-01-2022 - Apr-26-2023

Status

No Longer Active

Comments

Problems

No Information

Procedures

OFFICE/OUTPATIENT VISIT, EST

Date

Apr-14-2023

Injections NISHA Shot

Date

Apr-14-2023

THER/PROPH/DIAG INJ, SC/IM

Date

Apr-14-2023

Ketorolac tromethamine inj

Date

Apr-14-2023

IV Therapy Super Immune

Date

Mar-24-2023

IV Therapy Super Immune

Date

Mar-24-2023

IV Therapy Glutathione

Date

Mar-20-2023

IV Therapy Super Energy (Myers)

Date

Mar-20-2023

ROUTINE VENIPUNCTURE

Date

Mar-20-2023

COMPLETE CBC W/AUTO DIFF WBC

Date

Mar-20-2023

COMPREHEN METABOLIC PANEL

Date

Mar-20-2023

ASSAY OF FERRITIN

Date

Mar-20-2023

Vitamin D3- Caps

Date

Mar-08-2023

OFFICE/OUTPATIENT VISIT, EST

Date

Mar-08-2023

ROUTINE VENIPUNCTURE

Date

Mar-14-2023

Results

Panel Description: CBC with Auto Diff

Date And Time

Measure

Final

WBC

Date And Time

Measure

Mar-20-2023 14:17:00

6.7

Units	Reference Range
K/uL	4.0 - 11.0
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Lymph %

Date And Time	Measure
Mar-20-2023 14:17:00	37.6
Units	Reference Range
%	17.0 - 48.0
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Mono %

Date And Time	Measure
Mar-20-2023 14:17:00	8.8
Units	Reference Range
%	2.0 - 12.0
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Neut %

Date And Time	Measure
Mar-20-2023 14:17:00	50.6
Units	Reference Range
%	35.0 - 75.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Eos %

Date And Time

Measure

Mar-20-2023 14:17:00

2.7

Units

Reference Range

%

1.0 - 5.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Baso %

Date And Time

Measure

Mar-20-2023 14:17:00

0.3

Units

Reference Range

%

0.0 - 2.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Lymph

Date And Time

Measure

Mar-20-2023 14:17:00

2.5

Units	Reference Range
K/uL	0.7 - 3.5
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Mono

Date And Time	Measure
Mar-20-2023 14:17:00	0.6
Units	Reference Range
K/uL	0.1 - 0.9
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Neut

Date And Time	Measure
Mar-20-2023 14:17:00	3.4
Units	Reference Range
K/uL	1.4 - 7.0
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Eos

Date And Time	Measure
Mar-20-2023 14:17:00	0.2
Units	Reference Range
K/uL	0.0 - 0.5

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Baso

Date And Time

Measure

Mar-20-2023 14:17:00

0.0

Units

Reference Range

K/uL

0.0 - 0.2

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

RBC

Date And Time

Measure

Mar-20-2023 14:17:00

4.89

Units

Reference Range

M/uL

3.80 - 5.00

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Hgb

Date And Time

Measure

Mar-20-2023 14:17:00

14.0

Units	Reference Range
g/dL	11.0 - 16.0
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Hct

Date And Time	Measure
Mar-20-2023 14:17:00	41.7
Units	Reference Range
%	35.0 - 47.0
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

MCV

Date And Time	Measure
Mar-20-2023 14:17:00	85.1
Units	Reference Range
fL	80.0 - 100.0
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

MCH

Date And Time	Measure
Mar-20-2023 14:17:00	28.7
Units	Reference Range
pg	27.0 - 34.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

MCHC

Date And Time

Measure

Mar-20-2023 14:17:00

33.7

Units

Reference Range

g/dL

32.0 - 36.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

RDW

Date And Time

Measure

Mar-20-2023 14:17:00

12.5

Units

Reference Range

%

11.0 - 15.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Plt

Date And Time

Measure

Mar-20-2023 14:17:00

270

Units	Reference Range
K/uL	140 - 450
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

MPV

Date And Time	Measure
Mar-20-2023 14:17:00	8.7
Units	Reference Range
fL	7.5 - 11.5
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Panel Description: Complete Metabolic Panel

Date And Time	Measure
Final	

Glucose

Date And Time	Measure
Mar-20-2023 14:33:00	93
Units	Reference Range
mg/dL	65 - 99
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

BUN

Date And Time	Measure
Mar-20-2023 14:33:00	12

Units	Reference Range
mg/dL	7 - 25
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Creatinine

Date And Time	Measure
Mar-20-2023 14:33:00	0.78
Units	Reference Range
mg/dL	0.50 - 0.93
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

BUN/Creatinine Ratio

Date And Time	Measure
Mar-20-2023 14:33:00	15.00
Units	Reference Range
Ratio	9.00 - 28.00
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

eGFR Non-African American

Date And Time	Measure
Mar-20-2023 14:33:00	80.91
Units	Reference Range
mL/min/1.73 m ²	>60.00

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

eGFR African American

Date And Time

Measure

Mar-20-2023 14:33:00

97.90

Units

Reference Range

mL/min/1.73 m²;

>60.00

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Sodium

Date And Time

Measure

Mar-20-2023 14:33:00

143

Units

Reference Range

mmol/L

135 - 146

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Potassium

Date And Time

Measure

Mar-20-2023 14:33:00

3.9

Units	Reference Range
mmol/L	3.5 - 5.3
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Chloride

Date And Time	Measure
Mar-20-2023 14:33:00	107
Units	Reference Range
mmol/L	98 - 110
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

CO2

Date And Time	Measure
Mar-20-2023 14:33:00	28
Units	Reference Range
mmol/L	19 - 30
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Calcium

Date And Time	Measure
Mar-20-2023 14:33:00	8.9
Units	Reference Range
mg/dL	8.6 - 10.4

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Total Protein

Date And Time

Measure

Mar-20-2023 14:33:00

6.1

Units

Reference Range

g/dL

6.1 - 8.1

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Albumin

Date And Time

Measure

Mar-20-2023 14:33:00

4.2

Units

Reference Range

g/dL

3.6 - 5.1

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Globulin

Date And Time

Measure

Mar-20-2023 14:33:00

1.9

Units	Reference Range
mg/dL	1.9 - 3.7
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

A/G Ratio

Date And Time	Measure
Mar-20-2023 14:33:00	2.2
Units	Reference Range
Ratio	1.0 - 2.5
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Total Bilirubin

Date And Time	Measure
Mar-20-2023 14:33:00	0.7
Units	Reference Range
mg/dL	0.2 - 1.2
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

AST (SGOT)

Date And Time	Measure
Mar-20-2023 14:33:00	20
Units	Reference Range
U/L	10 - 35

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

ALT (SGPT)

Date And Time

Measure

Mar-20-2023 14:33:00

19

Units

Reference Range

U/L

6 - 29

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Alk Phos

Date And Time

Measure

Mar-20-2023 14:33:00

65

Units

Reference Range

U/L

33 - 130

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Anion Gap

Date And Time

Measure

Mar-20-2023 14:33:00

8

Units	Reference Range
mmol/L	4 - 11
Abnormal Flag	Status
	Final
Comments	
Performed by: OnePeak Medical Laboratory (OPML)	

Panel Description: Ferritin

Date And Time	Measure
Final	

Ferritin

Date And Time	Measure
Mar-20-2023 15:17:00	121
Units	Reference Range
ng/mL	11 - 307
Abnormal Flag	Status
	Final
Comments	
Performed by: OnePeak Medical Laboratory (OPML)	

Panel Description: CBC with Auto Diff

Date And Time	Measure
Final	

WBC

Date And Time	Measure
Mar-20-2023 14:17:00	6.7
Units	Reference Range
K/uL	4.0 - 11.0
Abnormal Flag	Status
	Final
Comments	
Performed by: OnePeak Medical Laboratory (OPML)	

Lymph %

Date And Time	Measure
Mar-20-2023 14:17:00	37.6
Units	Reference Range
%	17.0 - 48.0
Abnormal Flag	Status
	Final
Comments	
Performed by: OnePeak Medical Laboratory (OPML)	

Mono %

Date And Time	Measure
Mar-20-2023 14:17:00	8.8
Units	Reference Range
%	2.0 - 12.0
Abnormal Flag	Status
	Final
Comments	
Performed by: OnePeak Medical Laboratory (OPML)	

Neut %

Date And Time	Measure
Mar-20-2023 14:17:00	50.6
Units	Reference Range
%	35.0 - 75.0
Abnormal Flag	Status
	Final
Comments	
Performed by: OnePeak Medical Laboratory (OPML)	

Eos %

Date And Time	Measure
Mar-20-2023 14:17:00	2.7

Units	Reference Range
%	1.0 - 5.0
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Baso %

Date And Time	Measure
Mar-20-2023 14:17:00	0.3
Units	Reference Range
%	0.0 - 2.0
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Lymph

Date And Time	Measure
Mar-20-2023 14:17:00	2.5
Units	Reference Range
K/uL	0.7 - 3.5
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Mono

Date And Time	Measure
Mar-20-2023 14:17:00	0.6
Units	Reference Range
K/uL	0.1 - 0.9

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Neut

Date And Time

Measure

Mar-20-2023 14:17:00

3.4

Units

Reference Range

K/uL

1.4 - 7.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Eos

Date And Time

Measure

Mar-20-2023 14:17:00

0.2

Units

Reference Range

K/uL

0.0 - 0.5

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Baso

Date And Time

Measure

Mar-20-2023 14:17:00

0.0

Units	Reference Range
K/uL	0.0 - 0.2
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

RBC

Date And Time	Measure
Mar-20-2023 14:17:00	4.89
Units	Reference Range
M/uL	3.80 - 5.00
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Hgb

Date And Time	Measure
Mar-20-2023 14:17:00	14.0
Units	Reference Range
g/dL	11.0 - 16.0
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Hct

Date And Time	Measure
Mar-20-2023 14:17:00	41.7
Units	Reference Range
%	35.0 - 47.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

MCV

Date And Time

Measure

Mar-20-2023 14:17:00

85.1

Units

Reference Range

fL

80.0 - 100.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

MCH

Date And Time

Measure

Mar-20-2023 14:17:00

28.7

Units

Reference Range

pg

27.0 - 34.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

MCHC

Date And Time

Measure

Mar-20-2023 14:17:00

33.7

Units	Reference Range
g/dL	32.0 - 36.0
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

RDW

Date And Time	Measure
Mar-20-2023 14:17:00	12.5
Units	Reference Range
%	11.0 - 15.0
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Plt

Date And Time	Measure
Mar-20-2023 14:17:00	270
Units	Reference Range
K/uL	140 - 450
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

MPV

Date And Time	Measure
Mar-20-2023 14:17:00	8.7
Units	Reference Range
fL	7.5 - 11.5

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Panel Description: CBC with Auto Diff

Date And Time

Measure

Final

WBC

Date And Time

Measure

Mar-20-2023 14:17:00

6.7

Units

Reference Range

K/uL

4.0 - 11.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Lymph %

Date And Time

Measure

Mar-20-2023 14:17:00

37.6

Units

Reference Range

%

17.0 - 48.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Mono %

Date And Time

Measure

Mar-20-2023 14:17:00

8.8

Units

Reference Range

%

2.0 - 12.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Neut %

Date And Time

Measure

Mar-20-2023 14:17:00

50.6

Units

Reference Range

%

35.0 - 75.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Eos %

Date And Time

Measure

Mar-20-2023 14:17:00

2.7

Units

Reference Range

%

1.0 - 5.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Baso %

Date And Time

Measure

Mar-20-2023 14:17:00

0.3

Units	Reference Range
%	0.0 - 2.0
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Lymph

Date And Time	Measure
Mar-20-2023 14:17:00	2.5
Units	Reference Range
K/uL	0.7 - 3.5
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Mono

Date And Time	Measure
Mar-20-2023 14:17:00	0.6
Units	Reference Range
K/uL	0.1 - 0.9
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Neut

Date And Time	Measure
Mar-20-2023 14:17:00	3.4
Units	Reference Range
K/uL	1.4 - 7.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Eos

Date And Time

Measure

Mar-20-2023 14:17:00

0.2

Units

Reference Range

K/uL

0.0 - 0.5

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Baso

Date And Time

Measure

Mar-20-2023 14:17:00

0.0

Units

Reference Range

K/uL

0.0 - 0.2

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

RBC

Date And Time

Measure

Mar-20-2023 14:17:00

4.89

Units	Reference Range
M/uL	3.80 - 5.00
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Hgb

Date And Time	Measure
Mar-20-2023 14:17:00	14.0
Units	Reference Range
g/dL	11.0 - 16.0
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Hct

Date And Time	Measure
Mar-20-2023 14:17:00	41.7
Units	Reference Range
%	35.0 - 47.0
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

MCV

Date And Time	Measure
Mar-20-2023 14:17:00	85.1
Units	Reference Range
fL	80.0 - 100.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

MCH

Date And Time

Measure

Mar-20-2023 14:17:00

28.7

Units

Reference Range

pg

27.0 - 34.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

MCHC

Date And Time

Measure

Mar-20-2023 14:17:00

33.7

Units

Reference Range

g/dL

32.0 - 36.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

RDW

Date And Time

Measure

Mar-20-2023 14:17:00

12.5

Units	Reference Range
%	11.0 - 15.0
Abnormal Flag	Status
	Final
Comments	
Performed by: OnePeak Medical Laboratory (OPML)	

Plt	
Date And Time	Measure
Mar-20-2023 14:17:00	270
Units	Reference Range
K/uL	140 - 450
Abnormal Flag	Status
	Final
Comments	
Performed by: OnePeak Medical Laboratory (OPML)	

MPV	
Date And Time	Measure
Mar-20-2023 14:17:00	8.7
Units	Reference Range
fL	7.5 - 11.5
Abnormal Flag	Status
	Final
Comments	
Performed by: OnePeak Medical Laboratory (OPML)	

Panel Description: Complete Metabolic Panel	
Date And Time	Measure
Final	

Glucose	
Date And Time	Measure
Mar-20-2023 14:33:00	93

Units	Reference Range
mg/dL	65 - 99
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

BUN

Date And Time	Measure
Mar-20-2023 14:33:00	12
Units	Reference Range
mg/dL	7 - 25
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Creatinine

Date And Time	Measure
Mar-20-2023 14:33:00	0.78
Units	Reference Range
mg/dL	0.50 - 0.93
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

BUN/Creatinine Ratio

Date And Time	Measure
Mar-20-2023 14:33:00	15.00
Units	Reference Range
Ratio	9.00 - 28.00

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

eGFR Non-African American

Date And Time

Measure

Mar-20-2023 14:33:00

80.91

Units

Reference Range

mL/min/1.73 m²;

>60.00

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

eGFR African American

Date And Time

Measure

Mar-20-2023 14:33:00

97.90

Units

Reference Range

mL/min/1.73 m²;

>60.00

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Sodium

Date And Time

Measure

Mar-20-2023 14:33:00

143

Units	Reference Range
mmol/L	135 - 146
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Potassium

Date And Time	Measure
Mar-20-2023 14:33:00	3.9
Units	Reference Range
mmol/L	3.5 - 5.3
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Chloride

Date And Time	Measure
Mar-20-2023 14:33:00	107
Units	Reference Range
mmol/L	98 - 110
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

CO2

Date And Time	Measure
Mar-20-2023 14:33:00	28
Units	Reference Range
mmol/L	19 - 30

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Calcium

Date And Time

Measure

Mar-20-2023 14:33:00

8.9

Units

Reference Range

mg/dL

8.6 - 10.4

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Total Protein

Date And Time

Measure

Mar-20-2023 14:33:00

6.1

Units

Reference Range

g/dL

6.1 - 8.1

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Albumin

Date And Time

Measure

Mar-20-2023 14:33:00

4.2

Units	Reference Range
g/dL	3.6 - 5.1
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Globulin

Date And Time	Measure
Mar-20-2023 14:33:00	1.9
Units	Reference Range
mg/dL	1.9 - 3.7
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

A/G Ratio

Date And Time	Measure
Mar-20-2023 14:33:00	2.2
Units	Reference Range
Ratio	1.0 - 2.5
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Total Bilirubin

Date And Time	Measure
Mar-20-2023 14:33:00	0.7
Units	Reference Range
mg/dL	0.2 - 1.2

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

AST (SGOT)

Date And Time

Measure

Mar-20-2023 14:33:00

20

Units

Reference Range

U/L

10 - 35

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

ALT (SGPT)

Date And Time

Measure

Mar-20-2023 14:33:00

19

Units

Reference Range

U/L

6 - 29

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Alk Phos

Date And Time

Measure

Mar-20-2023 14:33:00

65

Units	Reference Range
U/L	33 - 130
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Anion Gap

Date And Time	Measure
Mar-20-2023 14:33:00	8
Units	Reference Range
mmol/L	4 - 11
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Panel Description: Ferritin

Date And Time	Measure
Final	

Ferritin

Date And Time	Measure
Mar-20-2023 15:17:00	121
Units	Reference Range
ng/mL	11 - 307
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Panel Description: CBC with Auto Diff

Date And Time	Measure
Final	

WBC

Date And Time	Measure
Mar-20-2023 14:17:00	6.7
Units	Reference Range
K/uL	4.0 - 11.0
Abnormal Flag	Status
	Final
Comments	
Performed by: OnePeak Medical Laboratory (OPML)	

Lymph %

Date And Time	Measure
Mar-20-2023 14:17:00	37.6
Units	Reference Range
%	17.0 - 48.0
Abnormal Flag	Status
	Final
Comments	
Performed by: OnePeak Medical Laboratory (OPML)	

Mono %

Date And Time	Measure
Mar-20-2023 14:17:00	8.8
Units	Reference Range
%	2.0 - 12.0
Abnormal Flag	Status
	Final
Comments	
Performed by: OnePeak Medical Laboratory (OPML)	

Neut %

Date And Time	Measure
Mar-20-2023 14:17:00	50.6

Units	Reference Range
%	35.0 - 75.0
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Eos %

Date And Time	Measure
Mar-20-2023 14:17:00	2.7
Units	Reference Range
%	1.0 - 5.0
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Baso %

Date And Time	Measure
Mar-20-2023 14:17:00	0.3
Units	Reference Range
%	0.0 - 2.0
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Lymph

Date And Time	Measure
Mar-20-2023 14:17:00	2.5
Units	Reference Range
K/uL	0.7 - 3.5

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Mono

Date And Time

Measure

Mar-20-2023 14:17:00

0.6

Units

Reference Range

K/uL

0.1 - 0.9

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Neut

Date And Time

Measure

Mar-20-2023 14:17:00

3.4

Units

Reference Range

K/uL

1.4 - 7.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Eos

Date And Time

Measure

Mar-20-2023 14:17:00

0.2

Units	Reference Range
K/uL	0.0 - 0.5
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Baso

Date And Time	Measure
Mar-20-2023 14:17:00	0.0
Units	Reference Range
K/uL	0.0 - 0.2
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

RBC

Date And Time	Measure
Mar-20-2023 14:17:00	4.89
Units	Reference Range
M/uL	3.80 - 5.00
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Hgb

Date And Time	Measure
Mar-20-2023 14:17:00	14.0
Units	Reference Range
g/dL	11.0 - 16.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Hct

Date And Time

Measure

Mar-20-2023 14:17:00

41.7

Units

Reference Range

%

35.0 - 47.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

MCV

Date And Time

Measure

Mar-20-2023 14:17:00

85.1

Units

Reference Range

fL

80.0 - 100.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

MCH

Date And Time

Measure

Mar-20-2023 14:17:00

28.7

Units	Reference Range
pg	27.0 - 34.0
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

MCHC

Date And Time	Measure
Mar-20-2023 14:17:00	33.7
Units	Reference Range
g/dL	32.0 - 36.0
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

RDW

Date And Time	Measure
Mar-20-2023 14:17:00	12.5
Units	Reference Range
%	11.0 - 15.0
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Plt

Date And Time	Measure
Mar-20-2023 14:17:00	270
Units	Reference Range
K/uL	140 - 450

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

MPV

Date And Time

Measure

Mar-20-2023 14:17:00

8.7

Units

Reference Range

fL

7.5 - 11.5

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Panel Description: CBC with Auto Diff

Date And Time

Measure

Final

WBC

Date And Time

Measure

Mar-20-2023 14:17:00

6.7

Units

Reference Range

K/uL

4.0 - 11.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Lymph %

Date And Time

Measure

Mar-20-2023 14:17:00

37.6

Units

Reference Range

%

17.0 - 48.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Mono %

Date And Time

Measure

Mar-20-2023 14:17:00

8.8

Units

Reference Range

%

2.0 - 12.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Neut %

Date And Time

Measure

Mar-20-2023 14:17:00

50.6

Units

Reference Range

%

35.0 - 75.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Eos %

Date And Time

Measure

Mar-20-2023 14:17:00

2.7

Units	Reference Range
%	1.0 - 5.0
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Baso %

Date And Time	Measure
Mar-20-2023 14:17:00	0.3
Units	Reference Range
%	0.0 - 2.0
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Lymph

Date And Time	Measure
Mar-20-2023 14:17:00	2.5
Units	Reference Range
K/uL	0.7 - 3.5
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Mono

Date And Time	Measure
Mar-20-2023 14:17:00	0.6
Units	Reference Range
K/uL	0.1 - 0.9

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Neut

Date And Time

Measure

Mar-20-2023 14:17:00

3.4

Units

Reference Range

K/uL

1.4 - 7.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Eos

Date And Time

Measure

Mar-20-2023 14:17:00

0.2

Units

Reference Range

K/uL

0.0 - 0.5

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Baso

Date And Time

Measure

Mar-20-2023 14:17:00

0.0

Units	Reference Range
K/uL	0.0 - 0.2
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

RBC

Date And Time	Measure
Mar-20-2023 14:17:00	4.89
Units	Reference Range
M/uL	3.80 - 5.00
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Hgb

Date And Time	Measure
Mar-20-2023 14:17:00	14.0
Units	Reference Range
g/dL	11.0 - 16.0
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Hct

Date And Time	Measure
Mar-20-2023 14:17:00	41.7
Units	Reference Range
%	35.0 - 47.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

MCV

Date And Time

Measure

Mar-20-2023 14:17:00

85.1

Units

Reference Range

fL

80.0 - 100.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

MCH

Date And Time

Measure

Mar-20-2023 14:17:00

28.7

Units

Reference Range

pg

27.0 - 34.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

MCHC

Date And Time

Measure

Mar-20-2023 14:17:00

33.7

Units	Reference Range
g/dL	32.0 - 36.0
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

RDW

Date And Time	Measure
Mar-20-2023 14:17:00	12.5
Units	Reference Range
%	11.0 - 15.0
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Plt

Date And Time	Measure
Mar-20-2023 14:17:00	270
Units	Reference Range
K/uL	140 - 450
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

MPV

Date And Time	Measure
Mar-20-2023 14:17:00	8.7
Units	Reference Range
fL	7.5 - 11.5

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Panel Description: Complete Metabolic Panel

Date And Time

Measure

Final

Glucose

Date And Time

Measure

Mar-20-2023 14:33:00

93

Units

Reference Range

mg/dL

65 - 99

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

BUN

Date And Time

Measure

Mar-20-2023 14:33:00

12

Units

Reference Range

mg/dL

7 - 25

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Creatinine

Date And Time

Measure

Mar-20-2023 14:33:00

0.78

Units

Reference Range

mg/dL

0.50 - 0.93

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

BUN/Creatinine Ratio

Date And Time

Measure

Mar-20-2023 14:33:00

15.00

Units

Reference Range

Ratio

9.00 - 28.00

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

eGFR Non-African American

Date And Time

Measure

Mar-20-2023 14:33:00

80.91

Units

Reference Range

mL/min/1.73 m²;

>60.00

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

eGFR African American

Date And Time

Measure

Mar-20-2023 14:33:00

97.90

Units	Reference Range
mL/min/1.73 m ² ;	>60.00
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Sodium

Date And Time	Measure
Mar-20-2023 14:33:00	143
Units	Reference Range
mmol/L	135 - 146
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Potassium

Date And Time	Measure
Mar-20-2023 14:33:00	3.9
Units	Reference Range
mmol/L	3.5 - 5.3
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Chloride

Date And Time	Measure
Mar-20-2023 14:33:00	107
Units	Reference Range
mmol/L	98 - 110

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

CO2

Date And Time

Measure

Mar-20-2023 14:33:00

28

Units

Reference Range

mmol/L

19 - 30

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Calcium

Date And Time

Measure

Mar-20-2023 14:33:00

8.9

Units

Reference Range

mg/dL

8.6 - 10.4

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Total Protein

Date And Time

Measure

Mar-20-2023 14:33:00

6.1

Units	Reference Range
g/dL	6.1 - 8.1
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Albumin

Date And Time	Measure
Mar-20-2023 14:33:00	4.2
Units	Reference Range
g/dL	3.6 - 5.1
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Globulin

Date And Time	Measure
Mar-20-2023 14:33:00	1.9
Units	Reference Range
mg/dL	1.9 - 3.7
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

A/G Ratio

Date And Time	Measure
Mar-20-2023 14:33:00	2.2
Units	Reference Range
Ratio	1.0 - 2.5

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Total Bilirubin

Date And Time

Measure

Mar-20-2023 14:33:00

0.7

Units

Reference Range

mg/dL

0.2 - 1.2

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

AST (SGOT)

Date And Time

Measure

Mar-20-2023 14:33:00

20

Units

Reference Range

U/L

10 - 35

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

ALT (SGPT)

Date And Time

Measure

Mar-20-2023 14:33:00

19

Units	Reference Range
U/L	6 - 29
Abnormal Flag	Status
	Final
Comments	
Performed by: OnePeak Medical Laboratory (OPML)	

Alk Phos	
Date And Time	Measure
Mar-20-2023 14:33:00	65
Units	Reference Range
U/L	33 - 130
Abnormal Flag	Status
	Final
Comments	
Performed by: OnePeak Medical Laboratory (OPML)	

Anion Gap	
Date And Time	Measure
Mar-20-2023 14:33:00	8
Units	Reference Range
mmol/L	4 - 11
Abnormal Flag	Status
	Final
Comments	
Performed by: OnePeak Medical Laboratory (OPML)	

Panel Description: Ferritin	
Date And Time	Measure
Final	

Ferritin	
Date And Time	Measure
Mar-20-2023 15:17:00	121

Units	Reference Range
ng/mL	11 - 307
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Panel Description: CBC with Auto Diff

Date And Time	Measure
Final	

WBC

Date And Time	Measure
Mar-20-2023 14:17:00	6.7
Units	Reference Range
K/uL	4.0 - 11.0
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Lymph %

Date And Time	Measure
Mar-20-2023 14:17:00	37.6
Units	Reference Range
%	17.0 - 48.0
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Mono %

Date And Time	Measure
Mar-20-2023 14:17:00	8.8

Units	Reference Range
%	2.0 - 12.0
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Neut %

Date And Time	Measure
Mar-20-2023 14:17:00	50.6
Units	Reference Range
%	35.0 - 75.0
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Eos %

Date And Time	Measure
Mar-20-2023 14:17:00	2.7
Units	Reference Range
%	1.0 - 5.0
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Baso %

Date And Time	Measure
Mar-20-2023 14:17:00	0.3
Units	Reference Range
%	0.0 - 2.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Lymph

Date And Time

Measure

Mar-20-2023 14:17:00

2.5

Units

Reference Range

K/uL

0.7 - 3.5

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Mono

Date And Time

Measure

Mar-20-2023 14:17:00

0.6

Units

Reference Range

K/uL

0.1 - 0.9

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Neut

Date And Time

Measure

Mar-20-2023 14:17:00

3.4

Units	Reference Range
K/uL	1.4 - 7.0
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Eos

Date And Time	Measure
Mar-20-2023 14:17:00	0.2
Units	Reference Range
K/uL	0.0 - 0.5
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Baso

Date And Time	Measure
Mar-20-2023 14:17:00	0.0
Units	Reference Range
K/uL	0.0 - 0.2
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

RBC

Date And Time	Measure
Mar-20-2023 14:17:00	4.89
Units	Reference Range
M/uL	3.80 - 5.00

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Hgb

Date And Time

Measure

Mar-20-2023 14:17:00

14.0

Units

Reference Range

g/dL

11.0 - 16.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Hct

Date And Time

Measure

Mar-20-2023 14:17:00

41.7

Units

Reference Range

%

35.0 - 47.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

MCV

Date And Time

Measure

Mar-20-2023 14:17:00

85.1

Units	Reference Range
fL	80.0 - 100.0
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

MCH

Date And Time	Measure
Mar-20-2023 14:17:00	28.7
Units	Reference Range
pg	27.0 - 34.0
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

MCHC

Date And Time	Measure
Mar-20-2023 14:17:00	33.7
Units	Reference Range
g/dL	32.0 - 36.0
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

RDW

Date And Time	Measure
Mar-20-2023 14:17:00	12.5
Units	Reference Range
%	11.0 - 15.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Plt

Date And Time

Measure

Mar-20-2023 14:17:00

270

Units

Reference Range

K/uL

140 - 450

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

MPV

Date And Time

Measure

Mar-20-2023 14:17:00

8.7

Units

Reference Range

fL

7.5 - 11.5

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Panel Description: CBC with Auto Diff

Date And Time

Measure

Final

WBC

Date And Time

Measure

Mar-20-2023 14:17:00

6.7

Units

Reference Range

K/uL

4.0 - 11.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Lymph %

Date And Time

Measure

Mar-20-2023 14:17:00

37.6

Units

Reference Range

%

17.0 - 48.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Mono %

Date And Time

Measure

Mar-20-2023 14:17:00

8.8

Units

Reference Range

%

2.0 - 12.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Neut %

Date And Time

Measure

Mar-20-2023 14:17:00

50.6

Units	Reference Range
%	35.0 - 75.0
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Eos %

Date And Time	Measure
Mar-20-2023 14:17:00	2.7
Units	Reference Range
%	1.0 - 5.0
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Baso %

Date And Time	Measure
Mar-20-2023 14:17:00	0.3
Units	Reference Range
%	0.0 - 2.0
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Lymph

Date And Time	Measure
Mar-20-2023 14:17:00	2.5
Units	Reference Range
K/uL	0.7 - 3.5

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Mono

Date And Time

Measure

Mar-20-2023 14:17:00

0.6

Units

Reference Range

K/uL

0.1 - 0.9

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Neut

Date And Time

Measure

Mar-20-2023 14:17:00

3.4

Units

Reference Range

K/uL

1.4 - 7.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Eos

Date And Time

Measure

Mar-20-2023 14:17:00

0.2

Units	Reference Range
K/uL	0.0 - 0.5
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Baso

Date And Time	Measure
Mar-20-2023 14:17:00	0.0
Units	Reference Range
K/uL	0.0 - 0.2
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

RBC

Date And Time	Measure
Mar-20-2023 14:17:00	4.89
Units	Reference Range
M/uL	3.80 - 5.00
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Hgb

Date And Time	Measure
Mar-20-2023 14:17:00	14.0
Units	Reference Range
g/dL	11.0 - 16.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Hct

Date And Time

Measure

Mar-20-2023 14:17:00

41.7

Units

Reference Range

%

35.0 - 47.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

MCV

Date And Time

Measure

Mar-20-2023 14:17:00

85.1

Units

Reference Range

fL

80.0 - 100.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

MCH

Date And Time

Measure

Mar-20-2023 14:17:00

28.7

Units	Reference Range
pg	27.0 - 34.0
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

MCHC

Date And Time	Measure
Mar-20-2023 14:17:00	33.7
Units	Reference Range
g/dL	32.0 - 36.0
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

RDW

Date And Time	Measure
Mar-20-2023 14:17:00	12.5
Units	Reference Range
%	11.0 - 15.0
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Plt

Date And Time	Measure
Mar-20-2023 14:17:00	270
Units	Reference Range
K/uL	140 - 450

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

MPV

Date And Time

Measure

Mar-20-2023 14:17:00

8.7

Units

Reference Range

fL

7.5 - 11.5

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Panel Description: Complete Metabolic Panel

Date And Time

Measure

Final

Glucose

Date And Time

Measure

Mar-20-2023 14:33:00

93

Units

Reference Range

mg/dL

65 - 99

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

BUN

Date And Time

Measure

Mar-20-2023 14:33:00

12

Units

Reference Range

mg/dL

7 - 25

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Creatinine

Date And Time

Measure

Mar-20-2023 14:33:00

0.78

Units

Reference Range

mg/dL

0.50 - 0.93

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

BUN/Creatinine Ratio

Date And Time

Measure

Mar-20-2023 14:33:00

15.00

Units

Reference Range

Ratio

9.00 - 28.00

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

eGFR Non-African American

Date And Time

Measure

Mar-20-2023 14:33:00

80.91

Units	Reference Range
mL/min/1.73 m ² ;	>60.00
Abnormal Flag	Status
	Final
Comments	
Performed by: OnePeak Medical Laboratory (OPML)	

eGFR African American

Date And Time	Measure
Mar-20-2023 14:33:00	97.90
Units	Reference Range
mL/min/1.73 m ² ;	>60.00
Abnormal Flag	Status
	Final
Comments	
Performed by: OnePeak Medical Laboratory (OPML)	

Sodium

Date And Time	Measure
Mar-20-2023 14:33:00	143
Units	Reference Range
mmol/L	135 - 146
Abnormal Flag	Status
	Final
Comments	
Performed by: OnePeak Medical Laboratory (OPML)	

Potassium

Date And Time	Measure
Mar-20-2023 14:33:00	3.9
Units	Reference Range
mmol/L	3.5 - 5.3

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Chloride

Date And Time

Measure

Mar-20-2023 14:33:00

107

Units

Reference Range

mmol/L

98 - 110

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

CO2

Date And Time

Measure

Mar-20-2023 14:33:00

28

Units

Reference Range

mmol/L

19 - 30

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Calcium

Date And Time

Measure

Mar-20-2023 14:33:00

8.9

Units	Reference Range
mg/dL	8.6 - 10.4
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Total Protein

Date And Time	Measure
Mar-20-2023 14:33:00	6.1
Units	Reference Range
g/dL	6.1 - 8.1
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Albumin

Date And Time	Measure
Mar-20-2023 14:33:00	4.2
Units	Reference Range
g/dL	3.6 - 5.1
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Globulin

Date And Time	Measure
Mar-20-2023 14:33:00	1.9
Units	Reference Range
mg/dL	1.9 - 3.7

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

A/G Ratio

Date And Time

Measure

Mar-20-2023 14:33:00

2.2

Units

Reference Range

Ratio

1.0 - 2.5

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Total Bilirubin

Date And Time

Measure

Mar-20-2023 14:33:00

0.7

Units

Reference Range

mg/dL

0.2 - 1.2

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

AST (SGOT)

Date And Time

Measure

Mar-20-2023 14:33:00

20

Units	Reference Range
U/L	10 - 35
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

ALT (SGPT)

Date And Time	Measure
Mar-20-2023 14:33:00	19
Units	Reference Range
U/L	6 - 29
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Alk Phos

Date And Time	Measure
Mar-20-2023 14:33:00	65
Units	Reference Range
U/L	33 - 130
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Anion Gap

Date And Time	Measure
Mar-20-2023 14:33:00	8
Units	Reference Range
mmol/L	4 - 11

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Panel Description: Ferritin

Date And Time

Measure

Final

Ferritin

Date And Time

Measure

Mar-20-2023 15:17:00

121

Units

Reference Range

ng/mL

11 - 307

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Panel Description: CBC with Auto Diff

Date And Time

Measure

Final

WBC

Date And Time

Measure

Mar-20-2023 14:17:00

6.7

Units

Reference Range

K/uL

4.0 - 11.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Lymph %

Date And Time	Measure
Mar-20-2023 14:17:00	37.6
Units	Reference Range
%	17.0 - 48.0
Abnormal Flag	Status
	Final
Comments	
Performed by: OnePeak Medical Laboratory (OPML)	

Mono %

Date And Time	Measure
Mar-20-2023 14:17:00	8.8
Units	Reference Range
%	2.0 - 12.0
Abnormal Flag	Status
	Final
Comments	
Performed by: OnePeak Medical Laboratory (OPML)	

Neut %

Date And Time	Measure
Mar-20-2023 14:17:00	50.6
Units	Reference Range
%	35.0 - 75.0
Abnormal Flag	Status
	Final
Comments	
Performed by: OnePeak Medical Laboratory (OPML)	

Eos %

Date And Time	Measure
Mar-20-2023 14:17:00	2.7

Units	Reference Range
%	1.0 - 5.0
Abnormal Flag	Status
	Final
Comments	
Performed by: OnePeak Medical Laboratory (OPML)	

Baso %

Date And Time	Measure
Mar-20-2023 14:17:00	0.3
Units	Reference Range
%	0.0 - 2.0
Abnormal Flag	Status
	Final
Comments	
Performed by: OnePeak Medical Laboratory (OPML)	

Lymph

Date And Time	Measure
Mar-20-2023 14:17:00	2.5
Units	Reference Range
K/uL	0.7 - 3.5
Abnormal Flag	Status
	Final
Comments	
Performed by: OnePeak Medical Laboratory (OPML)	

Mono

Date And Time	Measure
Mar-20-2023 14:17:00	0.6
Units	Reference Range
K/uL	0.1 - 0.9

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Neut

Date And Time

Measure

Mar-20-2023 14:17:00

3.4

Units

Reference Range

K/uL

1.4 - 7.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Eos

Date And Time

Measure

Mar-20-2023 14:17:00

0.2

Units

Reference Range

K/uL

0.0 - 0.5

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Baso

Date And Time

Measure

Mar-20-2023 14:17:00

0.0

Units	Reference Range
K/uL	0.0 - 0.2
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

RBC

Date And Time	Measure
Mar-20-2023 14:17:00	4.89
Units	Reference Range
M/uL	3.80 - 5.00
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Hgb

Date And Time	Measure
Mar-20-2023 14:17:00	14.0
Units	Reference Range
g/dL	11.0 - 16.0
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Hct

Date And Time	Measure
Mar-20-2023 14:17:00	41.7
Units	Reference Range
%	35.0 - 47.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

MCV

Date And Time

Measure

Mar-20-2023 14:17:00

85.1

Units

Reference Range

fL

80.0 - 100.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

MCH

Date And Time

Measure

Mar-20-2023 14:17:00

28.7

Units

Reference Range

pg

27.0 - 34.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

MCHC

Date And Time

Measure

Mar-20-2023 14:17:00

33.7

Units	Reference Range
g/dL	32.0 - 36.0
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

RDW

Date And Time	Measure
Mar-20-2023 14:17:00	12.5
Units	Reference Range
%	11.0 - 15.0
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Plt

Date And Time	Measure
Mar-20-2023 14:17:00	270
Units	Reference Range
K/uL	140 - 450
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

MPV

Date And Time	Measure
Mar-20-2023 14:17:00	8.7
Units	Reference Range
fL	7.5 - 11.5

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Panel Description: CBC with Auto Diff

Date And Time

Measure

Final

WBC

Date And Time

Measure

Mar-20-2023 14:17:00

6.7

Units

Reference Range

K/uL

4.0 - 11.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Lymph %

Date And Time

Measure

Mar-20-2023 14:17:00

37.6

Units

Reference Range

%

17.0 - 48.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Mono %

Date And Time

Measure

Mar-20-2023 14:17:00

8.8

Units

Reference Range

%

2.0 - 12.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Neut %

Date And Time

Measure

Mar-20-2023 14:17:00

50.6

Units

Reference Range

%

35.0 - 75.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Eos %

Date And Time

Measure

Mar-20-2023 14:17:00

2.7

Units

Reference Range

%

1.0 - 5.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Baso %

Date And Time

Measure

Mar-20-2023 14:17:00

0.3

Units	Reference Range
%	0.0 - 2.0
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Lymph

Date And Time	Measure
Mar-20-2023 14:17:00	2.5
Units	Reference Range
K/uL	0.7 - 3.5
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Mono

Date And Time	Measure
Mar-20-2023 14:17:00	0.6
Units	Reference Range
K/uL	0.1 - 0.9
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Neut

Date And Time	Measure
Mar-20-2023 14:17:00	3.4
Units	Reference Range
K/uL	1.4 - 7.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Eos

Date And Time

Measure

Mar-20-2023 14:17:00

0.2

Units

Reference Range

K/uL

0.0 - 0.5

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Baso

Date And Time

Measure

Mar-20-2023 14:17:00

0.0

Units

Reference Range

K/uL

0.0 - 0.2

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

RBC

Date And Time

Measure

Mar-20-2023 14:17:00

4.89

Units	Reference Range
M/uL	3.80 - 5.00
Abnormal Flag	Status
	Final
Comments	
Performed by: OnePeak Medical Laboratory (OPML)	

Hgb

Date And Time	Measure
Mar-20-2023 14:17:00	14.0
Units	Reference Range
g/dL	11.0 - 16.0
Abnormal Flag	Status
	Final
Comments	
Performed by: OnePeak Medical Laboratory (OPML)	

Hct

Date And Time	Measure
Mar-20-2023 14:17:00	41.7
Units	Reference Range
%	35.0 - 47.0
Abnormal Flag	Status
	Final
Comments	
Performed by: OnePeak Medical Laboratory (OPML)	

MCV

Date And Time	Measure
Mar-20-2023 14:17:00	85.1
Units	Reference Range
fL	80.0 - 100.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

MCH

Date And Time

Measure

Mar-20-2023 14:17:00

28.7

Units

Reference Range

pg

27.0 - 34.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

MCHC

Date And Time

Measure

Mar-20-2023 14:17:00

33.7

Units

Reference Range

g/dL

32.0 - 36.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

RDW

Date And Time

Measure

Mar-20-2023 14:17:00

12.5

Units	Reference Range
%	11.0 - 15.0
Abnormal Flag	Status
	Final
Comments	
Performed by: OnePeak Medical Laboratory (OPML)	

Plt

Date And Time	Measure
Mar-20-2023 14:17:00	270
Units	Reference Range
K/uL	140 - 450
Abnormal Flag	Status
	Final
Comments	
Performed by: OnePeak Medical Laboratory (OPML)	

MPV

Date And Time	Measure
Mar-20-2023 14:17:00	8.7
Units	Reference Range
fL	7.5 - 11.5
Abnormal Flag	Status
	Final
Comments	
Performed by: OnePeak Medical Laboratory (OPML)	

Panel Description: Complete Metabolic Panel

Date And Time	Measure
Final	

Glucose

Date And Time	Measure
Mar-20-2023 14:33:00	93

Units	Reference Range
mg/dL	65 - 99
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

BUN

Date And Time	Measure
Mar-20-2023 14:33:00	12
Units	Reference Range
mg/dL	7 - 25
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Creatinine

Date And Time	Measure
Mar-20-2023 14:33:00	0.78
Units	Reference Range
mg/dL	0.50 - 0.93
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

BUN/Creatinine Ratio

Date And Time	Measure
Mar-20-2023 14:33:00	15.00
Units	Reference Range
Ratio	9.00 - 28.00

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

eGFR Non-African American

Date And Time

Measure

Mar-20-2023 14:33:00

80.91

Units

Reference Range

mL/min/1.73 m²;

>60.00

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

eGFR African American

Date And Time

Measure

Mar-20-2023 14:33:00

97.90

Units

Reference Range

mL/min/1.73 m²;

>60.00

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Sodium

Date And Time

Measure

Mar-20-2023 14:33:00

143

Units	Reference Range
mmol/L	135 - 146
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Potassium

Date And Time	Measure
Mar-20-2023 14:33:00	3.9
Units	Reference Range
mmol/L	3.5 - 5.3
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Chloride

Date And Time	Measure
Mar-20-2023 14:33:00	107
Units	Reference Range
mmol/L	98 - 110
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

CO2

Date And Time	Measure
Mar-20-2023 14:33:00	28
Units	Reference Range
mmol/L	19 - 30

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Calcium

Date And Time

Measure

Mar-20-2023 14:33:00

8.9

Units

Reference Range

mg/dL

8.6 - 10.4

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Total Protein

Date And Time

Measure

Mar-20-2023 14:33:00

6.1

Units

Reference Range

g/dL

6.1 - 8.1

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Albumin

Date And Time

Measure

Mar-20-2023 14:33:00

4.2

Units	Reference Range
g/dL	3.6 - 5.1
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Globulin

Date And Time	Measure
Mar-20-2023 14:33:00	1.9
Units	Reference Range
mg/dL	1.9 - 3.7
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

A/G Ratio

Date And Time	Measure
Mar-20-2023 14:33:00	2.2
Units	Reference Range
Ratio	1.0 - 2.5
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Total Bilirubin

Date And Time	Measure
Mar-20-2023 14:33:00	0.7
Units	Reference Range
mg/dL	0.2 - 1.2

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

AST (SGOT)

Date And Time

Measure

Mar-20-2023 14:33:00

20

Units

Reference Range

U/L

10 - 35

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

ALT (SGPT)

Date And Time

Measure

Mar-20-2023 14:33:00

19

Units

Reference Range

U/L

6 - 29

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Alk Phos

Date And Time

Measure

Mar-20-2023 14:33:00

65

Units	Reference Range
U/L	33 - 130
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Anion Gap

Date And Time	Measure
Mar-20-2023 14:33:00	8
Units	Reference Range
mmol/L	4 - 11
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Panel Description: Ferritin

Date And Time	Measure
Final	

Ferritin

Date And Time	Measure
Mar-20-2023 15:17:00	121
Units	Reference Range
ng/mL	11 - 307
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Panel Description: CBC with Auto Diff

Date And Time	Measure
Final	

WBC

Date And Time	Measure
Mar-20-2023 14:17:00	6.7
Units	Reference Range
K/uL	4.0 - 11.0
Abnormal Flag	Status
	Final
Comments	
Performed by: OnePeak Medical Laboratory (OPML)	

Lymph %

Date And Time	Measure
Mar-20-2023 14:17:00	37.6
Units	Reference Range
%	17.0 - 48.0
Abnormal Flag	Status
	Final
Comments	
Performed by: OnePeak Medical Laboratory (OPML)	

Mono %

Date And Time	Measure
Mar-20-2023 14:17:00	8.8
Units	Reference Range
%	2.0 - 12.0
Abnormal Flag	Status
	Final
Comments	
Performed by: OnePeak Medical Laboratory (OPML)	

Neut %

Date And Time	Measure
Mar-20-2023 14:17:00	50.6

Units	Reference Range
%	35.0 - 75.0
Abnormal Flag	Status
	Final
Comments	
Performed by: OnePeak Medical Laboratory (OPML)	

Eos %

Date And Time	Measure
Mar-20-2023 14:17:00	2.7
Units	Reference Range
%	1.0 - 5.0
Abnormal Flag	Status
	Final
Comments	
Performed by: OnePeak Medical Laboratory (OPML)	

Baso %

Date And Time	Measure
Mar-20-2023 14:17:00	0.3
Units	Reference Range
%	0.0 - 2.0
Abnormal Flag	Status
	Final
Comments	
Performed by: OnePeak Medical Laboratory (OPML)	

Lymph

Date And Time	Measure
Mar-20-2023 14:17:00	2.5
Units	Reference Range
K/uL	0.7 - 3.5

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Mono

Date And Time

Measure

Mar-20-2023 14:17:00

0.6

Units

Reference Range

K/uL

0.1 - 0.9

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Neut

Date And Time

Measure

Mar-20-2023 14:17:00

3.4

Units

Reference Range

K/uL

1.4 - 7.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Eos

Date And Time

Measure

Mar-20-2023 14:17:00

0.2

Units	Reference Range
K/uL	0.0 - 0.5
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Baso

Date And Time	Measure
Mar-20-2023 14:17:00	0.0
Units	Reference Range
K/uL	0.0 - 0.2
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

RBC

Date And Time	Measure
Mar-20-2023 14:17:00	4.89
Units	Reference Range
M/uL	3.80 - 5.00
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Hgb

Date And Time	Measure
Mar-20-2023 14:17:00	14.0
Units	Reference Range
g/dL	11.0 - 16.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Hct

Date And Time

Measure

Mar-20-2023 14:17:00

41.7

Units

Reference Range

%

35.0 - 47.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

MCV

Date And Time

Measure

Mar-20-2023 14:17:00

85.1

Units

Reference Range

fL

80.0 - 100.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

MCH

Date And Time

Measure

Mar-20-2023 14:17:00

28.7

Units	Reference Range
pg	27.0 - 34.0
Abnormal Flag	Status
	Final
Comments	
Performed by: OnePeak Medical Laboratory (OPML)	

MCHC

Date And Time	Measure
Mar-20-2023 14:17:00	33.7
Units	Reference Range
g/dL	32.0 - 36.0
Abnormal Flag	Status
	Final
Comments	
Performed by: OnePeak Medical Laboratory (OPML)	

RDW

Date And Time	Measure
Mar-20-2023 14:17:00	12.5
Units	Reference Range
%	11.0 - 15.0
Abnormal Flag	Status
	Final
Comments	
Performed by: OnePeak Medical Laboratory (OPML)	

Plt

Date And Time	Measure
Mar-20-2023 14:17:00	270
Units	Reference Range
K/uL	140 - 450

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

MPV

Date And Time

Measure

Mar-20-2023 14:17:00

8.7

Units

Reference Range

fL

7.5 - 11.5

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Panel Description: CBC with Auto Diff

Date And Time

Measure

Final

WBC

Date And Time

Measure

Mar-20-2023 14:17:00

6.7

Units

Reference Range

K/uL

4.0 - 11.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Lymph %

Date And Time

Measure

Mar-20-2023 14:17:00

37.6

Units

Reference Range

%

17.0 - 48.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Mono %

Date And Time

Measure

Mar-20-2023 14:17:00

8.8

Units

Reference Range

%

2.0 - 12.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Neut %

Date And Time

Measure

Mar-20-2023 14:17:00

50.6

Units

Reference Range

%

35.0 - 75.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Eos %

Date And Time

Measure

Mar-20-2023 14:17:00

2.7

Units	Reference Range
%	1.0 - 5.0
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Baso %

Date And Time	Measure
Mar-20-2023 14:17:00	0.3
Units	Reference Range
%	0.0 - 2.0
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Lymph

Date And Time	Measure
Mar-20-2023 14:17:00	2.5
Units	Reference Range
K/uL	0.7 - 3.5
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Mono

Date And Time	Measure
Mar-20-2023 14:17:00	0.6
Units	Reference Range
K/uL	0.1 - 0.9

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Neut

Date And Time

Measure

Mar-20-2023 14:17:00

3.4

Units

Reference Range

K/uL

1.4 - 7.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Eos

Date And Time

Measure

Mar-20-2023 14:17:00

0.2

Units

Reference Range

K/uL

0.0 - 0.5

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Baso

Date And Time

Measure

Mar-20-2023 14:17:00

0.0

Units	Reference Range
K/uL	0.0 - 0.2
Abnormal Flag	Status
	Final
Comments	
Performed by: OnePeak Medical Laboratory (OPML)	

RBC	
Date And Time	Measure
Mar-20-2023 14:17:00	4.89
Units	Reference Range
M/uL	3.80 - 5.00
Abnormal Flag	Status
	Final
Comments	
Performed by: OnePeak Medical Laboratory (OPML)	

Hgb	
Date And Time	Measure
Mar-20-2023 14:17:00	14.0
Units	Reference Range
g/dL	11.0 - 16.0
Abnormal Flag	Status
	Final
Comments	
Performed by: OnePeak Medical Laboratory (OPML)	

Hct	
Date And Time	Measure
Mar-20-2023 14:17:00	41.7
Units	Reference Range
%	35.0 - 47.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

MCV

Date And Time

Measure

Mar-20-2023 14:17:00

85.1

Units

Reference Range

fL

80.0 - 100.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

MCH

Date And Time

Measure

Mar-20-2023 14:17:00

28.7

Units

Reference Range

pg

27.0 - 34.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

MCHC

Date And Time

Measure

Mar-20-2023 14:17:00

33.7

Units	Reference Range
g/dL	32.0 - 36.0
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

RDW

Date And Time	Measure
Mar-20-2023 14:17:00	12.5
Units	Reference Range
%	11.0 - 15.0
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Plt

Date And Time	Measure
Mar-20-2023 14:17:00	270
Units	Reference Range
K/uL	140 - 450
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

MPV

Date And Time	Measure
Mar-20-2023 14:17:00	8.7
Units	Reference Range
fL	7.5 - 11.5

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Panel Description: Complete Metabolic Panel

Date And Time

Measure

Final

Glucose

Date And Time

Measure

Mar-20-2023 14:33:00

93

Units

Reference Range

mg/dL

65 - 99

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

BUN

Date And Time

Measure

Mar-20-2023 14:33:00

12

Units

Reference Range

mg/dL

7 - 25

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Creatinine

Date And Time

Measure

Mar-20-2023 14:33:00

0.78

Units

Reference Range

mg/dL

0.50 - 0.93

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

BUN/Creatinine Ratio

Date And Time

Measure

Mar-20-2023 14:33:00

15.00

Units

Reference Range

Ratio

9.00 - 28.00

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

eGFR Non-African American

Date And Time

Measure

Mar-20-2023 14:33:00

80.91

Units

Reference Range

mL/min/1.73 m²;

>60.00

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

eGFR African American

Date And Time

Measure

Mar-20-2023 14:33:00

97.90

Units	Reference Range
mL/min/1.73 m ² ;	>60.00
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Sodium

Date And Time	Measure
Mar-20-2023 14:33:00	143
Units	Reference Range
mmol/L	135 - 146
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Potassium

Date And Time	Measure
Mar-20-2023 14:33:00	3.9
Units	Reference Range
mmol/L	3.5 - 5.3
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Chloride

Date And Time	Measure
Mar-20-2023 14:33:00	107
Units	Reference Range
mmol/L	98 - 110

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

CO2

Date And Time

Measure

Mar-20-2023 14:33:00

28

Units

Reference Range

mmol/L

19 - 30

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Calcium

Date And Time

Measure

Mar-20-2023 14:33:00

8.9

Units

Reference Range

mg/dL

8.6 - 10.4

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Total Protein

Date And Time

Measure

Mar-20-2023 14:33:00

6.1

Units	Reference Range
g/dL	6.1 - 8.1
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Albumin

Date And Time	Measure
Mar-20-2023 14:33:00	4.2
Units	Reference Range
g/dL	3.6 - 5.1
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Globulin

Date And Time	Measure
Mar-20-2023 14:33:00	1.9
Units	Reference Range
mg/dL	1.9 - 3.7
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

A/G Ratio

Date And Time	Measure
Mar-20-2023 14:33:00	2.2
Units	Reference Range
Ratio	1.0 - 2.5

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Total Bilirubin

Date And Time

Measure

Mar-20-2023 14:33:00

0.7

Units

Reference Range

mg/dL

0.2 - 1.2

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

AST (SGOT)

Date And Time

Measure

Mar-20-2023 14:33:00

20

Units

Reference Range

U/L

10 - 35

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

ALT (SGPT)

Date And Time

Measure

Mar-20-2023 14:33:00

19

Units	Reference Range
U/L	6 - 29
Abnormal Flag	Status
	Final
Comments	
Performed by: OnePeak Medical Laboratory (OPML)	

Alk Phos	
Date And Time	Measure
Mar-20-2023 14:33:00	65
Units	Reference Range
U/L	33 - 130
Abnormal Flag	Status
	Final
Comments	
Performed by: OnePeak Medical Laboratory (OPML)	

Anion Gap	
Date And Time	Measure
Mar-20-2023 14:33:00	8
Units	Reference Range
mmol/L	4 - 11
Abnormal Flag	Status
	Final
Comments	
Performed by: OnePeak Medical Laboratory (OPML)	

Panel Description: Ferritin	
Date And Time	Measure
Final	

Ferritin	
Date And Time	Measure
Mar-20-2023 15:17:00	121

Units	Reference Range
ng/mL	11 - 307
Abnormal Flag	Status
	Final
Comments	
Performed by: OnePeak Medical Laboratory (OPML)	

Panel Description: CBC with Auto Diff

Date And Time	Measure
Final	

WBC

Date And Time	Measure
Mar-20-2023 14:17:00	6.7
Units	Reference Range
K/uL	4.0 - 11.0
Abnormal Flag	Status
	Final
Comments	
Performed by: OnePeak Medical Laboratory (OPML)	

Lymph %

Date And Time	Measure
Mar-20-2023 14:17:00	37.6
Units	Reference Range
%	17.0 - 48.0
Abnormal Flag	Status
	Final
Comments	
Performed by: OnePeak Medical Laboratory (OPML)	

Mono %

Date And Time	Measure
Mar-20-2023 14:17:00	8.8

Units	Reference Range
%	2.0 - 12.0
Abnormal Flag	Status
	Final
Comments	
Performed by: OnePeak Medical Laboratory (OPML)	

Neut %

Date And Time	Measure
Mar-20-2023 14:17:00	50.6
Units	Reference Range
%	35.0 - 75.0
Abnormal Flag	Status
	Final
Comments	
Performed by: OnePeak Medical Laboratory (OPML)	

Eos %

Date And Time	Measure
Mar-20-2023 14:17:00	2.7
Units	Reference Range
%	1.0 - 5.0
Abnormal Flag	Status
	Final
Comments	
Performed by: OnePeak Medical Laboratory (OPML)	

Baso %

Date And Time	Measure
Mar-20-2023 14:17:00	0.3
Units	Reference Range
%	0.0 - 2.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Lymph

Date And Time

Measure

Mar-20-2023 14:17:00

2.5

Units

Reference Range

K/uL

0.7 - 3.5

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Mono

Date And Time

Measure

Mar-20-2023 14:17:00

0.6

Units

Reference Range

K/uL

0.1 - 0.9

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Neut

Date And Time

Measure

Mar-20-2023 14:17:00

3.4

Units	Reference Range
K/uL	1.4 - 7.0
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Eos

Date And Time	Measure
Mar-20-2023 14:17:00	0.2
Units	Reference Range
K/uL	0.0 - 0.5
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Baso

Date And Time	Measure
Mar-20-2023 14:17:00	0.0
Units	Reference Range
K/uL	0.0 - 0.2
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

RBC

Date And Time	Measure
Mar-20-2023 14:17:00	4.89
Units	Reference Range
M/uL	3.80 - 5.00

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Hgb

Date And Time

Measure

Mar-20-2023 14:17:00

14.0

Units

Reference Range

g/dL

11.0 - 16.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Hct

Date And Time

Measure

Mar-20-2023 14:17:00

41.7

Units

Reference Range

%

35.0 - 47.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

MCV

Date And Time

Measure

Mar-20-2023 14:17:00

85.1

Units	Reference Range
fL	80.0 - 100.0
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

MCH

Date And Time	Measure
Mar-20-2023 14:17:00	28.7
Units	Reference Range
pg	27.0 - 34.0
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

MCHC

Date And Time	Measure
Mar-20-2023 14:17:00	33.7
Units	Reference Range
g/dL	32.0 - 36.0
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

RDW

Date And Time	Measure
Mar-20-2023 14:17:00	12.5
Units	Reference Range
%	11.0 - 15.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Plt

Date And Time

Measure

Mar-20-2023 14:17:00

270

Units

Reference Range

K/uL

140 - 450

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

MPV

Date And Time

Measure

Mar-20-2023 14:17:00

8.7

Units

Reference Range

fL

7.5 - 11.5

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Panel Description: CBC with Auto Diff

Date And Time

Measure

Final

WBC

Date And Time

Measure

Mar-20-2023 14:17:00

6.7

Units

Reference Range

K/uL

4.0 - 11.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Lymph %

Date And Time

Measure

Mar-20-2023 14:17:00

37.6

Units

Reference Range

%

17.0 - 48.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Mono %

Date And Time

Measure

Mar-20-2023 14:17:00

8.8

Units

Reference Range

%

2.0 - 12.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Neut %

Date And Time

Measure

Mar-20-2023 14:17:00

50.6

Units	Reference Range
%	35.0 - 75.0
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Eos %

Date And Time	Measure
Mar-20-2023 14:17:00	2.7
Units	Reference Range
%	1.0 - 5.0
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Baso %

Date And Time	Measure
Mar-20-2023 14:17:00	0.3
Units	Reference Range
%	0.0 - 2.0
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Lymph

Date And Time	Measure
Mar-20-2023 14:17:00	2.5
Units	Reference Range
K/uL	0.7 - 3.5

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Mono

Date And Time

Measure

Mar-20-2023 14:17:00

0.6

Units

Reference Range

K/uL

0.1 - 0.9

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Neut

Date And Time

Measure

Mar-20-2023 14:17:00

3.4

Units

Reference Range

K/uL

1.4 - 7.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Eos

Date And Time

Measure

Mar-20-2023 14:17:00

0.2

Units	Reference Range
K/uL	0.0 - 0.5
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Baso

Date And Time	Measure
Mar-20-2023 14:17:00	0.0
Units	Reference Range
K/uL	0.0 - 0.2
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

RBC

Date And Time	Measure
Mar-20-2023 14:17:00	4.89
Units	Reference Range
M/uL	3.80 - 5.00
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Hgb

Date And Time	Measure
Mar-20-2023 14:17:00	14.0
Units	Reference Range
g/dL	11.0 - 16.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Hct

Date And Time

Measure

Mar-20-2023 14:17:00

41.7

Units

Reference Range

%

35.0 - 47.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

MCV

Date And Time

Measure

Mar-20-2023 14:17:00

85.1

Units

Reference Range

fL

80.0 - 100.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

MCH

Date And Time

Measure

Mar-20-2023 14:17:00

28.7

Units	Reference Range
pg	27.0 - 34.0
Abnormal Flag	Status
	Final
Comments	
Performed by: OnePeak Medical Laboratory (OPML)	

MCHC

Date And Time	Measure
Mar-20-2023 14:17:00	33.7
Units	Reference Range
g/dL	32.0 - 36.0
Abnormal Flag	Status
	Final
Comments	
Performed by: OnePeak Medical Laboratory (OPML)	

RDW

Date And Time	Measure
Mar-20-2023 14:17:00	12.5
Units	Reference Range
%	11.0 - 15.0
Abnormal Flag	Status
	Final
Comments	
Performed by: OnePeak Medical Laboratory (OPML)	

Plt

Date And Time	Measure
Mar-20-2023 14:17:00	270
Units	Reference Range
K/uL	140 - 450

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

MPV

Date And Time

Measure

Mar-20-2023 14:17:00

8.7

Units

Reference Range

fL

7.5 - 11.5

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Panel Description: Complete Metabolic Panel

Date And Time

Measure

Final

Glucose

Date And Time

Measure

Mar-20-2023 14:33:00

93

Units

Reference Range

mg/dL

65 - 99

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

BUN

Date And Time

Measure

Mar-20-2023 14:33:00

12

Units

Reference Range

mg/dL

7 - 25

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Creatinine

Date And Time

Measure

Mar-20-2023 14:33:00

0.78

Units

Reference Range

mg/dL

0.50 - 0.93

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

BUN/Creatinine Ratio

Date And Time

Measure

Mar-20-2023 14:33:00

15.00

Units

Reference Range

Ratio

9.00 - 28.00

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

eGFR Non-African American

Date And Time

Measure

Mar-20-2023 14:33:00

80.91

Units	Reference Range
mL/min/1.73 m ² ;	>60.00
Abnormal Flag	Status
	Final
Comments	
Performed by: OnePeak Medical Laboratory (OPML)	

eGFR African American

Date And Time	Measure
Mar-20-2023 14:33:00	97.90
Units	Reference Range
mL/min/1.73 m ² ;	>60.00
Abnormal Flag	Status
	Final
Comments	
Performed by: OnePeak Medical Laboratory (OPML)	

Sodium

Date And Time	Measure
Mar-20-2023 14:33:00	143
Units	Reference Range
mmol/L	135 - 146
Abnormal Flag	Status
	Final
Comments	
Performed by: OnePeak Medical Laboratory (OPML)	

Potassium

Date And Time	Measure
Mar-20-2023 14:33:00	3.9
Units	Reference Range
mmol/L	3.5 - 5.3

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Chloride

Date And Time

Measure

Mar-20-2023 14:33:00

107

Units

Reference Range

mmol/L

98 - 110

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

CO2

Date And Time

Measure

Mar-20-2023 14:33:00

28

Units

Reference Range

mmol/L

19 - 30

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Calcium

Date And Time

Measure

Mar-20-2023 14:33:00

8.9

Units	Reference Range
mg/dL	8.6 - 10.4
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Total Protein

Date And Time	Measure
Mar-20-2023 14:33:00	6.1
Units	Reference Range
g/dL	6.1 - 8.1
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Albumin

Date And Time	Measure
Mar-20-2023 14:33:00	4.2
Units	Reference Range
g/dL	3.6 - 5.1
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Globulin

Date And Time	Measure
Mar-20-2023 14:33:00	1.9
Units	Reference Range
mg/dL	1.9 - 3.7

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

A/G Ratio

Date And Time

Measure

Mar-20-2023 14:33:00

2.2

Units

Reference Range

Ratio

1.0 - 2.5

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Total Bilirubin

Date And Time

Measure

Mar-20-2023 14:33:00

0.7

Units

Reference Range

mg/dL

0.2 - 1.2

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

AST (SGOT)

Date And Time

Measure

Mar-20-2023 14:33:00

20

Units	Reference Range
U/L	10 - 35
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

ALT (SGPT)

Date And Time	Measure
Mar-20-2023 14:33:00	19
Units	Reference Range
U/L	6 - 29
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Alk Phos

Date And Time	Measure
Mar-20-2023 14:33:00	65
Units	Reference Range
U/L	33 - 130
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Anion Gap

Date And Time	Measure
Mar-20-2023 14:33:00	8
Units	Reference Range
mmol/L	4 - 11

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Panel Description: Ferritin

Date And Time

Measure

Final

Ferritin

Date And Time

Measure

Mar-20-2023 15:17:00

121

Units

Reference Range

ng/mL

11 - 307

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Panel Description: CBC with Auto Diff

Date And Time

Measure

Final

WBC

Date And Time

Measure

Mar-20-2023 14:17:00

6.7

Units

Reference Range

K/uL

4.0 - 11.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Lymph %

Date And Time	Measure
Mar-20-2023 14:17:00	37.6
Units	Reference Range
%	17.0 - 48.0
Abnormal Flag	Status
	Final
Comments	
Performed by: OnePeak Medical Laboratory (OPML)	

Mono %

Date And Time	Measure
Mar-20-2023 14:17:00	8.8
Units	Reference Range
%	2.0 - 12.0
Abnormal Flag	Status
	Final
Comments	
Performed by: OnePeak Medical Laboratory (OPML)	

Neut %

Date And Time	Measure
Mar-20-2023 14:17:00	50.6
Units	Reference Range
%	35.0 - 75.0
Abnormal Flag	Status
	Final
Comments	
Performed by: OnePeak Medical Laboratory (OPML)	

Eos %

Date And Time	Measure
Mar-20-2023 14:17:00	2.7

Units	Reference Range
%	1.0 - 5.0
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Baso %

Date And Time	Measure
Mar-20-2023 14:17:00	0.3
Units	Reference Range
%	0.0 - 2.0
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Lymph

Date And Time	Measure
Mar-20-2023 14:17:00	2.5
Units	Reference Range
K/uL	0.7 - 3.5
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Mono

Date And Time	Measure
Mar-20-2023 14:17:00	0.6
Units	Reference Range
K/uL	0.1 - 0.9

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Neut

Date And Time

Measure

Mar-20-2023 14:17:00

3.4

Units

Reference Range

K/uL

1.4 - 7.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Eos

Date And Time

Measure

Mar-20-2023 14:17:00

0.2

Units

Reference Range

K/uL

0.0 - 0.5

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Baso

Date And Time

Measure

Mar-20-2023 14:17:00

0.0

Units	Reference Range
K/uL	0.0 - 0.2
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

RBC

Date And Time	Measure
Mar-20-2023 14:17:00	4.89
Units	Reference Range
M/uL	3.80 - 5.00
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Hgb

Date And Time	Measure
Mar-20-2023 14:17:00	14.0
Units	Reference Range
g/dL	11.0 - 16.0
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Hct

Date And Time	Measure
Mar-20-2023 14:17:00	41.7
Units	Reference Range
%	35.0 - 47.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

MCV

Date And Time

Measure

Mar-20-2023 14:17:00

85.1

Units

Reference Range

fL

80.0 - 100.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

MCH

Date And Time

Measure

Mar-20-2023 14:17:00

28.7

Units

Reference Range

pg

27.0 - 34.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

MCHC

Date And Time

Measure

Mar-20-2023 14:17:00

33.7

Units	Reference Range
g/dL	32.0 - 36.0
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

RDW

Date And Time	Measure
Mar-20-2023 14:17:00	12.5
Units	Reference Range
%	11.0 - 15.0
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Plt

Date And Time	Measure
Mar-20-2023 14:17:00	270
Units	Reference Range
K/uL	140 - 450
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

MPV

Date And Time	Measure
Mar-20-2023 14:17:00	8.7
Units	Reference Range
fL	7.5 - 11.5

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Panel Description: CBC with Auto Diff

Date And Time

Measure

Final

WBC

Date And Time

Measure

Mar-20-2023 14:17:00

6.7

Units

Reference Range

K/uL

4.0 - 11.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Lymph %

Date And Time

Measure

Mar-20-2023 14:17:00

37.6

Units

Reference Range

%

17.0 - 48.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Mono %

Date And Time

Measure

Mar-20-2023 14:17:00

8.8

Units

Reference Range

%

2.0 - 12.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Neut %

Date And Time

Measure

Mar-20-2023 14:17:00

50.6

Units

Reference Range

%

35.0 - 75.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Eos %

Date And Time

Measure

Mar-20-2023 14:17:00

2.7

Units

Reference Range

%

1.0 - 5.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Baso %

Date And Time

Measure

Mar-20-2023 14:17:00

0.3

Units	Reference Range
%	0.0 - 2.0
Abnormal Flag	Status
	Final
Comments	
Performed by: OnePeak Medical Laboratory (OPML)	

Lymph

Date And Time	Measure
Mar-20-2023 14:17:00	2.5
Units	Reference Range
K/uL	0.7 - 3.5
Abnormal Flag	Status
	Final
Comments	
Performed by: OnePeak Medical Laboratory (OPML)	

Mono

Date And Time	Measure
Mar-20-2023 14:17:00	0.6
Units	Reference Range
K/uL	0.1 - 0.9
Abnormal Flag	Status
	Final
Comments	
Performed by: OnePeak Medical Laboratory (OPML)	

Neut

Date And Time	Measure
Mar-20-2023 14:17:00	3.4
Units	Reference Range
K/uL	1.4 - 7.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Eos

Date And Time

Measure

Mar-20-2023 14:17:00

0.2

Units

Reference Range

K/uL

0.0 - 0.5

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Baso

Date And Time

Measure

Mar-20-2023 14:17:00

0.0

Units

Reference Range

K/uL

0.0 - 0.2

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

RBC

Date And Time

Measure

Mar-20-2023 14:17:00

4.89

Units	Reference Range
M/uL	3.80 - 5.00
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Hgb

Date And Time	Measure
Mar-20-2023 14:17:00	14.0
Units	Reference Range
g/dL	11.0 - 16.0
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Hct

Date And Time	Measure
Mar-20-2023 14:17:00	41.7
Units	Reference Range
%	35.0 - 47.0
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

MCV

Date And Time	Measure
Mar-20-2023 14:17:00	85.1
Units	Reference Range
fL	80.0 - 100.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

MCH

Date And Time

Measure

Mar-20-2023 14:17:00

28.7

Units

Reference Range

pg

27.0 - 34.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

MCHC

Date And Time

Measure

Mar-20-2023 14:17:00

33.7

Units

Reference Range

g/dL

32.0 - 36.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

RDW

Date And Time

Measure

Mar-20-2023 14:17:00

12.5

Units	Reference Range
%	11.0 - 15.0
Abnormal Flag	Status
	Final
Comments	
Performed by: OnePeak Medical Laboratory (OPML)	

Plt	
Date And Time	Measure
Mar-20-2023 14:17:00	270
Units	Reference Range
K/uL	140 - 450
Abnormal Flag	Status
	Final
Comments	
Performed by: OnePeak Medical Laboratory (OPML)	

MPV	
Date And Time	Measure
Mar-20-2023 14:17:00	8.7
Units	Reference Range
fL	7.5 - 11.5
Abnormal Flag	Status
	Final
Comments	
Performed by: OnePeak Medical Laboratory (OPML)	

Panel Description: Complete Metabolic Panel	
Date And Time	Measure
Final	

Glucose	
Date And Time	Measure
Mar-20-2023 14:33:00	93

Units	Reference Range
mg/dL	65 - 99
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

BUN

Date And Time	Measure
Mar-20-2023 14:33:00	12
Units	Reference Range
mg/dL	7 - 25
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Creatinine

Date And Time	Measure
Mar-20-2023 14:33:00	0.78
Units	Reference Range
mg/dL	0.50 - 0.93
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

BUN/Creatinine Ratio

Date And Time	Measure
Mar-20-2023 14:33:00	15.00
Units	Reference Range
Ratio	9.00 - 28.00

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

eGFR Non-African American

Date And Time

Measure

Mar-20-2023 14:33:00

80.91

Units

Reference Range

mL/min/1.73 m²;

>60.00

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

eGFR African American

Date And Time

Measure

Mar-20-2023 14:33:00

97.90

Units

Reference Range

mL/min/1.73 m²;

>60.00

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Sodium

Date And Time

Measure

Mar-20-2023 14:33:00

143

Units	Reference Range
mmol/L	135 - 146
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Potassium

Date And Time	Measure
Mar-20-2023 14:33:00	3.9
Units	Reference Range
mmol/L	3.5 - 5.3
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Chloride

Date And Time	Measure
Mar-20-2023 14:33:00	107
Units	Reference Range
mmol/L	98 - 110
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

CO2

Date And Time	Measure
Mar-20-2023 14:33:00	28
Units	Reference Range
mmol/L	19 - 30

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Calcium

Date And Time

Measure

Mar-20-2023 14:33:00

8.9

Units

Reference Range

mg/dL

8.6 - 10.4

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Total Protein

Date And Time

Measure

Mar-20-2023 14:33:00

6.1

Units

Reference Range

g/dL

6.1 - 8.1

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Albumin

Date And Time

Measure

Mar-20-2023 14:33:00

4.2

Units	Reference Range
g/dL	3.6 - 5.1
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Globulin

Date And Time	Measure
Mar-20-2023 14:33:00	1.9
Units	Reference Range
mg/dL	1.9 - 3.7
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

A/G Ratio

Date And Time	Measure
Mar-20-2023 14:33:00	2.2
Units	Reference Range
Ratio	1.0 - 2.5
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Total Bilirubin

Date And Time	Measure
Mar-20-2023 14:33:00	0.7
Units	Reference Range
mg/dL	0.2 - 1.2

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

AST (SGOT)

Date And Time

Measure

Mar-20-2023 14:33:00

20

Units

Reference Range

U/L

10 - 35

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

ALT (SGPT)

Date And Time

Measure

Mar-20-2023 14:33:00

19

Units

Reference Range

U/L

6 - 29

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Alk Phos

Date And Time

Measure

Mar-20-2023 14:33:00

65

Units	Reference Range
U/L	33 - 130
Abnormal Flag	Status
	Final
Comments	
Performed by: OnePeak Medical Laboratory (OPML)	

Anion Gap

Date And Time	Measure
Mar-20-2023 14:33:00	8
Units	Reference Range
mmol/L	4 - 11
Abnormal Flag	Status
	Final
Comments	
Performed by: OnePeak Medical Laboratory (OPML)	

Panel Description: Ferritin

Date And Time	Measure
Final	

Ferritin

Date And Time	Measure
Mar-20-2023 15:17:00	121
Units	Reference Range
ng/mL	11 - 307
Abnormal Flag	Status
	Final
Comments	
Performed by: OnePeak Medical Laboratory (OPML)	

Panel Description: CBC with Auto Diff

Date And Time	Measure
Final	

WBC

Date And Time	Measure
Mar-20-2023 14:17:00	6.7
Units	Reference Range
K/uL	4.0 - 11.0
Abnormal Flag	Status
	Final
Comments	
Performed by: OnePeak Medical Laboratory (OPML)	

Lymph %

Date And Time	Measure
Mar-20-2023 14:17:00	37.6
Units	Reference Range
%	17.0 - 48.0
Abnormal Flag	Status
	Final
Comments	
Performed by: OnePeak Medical Laboratory (OPML)	

Mono %

Date And Time	Measure
Mar-20-2023 14:17:00	8.8
Units	Reference Range
%	2.0 - 12.0
Abnormal Flag	Status
	Final
Comments	
Performed by: OnePeak Medical Laboratory (OPML)	

Neut %

Date And Time	Measure
Mar-20-2023 14:17:00	50.6

Units	Reference Range
%	35.0 - 75.0
Abnormal Flag	Status
	Final
Comments	
Performed by: OnePeak Medical Laboratory (OPML)	

Eos %

Date And Time	Measure
Mar-20-2023 14:17:00	2.7
Units	Reference Range
%	1.0 - 5.0
Abnormal Flag	Status
	Final
Comments	
Performed by: OnePeak Medical Laboratory (OPML)	

Baso %

Date And Time	Measure
Mar-20-2023 14:17:00	0.3
Units	Reference Range
%	0.0 - 2.0
Abnormal Flag	Status
	Final
Comments	
Performed by: OnePeak Medical Laboratory (OPML)	

Lymph

Date And Time	Measure
Mar-20-2023 14:17:00	2.5
Units	Reference Range
K/uL	0.7 - 3.5

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Mono

Date And Time

Measure

Mar-20-2023 14:17:00

0.6

Units

Reference Range

K/uL

0.1 - 0.9

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Neut

Date And Time

Measure

Mar-20-2023 14:17:00

3.4

Units

Reference Range

K/uL

1.4 - 7.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Eos

Date And Time

Measure

Mar-20-2023 14:17:00

0.2

Units	Reference Range
K/uL	0.0 - 0.5
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Baso

Date And Time	Measure
Mar-20-2023 14:17:00	0.0
Units	Reference Range
K/uL	0.0 - 0.2
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

RBC

Date And Time	Measure
Mar-20-2023 14:17:00	4.89
Units	Reference Range
M/uL	3.80 - 5.00
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Hgb

Date And Time	Measure
Mar-20-2023 14:17:00	14.0
Units	Reference Range
g/dL	11.0 - 16.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Hct

Date And Time

Measure

Mar-20-2023 14:17:00

41.7

Units

Reference Range

%

35.0 - 47.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

MCV

Date And Time

Measure

Mar-20-2023 14:17:00

85.1

Units

Reference Range

fL

80.0 - 100.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

MCH

Date And Time

Measure

Mar-20-2023 14:17:00

28.7

Units	Reference Range
pg	27.0 - 34.0
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

MCHC

Date And Time	Measure
Mar-20-2023 14:17:00	33.7
Units	Reference Range
g/dL	32.0 - 36.0
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

RDW

Date And Time	Measure
Mar-20-2023 14:17:00	12.5
Units	Reference Range
%	11.0 - 15.0
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Plt

Date And Time	Measure
Mar-20-2023 14:17:00	270
Units	Reference Range
K/uL	140 - 450

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

MPV

Date And Time

Measure

Mar-20-2023 14:17:00

8.7

Units

Reference Range

fL

7.5 - 11.5

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Panel Description: CBC with Auto Diff

Date And Time

Measure

Final

WBC

Date And Time

Measure

Mar-20-2023 14:17:00

6.7

Units

Reference Range

K/uL

4.0 - 11.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Lymph %

Date And Time

Measure

Mar-20-2023 14:17:00

37.6

Units

Reference Range

%

17.0 - 48.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Mono %

Date And Time

Measure

Mar-20-2023 14:17:00

8.8

Units

Reference Range

%

2.0 - 12.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Neut %

Date And Time

Measure

Mar-20-2023 14:17:00

50.6

Units

Reference Range

%

35.0 - 75.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Eos %

Date And Time

Measure

Mar-20-2023 14:17:00

2.7

Units	Reference Range
%	1.0 - 5.0
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Baso %

Date And Time	Measure
Mar-20-2023 14:17:00	0.3
Units	Reference Range
%	0.0 - 2.0
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Lymph

Date And Time	Measure
Mar-20-2023 14:17:00	2.5
Units	Reference Range
K/uL	0.7 - 3.5
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Mono

Date And Time	Measure
Mar-20-2023 14:17:00	0.6
Units	Reference Range
K/uL	0.1 - 0.9

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Neut

Date And Time

Measure

Mar-20-2023 14:17:00

3.4

Units

Reference Range

K/uL

1.4 - 7.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Eos

Date And Time

Measure

Mar-20-2023 14:17:00

0.2

Units

Reference Range

K/uL

0.0 - 0.5

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Baso

Date And Time

Measure

Mar-20-2023 14:17:00

0.0

Units	Reference Range
K/uL	0.0 - 0.2
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

RBC

Date And Time	Measure
Mar-20-2023 14:17:00	4.89
Units	Reference Range
M/uL	3.80 - 5.00
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Hgb

Date And Time	Measure
Mar-20-2023 14:17:00	14.0
Units	Reference Range
g/dL	11.0 - 16.0
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Hct

Date And Time	Measure
Mar-20-2023 14:17:00	41.7
Units	Reference Range
%	35.0 - 47.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

MCV

Date And Time

Measure

Mar-20-2023 14:17:00

85.1

Units

Reference Range

fL

80.0 - 100.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

MCH

Date And Time

Measure

Mar-20-2023 14:17:00

28.7

Units

Reference Range

pg

27.0 - 34.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

MCHC

Date And Time

Measure

Mar-20-2023 14:17:00

33.7

Units	Reference Range
g/dL	32.0 - 36.0
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

RDW

Date And Time	Measure
Mar-20-2023 14:17:00	12.5
Units	Reference Range
%	11.0 - 15.0
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Plt

Date And Time	Measure
Mar-20-2023 14:17:00	270
Units	Reference Range
K/uL	140 - 450
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

MPV

Date And Time	Measure
Mar-20-2023 14:17:00	8.7
Units	Reference Range
fL	7.5 - 11.5

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Panel Description: Complete Metabolic Panel

Date And Time

Measure

Final

Glucose

Date And Time

Measure

Mar-20-2023 14:33:00

93

Units

Reference Range

mg/dL

65 - 99

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

BUN

Date And Time

Measure

Mar-20-2023 14:33:00

12

Units

Reference Range

mg/dL

7 - 25

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Creatinine

Date And Time

Measure

Mar-20-2023 14:33:00

0.78

Units

Reference Range

mg/dL

0.50 - 0.93

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

BUN/Creatinine Ratio

Date And Time

Measure

Mar-20-2023 14:33:00

15.00

Units

Reference Range

Ratio

9.00 - 28.00

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

eGFR Non-African American

Date And Time

Measure

Mar-20-2023 14:33:00

80.91

Units

Reference Range

mL/min/1.73 m²;

>60.00

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

eGFR African American

Date And Time

Measure

Mar-20-2023 14:33:00

97.90

Units	Reference Range
mL/min/1.73 m ² ;	>60.00
Abnormal Flag	Status
	Final
Comments	
Performed by: OnePeak Medical Laboratory (OPML)	

Sodium	
Date And Time	Measure
Mar-20-2023 14:33:00	143
Units	Reference Range
mmol/L	135 - 146
Abnormal Flag	Status
	Final
Comments	
Performed by: OnePeak Medical Laboratory (OPML)	

Potassium	
Date And Time	Measure
Mar-20-2023 14:33:00	3.9
Units	Reference Range
mmol/L	3.5 - 5.3
Abnormal Flag	Status
	Final
Comments	
Performed by: OnePeak Medical Laboratory (OPML)	

Chloride	
Date And Time	Measure
Mar-20-2023 14:33:00	107
Units	Reference Range
mmol/L	98 - 110

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

CO2

Date And Time

Measure

Mar-20-2023 14:33:00

28

Units

Reference Range

mmol/L

19 - 30

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Calcium

Date And Time

Measure

Mar-20-2023 14:33:00

8.9

Units

Reference Range

mg/dL

8.6 - 10.4

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Total Protein

Date And Time

Measure

Mar-20-2023 14:33:00

6.1

Units	Reference Range
g/dL	6.1 - 8.1
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Albumin

Date And Time	Measure
Mar-20-2023 14:33:00	4.2
Units	Reference Range
g/dL	3.6 - 5.1
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Globulin

Date And Time	Measure
Mar-20-2023 14:33:00	1.9
Units	Reference Range
mg/dL	1.9 - 3.7
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

A/G Ratio

Date And Time	Measure
Mar-20-2023 14:33:00	2.2
Units	Reference Range
Ratio	1.0 - 2.5

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Total Bilirubin

Date And Time

Measure

Mar-20-2023 14:33:00

0.7

Units

Reference Range

mg/dL

0.2 - 1.2

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

AST (SGOT)

Date And Time

Measure

Mar-20-2023 14:33:00

20

Units

Reference Range

U/L

10 - 35

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

ALT (SGPT)

Date And Time

Measure

Mar-20-2023 14:33:00

19

Units	Reference Range
U/L	6 - 29
Abnormal Flag	Status
	Final
Comments	
Performed by: OnePeak Medical Laboratory (OPML)	

Alk Phos	
Date And Time	Measure
Mar-20-2023 14:33:00	65
Units	Reference Range
U/L	33 - 130
Abnormal Flag	Status
	Final
Comments	
Performed by: OnePeak Medical Laboratory (OPML)	

Anion Gap	
Date And Time	Measure
Mar-20-2023 14:33:00	8
Units	Reference Range
mmol/L	4 - 11
Abnormal Flag	Status
	Final
Comments	
Performed by: OnePeak Medical Laboratory (OPML)	

Panel Description: Ferritin	
Date And Time	Measure
Final	

Ferritin	
Date And Time	Measure
Mar-20-2023 15:17:00	121

Units	Reference Range
ng/mL	11 - 307
Abnormal Flag	Status
	Final
Comments	
Performed by: OnePeak Medical Laboratory (OPML)	

Panel Description: CBC with Auto Diff

Date And Time	Measure
Final	

WBC

Date And Time	Measure
Mar-20-2023 14:17:00	6.7
Units	Reference Range
K/uL	4.0 - 11.0
Abnormal Flag	Status
	Final
Comments	
Performed by: OnePeak Medical Laboratory (OPML)	

Lymph %

Date And Time	Measure
Mar-20-2023 14:17:00	37.6
Units	Reference Range
%	17.0 - 48.0
Abnormal Flag	Status
	Final
Comments	
Performed by: OnePeak Medical Laboratory (OPML)	

Mono %

Date And Time	Measure
Mar-20-2023 14:17:00	8.8

Units	Reference Range
%	2.0 - 12.0
Abnormal Flag	Status
	Final
Comments	
Performed by: OnePeak Medical Laboratory (OPML)	

Neut %

Date And Time	Measure
Mar-20-2023 14:17:00	50.6
Units	Reference Range
%	35.0 - 75.0
Abnormal Flag	Status
	Final
Comments	
Performed by: OnePeak Medical Laboratory (OPML)	

Eos %

Date And Time	Measure
Mar-20-2023 14:17:00	2.7
Units	Reference Range
%	1.0 - 5.0
Abnormal Flag	Status
	Final
Comments	
Performed by: OnePeak Medical Laboratory (OPML)	

Baso %

Date And Time	Measure
Mar-20-2023 14:17:00	0.3
Units	Reference Range
%	0.0 - 2.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Lymph

Date And Time

Measure

Mar-20-2023 14:17:00

2.5

Units

Reference Range

K/uL

0.7 - 3.5

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Mono

Date And Time

Measure

Mar-20-2023 14:17:00

0.6

Units

Reference Range

K/uL

0.1 - 0.9

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Neut

Date And Time

Measure

Mar-20-2023 14:17:00

3.4

Units	Reference Range
K/uL	1.4 - 7.0
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Eos

Date And Time	Measure
Mar-20-2023 14:17:00	0.2
Units	Reference Range
K/uL	0.0 - 0.5
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Baso

Date And Time	Measure
Mar-20-2023 14:17:00	0.0
Units	Reference Range
K/uL	0.0 - 0.2
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

RBC

Date And Time	Measure
Mar-20-2023 14:17:00	4.89
Units	Reference Range
M/uL	3.80 - 5.00

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Hgb

Date And Time

Measure

Mar-20-2023 14:17:00

14.0

Units

Reference Range

g/dL

11.0 - 16.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Hct

Date And Time

Measure

Mar-20-2023 14:17:00

41.7

Units

Reference Range

%

35.0 - 47.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

MCV

Date And Time

Measure

Mar-20-2023 14:17:00

85.1

Units	Reference Range
fL	80.0 - 100.0
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

MCH

Date And Time	Measure
Mar-20-2023 14:17:00	28.7
Units	Reference Range
pg	27.0 - 34.0
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

MCHC

Date And Time	Measure
Mar-20-2023 14:17:00	33.7
Units	Reference Range
g/dL	32.0 - 36.0
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

RDW

Date And Time	Measure
Mar-20-2023 14:17:00	12.5
Units	Reference Range
%	11.0 - 15.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Plt

Date And Time

Measure

Mar-20-2023 14:17:00

270

Units

Reference Range

K/uL

140 - 450

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

MPV

Date And Time

Measure

Mar-20-2023 14:17:00

8.7

Units

Reference Range

fL

7.5 - 11.5

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Panel Description: CBC with Auto Diff

Date And Time

Measure

Final

WBC

Date And Time

Measure

Mar-20-2023 14:17:00

6.7

Units

Reference Range

K/uL

4.0 - 11.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Lymph %

Date And Time

Measure

Mar-20-2023 14:17:00

37.6

Units

Reference Range

%

17.0 - 48.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Mono %

Date And Time

Measure

Mar-20-2023 14:17:00

8.8

Units

Reference Range

%

2.0 - 12.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Neut %

Date And Time

Measure

Mar-20-2023 14:17:00

50.6

Units	Reference Range
%	35.0 - 75.0
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Eos %

Date And Time	Measure
Mar-20-2023 14:17:00	2.7
Units	Reference Range
%	1.0 - 5.0
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Baso %

Date And Time	Measure
Mar-20-2023 14:17:00	0.3
Units	Reference Range
%	0.0 - 2.0
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Lymph

Date And Time	Measure
Mar-20-2023 14:17:00	2.5
Units	Reference Range
K/uL	0.7 - 3.5

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Mono

Date And Time

Measure

Mar-20-2023 14:17:00

0.6

Units

Reference Range

K/uL

0.1 - 0.9

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Neut

Date And Time

Measure

Mar-20-2023 14:17:00

3.4

Units

Reference Range

K/uL

1.4 - 7.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Eos

Date And Time

Measure

Mar-20-2023 14:17:00

0.2

Units	Reference Range
K/uL	0.0 - 0.5
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Baso

Date And Time	Measure
Mar-20-2023 14:17:00	0.0
Units	Reference Range
K/uL	0.0 - 0.2
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

RBC

Date And Time	Measure
Mar-20-2023 14:17:00	4.89
Units	Reference Range
M/uL	3.80 - 5.00
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Hgb

Date And Time	Measure
Mar-20-2023 14:17:00	14.0
Units	Reference Range
g/dL	11.0 - 16.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Hct

Date And Time

Measure

Mar-20-2023 14:17:00

41.7

Units

Reference Range

%

35.0 - 47.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

MCV

Date And Time

Measure

Mar-20-2023 14:17:00

85.1

Units

Reference Range

fL

80.0 - 100.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

MCH

Date And Time

Measure

Mar-20-2023 14:17:00

28.7

Units	Reference Range
pg	27.0 - 34.0
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

MCHC

Date And Time	Measure
Mar-20-2023 14:17:00	33.7
Units	Reference Range
g/dL	32.0 - 36.0
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

RDW

Date And Time	Measure
Mar-20-2023 14:17:00	12.5
Units	Reference Range
%	11.0 - 15.0
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Plt

Date And Time	Measure
Mar-20-2023 14:17:00	270
Units	Reference Range
K/uL	140 - 450

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

MPV

Date And Time

Measure

Mar-20-2023 14:17:00

8.7

Units

Reference Range

fL

7.5 - 11.5

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Panel Description: Complete Metabolic Panel

Date And Time

Measure

Final

Glucose

Date And Time

Measure

Mar-20-2023 14:33:00

93

Units

Reference Range

mg/dL

65 - 99

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

BUN

Date And Time

Measure

Mar-20-2023 14:33:00

12

Units

Reference Range

mg/dL

7 - 25

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Creatinine

Date And Time

Measure

Mar-20-2023 14:33:00

0.78

Units

Reference Range

mg/dL

0.50 - 0.93

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

BUN/Creatinine Ratio

Date And Time

Measure

Mar-20-2023 14:33:00

15.00

Units

Reference Range

Ratio

9.00 - 28.00

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

eGFR Non-African American

Date And Time

Measure

Mar-20-2023 14:33:00

80.91

Units	Reference Range
mL/min/1.73 m ² ;	>60.00
Abnormal Flag	Status
	Final
Comments	
Performed by: OnePeak Medical Laboratory (OPML)	

eGFR African American

Date And Time	Measure
Mar-20-2023 14:33:00	97.90
Units	Reference Range
mL/min/1.73 m ² ;	>60.00
Abnormal Flag	Status
	Final
Comments	
Performed by: OnePeak Medical Laboratory (OPML)	

Sodium

Date And Time	Measure
Mar-20-2023 14:33:00	143
Units	Reference Range
mmol/L	135 - 146
Abnormal Flag	Status
	Final
Comments	
Performed by: OnePeak Medical Laboratory (OPML)	

Potassium

Date And Time	Measure
Mar-20-2023 14:33:00	3.9
Units	Reference Range
mmol/L	3.5 - 5.3

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Chloride

Date And Time

Measure

Mar-20-2023 14:33:00

107

Units

Reference Range

mmol/L

98 - 110

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

CO2

Date And Time

Measure

Mar-20-2023 14:33:00

28

Units

Reference Range

mmol/L

19 - 30

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Calcium

Date And Time

Measure

Mar-20-2023 14:33:00

8.9

Units	Reference Range
mg/dL	8.6 - 10.4
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Total Protein

Date And Time	Measure
Mar-20-2023 14:33:00	6.1
Units	Reference Range
g/dL	6.1 - 8.1
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Albumin

Date And Time	Measure
Mar-20-2023 14:33:00	4.2
Units	Reference Range
g/dL	3.6 - 5.1
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Globulin

Date And Time	Measure
Mar-20-2023 14:33:00	1.9
Units	Reference Range
mg/dL	1.9 - 3.7

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

A/G Ratio

Date And Time

Measure

Mar-20-2023 14:33:00

2.2

Units

Reference Range

Ratio

1.0 - 2.5

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Total Bilirubin

Date And Time

Measure

Mar-20-2023 14:33:00

0.7

Units

Reference Range

mg/dL

0.2 - 1.2

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

AST (SGOT)

Date And Time

Measure

Mar-20-2023 14:33:00

20

Units	Reference Range
U/L	10 - 35
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

ALT (SGPT)

Date And Time	Measure
Mar-20-2023 14:33:00	19
Units	Reference Range
U/L	6 - 29
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Alk Phos

Date And Time	Measure
Mar-20-2023 14:33:00	65
Units	Reference Range
U/L	33 - 130
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Anion Gap

Date And Time	Measure
Mar-20-2023 14:33:00	8
Units	Reference Range
mmol/L	4 - 11

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Panel Description: Ferritin

Date And Time

Measure

Final

Ferritin

Date And Time

Measure

Mar-20-2023 15:17:00

121

Units

Reference Range

ng/mL

11 - 307

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Panel Description: CBC with Auto Diff

Date And Time

Measure

Final

WBC

Date And Time

Measure

Mar-20-2023 14:17:00

6.7

Units

Reference Range

K/uL

4.0 - 11.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Lymph %

Date And Time	Measure
Mar-20-2023 14:17:00	37.6
Units	Reference Range
%	17.0 - 48.0
Abnormal Flag	Status
	Final
Comments	
Performed by: OnePeak Medical Laboratory (OPML)	

Mono %

Date And Time	Measure
Mar-20-2023 14:17:00	8.8
Units	Reference Range
%	2.0 - 12.0
Abnormal Flag	Status
	Final
Comments	
Performed by: OnePeak Medical Laboratory (OPML)	

Neut %

Date And Time	Measure
Mar-20-2023 14:17:00	50.6
Units	Reference Range
%	35.0 - 75.0
Abnormal Flag	Status
	Final
Comments	
Performed by: OnePeak Medical Laboratory (OPML)	

Eos %

Date And Time	Measure
Mar-20-2023 14:17:00	2.7

Units	Reference Range
%	1.0 - 5.0
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Baso %

Date And Time	Measure
Mar-20-2023 14:17:00	0.3
Units	Reference Range
%	0.0 - 2.0
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Lymph

Date And Time	Measure
Mar-20-2023 14:17:00	2.5
Units	Reference Range
K/uL	0.7 - 3.5
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Mono

Date And Time	Measure
Mar-20-2023 14:17:00	0.6
Units	Reference Range
K/uL	0.1 - 0.9

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Neut

Date And Time

Measure

Mar-20-2023 14:17:00

3.4

Units

Reference Range

K/uL

1.4 - 7.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Eos

Date And Time

Measure

Mar-20-2023 14:17:00

0.2

Units

Reference Range

K/uL

0.0 - 0.5

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Baso

Date And Time

Measure

Mar-20-2023 14:17:00

0.0

Units	Reference Range
K/uL	0.0 - 0.2
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

RBC

Date And Time	Measure
Mar-20-2023 14:17:00	4.89
Units	Reference Range
M/uL	3.80 - 5.00
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Hgb

Date And Time	Measure
Mar-20-2023 14:17:00	14.0
Units	Reference Range
g/dL	11.0 - 16.0
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Hct

Date And Time	Measure
Mar-20-2023 14:17:00	41.7
Units	Reference Range
%	35.0 - 47.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

MCV

Date And Time

Measure

Mar-20-2023 14:17:00

85.1

Units

Reference Range

fL

80.0 - 100.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

MCH

Date And Time

Measure

Mar-20-2023 14:17:00

28.7

Units

Reference Range

pg

27.0 - 34.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

MCHC

Date And Time

Measure

Mar-20-2023 14:17:00

33.7

Units	Reference Range
g/dL	32.0 - 36.0
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

RDW

Date And Time	Measure
Mar-20-2023 14:17:00	12.5
Units	Reference Range
%	11.0 - 15.0
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Plt

Date And Time	Measure
Mar-20-2023 14:17:00	270
Units	Reference Range
K/uL	140 - 450
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

MPV

Date And Time	Measure
Mar-20-2023 14:17:00	8.7
Units	Reference Range
fL	7.5 - 11.5

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Panel Description: CBC with Auto Diff

Date And Time

Measure

Final

WBC

Date And Time

Measure

Mar-20-2023 14:17:00

6.7

Units

Reference Range

K/uL

4.0 - 11.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Lymph %

Date And Time

Measure

Mar-20-2023 14:17:00

37.6

Units

Reference Range

%

17.0 - 48.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Mono %

Date And Time

Measure

Mar-20-2023 14:17:00

8.8

Units

Reference Range

%

2.0 - 12.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Neut %

Date And Time

Measure

Mar-20-2023 14:17:00

50.6

Units

Reference Range

%

35.0 - 75.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Eos %

Date And Time

Measure

Mar-20-2023 14:17:00

2.7

Units

Reference Range

%

1.0 - 5.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Baso %

Date And Time

Measure

Mar-20-2023 14:17:00

0.3

Units	Reference Range
%	0.0 - 2.0
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Lymph

Date And Time	Measure
Mar-20-2023 14:17:00	2.5
Units	Reference Range
K/uL	0.7 - 3.5
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Mono

Date And Time	Measure
Mar-20-2023 14:17:00	0.6
Units	Reference Range
K/uL	0.1 - 0.9
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Neut

Date And Time	Measure
Mar-20-2023 14:17:00	3.4
Units	Reference Range
K/uL	1.4 - 7.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Eos

Date And Time

Measure

Mar-20-2023 14:17:00

0.2

Units

Reference Range

K/uL

0.0 - 0.5

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Baso

Date And Time

Measure

Mar-20-2023 14:17:00

0.0

Units

Reference Range

K/uL

0.0 - 0.2

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

RBC

Date And Time

Measure

Mar-20-2023 14:17:00

4.89

Units	Reference Range
M/uL	3.80 - 5.00
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Hgb

Date And Time	Measure
Mar-20-2023 14:17:00	14.0
Units	Reference Range
g/dL	11.0 - 16.0
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Hct

Date And Time	Measure
Mar-20-2023 14:17:00	41.7
Units	Reference Range
%	35.0 - 47.0
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

MCV

Date And Time	Measure
Mar-20-2023 14:17:00	85.1
Units	Reference Range
fL	80.0 - 100.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

MCH

Date And Time

Measure

Mar-20-2023 14:17:00

28.7

Units

Reference Range

pg

27.0 - 34.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

MCHC

Date And Time

Measure

Mar-20-2023 14:17:00

33.7

Units

Reference Range

g/dL

32.0 - 36.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

RDW

Date And Time

Measure

Mar-20-2023 14:17:00

12.5

Units	Reference Range
%	11.0 - 15.0
Abnormal Flag	Status
	Final
Comments	
Performed by: OnePeak Medical Laboratory (OPML)	

Plt

Date And Time	Measure
Mar-20-2023 14:17:00	270
Units	Reference Range
K/uL	140 - 450
Abnormal Flag	Status
	Final
Comments	
Performed by: OnePeak Medical Laboratory (OPML)	

MPV

Date And Time	Measure
Mar-20-2023 14:17:00	8.7
Units	Reference Range
fL	7.5 - 11.5
Abnormal Flag	Status
	Final
Comments	
Performed by: OnePeak Medical Laboratory (OPML)	

Panel Description: Complete Metabolic Panel

Date And Time	Measure
Final	

Glucose

Date And Time	Measure
Mar-20-2023 14:33:00	93

Units	Reference Range
mg/dL	65 - 99
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

BUN

Date And Time	Measure
Mar-20-2023 14:33:00	12
Units	Reference Range
mg/dL	7 - 25
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Creatinine

Date And Time	Measure
Mar-20-2023 14:33:00	0.78
Units	Reference Range
mg/dL	0.50 - 0.93
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

BUN/Creatinine Ratio

Date And Time	Measure
Mar-20-2023 14:33:00	15.00
Units	Reference Range
Ratio	9.00 - 28.00

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

eGFR Non-African American

Date And Time

Measure

Mar-20-2023 14:33:00

80.91

Units

Reference Range

mL/min/1.73 m²;

>60.00

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

eGFR African American

Date And Time

Measure

Mar-20-2023 14:33:00

97.90

Units

Reference Range

mL/min/1.73 m²;

>60.00

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Sodium

Date And Time

Measure

Mar-20-2023 14:33:00

143

Units	Reference Range
mmol/L	135 - 146
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Potassium

Date And Time	Measure
Mar-20-2023 14:33:00	3.9
Units	Reference Range
mmol/L	3.5 - 5.3
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Chloride

Date And Time	Measure
Mar-20-2023 14:33:00	107
Units	Reference Range
mmol/L	98 - 110
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

CO2

Date And Time	Measure
Mar-20-2023 14:33:00	28
Units	Reference Range
mmol/L	19 - 30

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Calcium

Date And Time

Measure

Mar-20-2023 14:33:00

8.9

Units

Reference Range

mg/dL

8.6 - 10.4

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Total Protein

Date And Time

Measure

Mar-20-2023 14:33:00

6.1

Units

Reference Range

g/dL

6.1 - 8.1

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Albumin

Date And Time

Measure

Mar-20-2023 14:33:00

4.2

Units	Reference Range
g/dL	3.6 - 5.1
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Globulin

Date And Time	Measure
Mar-20-2023 14:33:00	1.9
Units	Reference Range
mg/dL	1.9 - 3.7
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

A/G Ratio

Date And Time	Measure
Mar-20-2023 14:33:00	2.2
Units	Reference Range
Ratio	1.0 - 2.5
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Total Bilirubin

Date And Time	Measure
Mar-20-2023 14:33:00	0.7
Units	Reference Range
mg/dL	0.2 - 1.2

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

AST (SGOT)

Date And Time

Measure

Mar-20-2023 14:33:00

20

Units

Reference Range

U/L

10 - 35

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

ALT (SGPT)

Date And Time

Measure

Mar-20-2023 14:33:00

19

Units

Reference Range

U/L

6 - 29

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Alk Phos

Date And Time

Measure

Mar-20-2023 14:33:00

65

Units	Reference Range
U/L	33 - 130
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Anion Gap

Date And Time	Measure
Mar-20-2023 14:33:00	8
Units	Reference Range
mmol/L	4 - 11
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Panel Description: Ferritin

Date And Time	Measure
Final	

Ferritin

Date And Time	Measure
Mar-20-2023 15:17:00	121
Units	Reference Range
ng/mL	11 - 307
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Panel Description: CBC with Auto Diff

Date And Time	Measure
Final	

WBC

Date And Time	Measure
Mar-20-2023 14:17:00	6.7
Units	Reference Range
K/uL	4.0 - 11.0
Abnormal Flag	Status
	Final
Comments	
Performed by: OnePeak Medical Laboratory (OPML)	

Lymph %

Date And Time	Measure
Mar-20-2023 14:17:00	37.6
Units	Reference Range
%	17.0 - 48.0
Abnormal Flag	Status
	Final
Comments	
Performed by: OnePeak Medical Laboratory (OPML)	

Mono %

Date And Time	Measure
Mar-20-2023 14:17:00	8.8
Units	Reference Range
%	2.0 - 12.0
Abnormal Flag	Status
	Final
Comments	
Performed by: OnePeak Medical Laboratory (OPML)	

Neut %

Date And Time	Measure
Mar-20-2023 14:17:00	50.6

Units	Reference Range
%	35.0 - 75.0
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Eos %

Date And Time	Measure
Mar-20-2023 14:17:00	2.7
Units	Reference Range
%	1.0 - 5.0
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Baso %

Date And Time	Measure
Mar-20-2023 14:17:00	0.3
Units	Reference Range
%	0.0 - 2.0
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Lymph

Date And Time	Measure
Mar-20-2023 14:17:00	2.5
Units	Reference Range
K/uL	0.7 - 3.5

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Mono

Date And Time

Measure

Mar-20-2023 14:17:00

0.6

Units

Reference Range

K/uL

0.1 - 0.9

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Neut

Date And Time

Measure

Mar-20-2023 14:17:00

3.4

Units

Reference Range

K/uL

1.4 - 7.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Eos

Date And Time

Measure

Mar-20-2023 14:17:00

0.2

Units	Reference Range
K/uL	0.0 - 0.5
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Baso

Date And Time	Measure
Mar-20-2023 14:17:00	0.0
Units	Reference Range
K/uL	0.0 - 0.2
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

RBC

Date And Time	Measure
Mar-20-2023 14:17:00	4.89
Units	Reference Range
M/uL	3.80 - 5.00
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Hgb

Date And Time	Measure
Mar-20-2023 14:17:00	14.0
Units	Reference Range
g/dL	11.0 - 16.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Hct

Date And Time

Measure

Mar-20-2023 14:17:00

41.7

Units

Reference Range

%

35.0 - 47.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

MCV

Date And Time

Measure

Mar-20-2023 14:17:00

85.1

Units

Reference Range

fL

80.0 - 100.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

MCH

Date And Time

Measure

Mar-20-2023 14:17:00

28.7

Units	Reference Range
pg	27.0 - 34.0
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

MCHC

Date And Time	Measure
Mar-20-2023 14:17:00	33.7
Units	Reference Range
g/dL	32.0 - 36.0
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

RDW

Date And Time	Measure
Mar-20-2023 14:17:00	12.5
Units	Reference Range
%	11.0 - 15.0
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Plt

Date And Time	Measure
Mar-20-2023 14:17:00	270
Units	Reference Range
K/uL	140 - 450

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

MPV

Date And Time

Measure

Mar-20-2023 14:17:00

8.7

Units

Reference Range

fL

7.5 - 11.5

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Panel Description: CBC with Auto Diff

Date And Time

Measure

Final

WBC

Date And Time

Measure

Mar-20-2023 14:17:00

6.7

Units

Reference Range

K/uL

4.0 - 11.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Lymph %

Date And Time

Measure

Mar-20-2023 14:17:00

37.6

Units

Reference Range

%

17.0 - 48.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Mono %

Date And Time

Measure

Mar-20-2023 14:17:00

8.8

Units

Reference Range

%

2.0 - 12.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Neut %

Date And Time

Measure

Mar-20-2023 14:17:00

50.6

Units

Reference Range

%

35.0 - 75.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Eos %

Date And Time

Measure

Mar-20-2023 14:17:00

2.7

Units	Reference Range
%	1.0 - 5.0
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Baso %

Date And Time	Measure
Mar-20-2023 14:17:00	0.3
Units	Reference Range
%	0.0 - 2.0
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Lymph

Date And Time	Measure
Mar-20-2023 14:17:00	2.5
Units	Reference Range
K/uL	0.7 - 3.5
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Mono

Date And Time	Measure
Mar-20-2023 14:17:00	0.6
Units	Reference Range
K/uL	0.1 - 0.9

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Neut

Date And Time

Measure

Mar-20-2023 14:17:00

3.4

Units

Reference Range

K/uL

1.4 - 7.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Eos

Date And Time

Measure

Mar-20-2023 14:17:00

0.2

Units

Reference Range

K/uL

0.0 - 0.5

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Baso

Date And Time

Measure

Mar-20-2023 14:17:00

0.0

Units	Reference Range
K/uL	0.0 - 0.2
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

RBC

Date And Time	Measure
Mar-20-2023 14:17:00	4.89
Units	Reference Range
M/uL	3.80 - 5.00
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Hgb

Date And Time	Measure
Mar-20-2023 14:17:00	14.0
Units	Reference Range
g/dL	11.0 - 16.0
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Hct

Date And Time	Measure
Mar-20-2023 14:17:00	41.7
Units	Reference Range
%	35.0 - 47.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

MCV

Date And Time

Measure

Mar-20-2023 14:17:00

85.1

Units

Reference Range

fL

80.0 - 100.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

MCH

Date And Time

Measure

Mar-20-2023 14:17:00

28.7

Units

Reference Range

pg

27.0 - 34.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

MCHC

Date And Time

Measure

Mar-20-2023 14:17:00

33.7

Units	Reference Range
g/dL	32.0 - 36.0
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

RDW

Date And Time	Measure
Mar-20-2023 14:17:00	12.5
Units	Reference Range
%	11.0 - 15.0
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Plt

Date And Time	Measure
Mar-20-2023 14:17:00	270
Units	Reference Range
K/uL	140 - 450
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

MPV

Date And Time	Measure
Mar-20-2023 14:17:00	8.7
Units	Reference Range
fL	7.5 - 11.5

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Panel Description: Complete Metabolic Panel

Date And Time

Measure

Final

Glucose

Date And Time

Measure

Mar-20-2023 14:33:00

93

Units

Reference Range

mg/dL

65 - 99

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

BUN

Date And Time

Measure

Mar-20-2023 14:33:00

12

Units

Reference Range

mg/dL

7 - 25

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Creatinine

Date And Time

Measure

Mar-20-2023 14:33:00

0.78

Units

Reference Range

mg/dL

0.50 - 0.93

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

BUN/Creatinine Ratio

Date And Time

Measure

Mar-20-2023 14:33:00

15.00

Units

Reference Range

Ratio

9.00 - 28.00

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

eGFR Non-African American

Date And Time

Measure

Mar-20-2023 14:33:00

80.91

Units

Reference Range

mL/min/1.73 m²;

>60.00

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

eGFR African American

Date And Time

Measure

Mar-20-2023 14:33:00

97.90

Units	Reference Range
mL/min/1.73 m ² ;	>60.00
Abnormal Flag	Status
	Final
Comments	
Performed by: OnePeak Medical Laboratory (OPML)	

Sodium

Date And Time	Measure
Mar-20-2023 14:33:00	143
Units	Reference Range
mmol/L	135 - 146
Abnormal Flag	Status
	Final
Comments	
Performed by: OnePeak Medical Laboratory (OPML)	

Potassium

Date And Time	Measure
Mar-20-2023 14:33:00	3.9
Units	Reference Range
mmol/L	3.5 - 5.3
Abnormal Flag	Status
	Final
Comments	
Performed by: OnePeak Medical Laboratory (OPML)	

Chloride

Date And Time	Measure
Mar-20-2023 14:33:00	107
Units	Reference Range
mmol/L	98 - 110

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

CO2

Date And Time

Measure

Mar-20-2023 14:33:00

28

Units

Reference Range

mmol/L

19 - 30

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Calcium

Date And Time

Measure

Mar-20-2023 14:33:00

8.9

Units

Reference Range

mg/dL

8.6 - 10.4

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Total Protein

Date And Time

Measure

Mar-20-2023 14:33:00

6.1

Units	Reference Range
g/dL	6.1 - 8.1
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Albumin

Date And Time	Measure
Mar-20-2023 14:33:00	4.2
Units	Reference Range
g/dL	3.6 - 5.1
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Globulin

Date And Time	Measure
Mar-20-2023 14:33:00	1.9
Units	Reference Range
mg/dL	1.9 - 3.7
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

A/G Ratio

Date And Time	Measure
Mar-20-2023 14:33:00	2.2
Units	Reference Range
Ratio	1.0 - 2.5

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Total Bilirubin

Date And Time

Measure

Mar-20-2023 14:33:00

0.7

Units

Reference Range

mg/dL

0.2 - 1.2

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

AST (SGOT)

Date And Time

Measure

Mar-20-2023 14:33:00

20

Units

Reference Range

U/L

10 - 35

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

ALT (SGPT)

Date And Time

Measure

Mar-20-2023 14:33:00

19

Units	Reference Range
U/L	6 - 29
Abnormal Flag	Status
	Final
Comments	
Performed by: OnePeak Medical Laboratory (OPML)	

Alk Phos

Date And Time	Measure
Mar-20-2023 14:33:00	65
Units	Reference Range
U/L	33 - 130
Abnormal Flag	Status
	Final
Comments	
Performed by: OnePeak Medical Laboratory (OPML)	

Anion Gap

Date And Time	Measure
Mar-20-2023 14:33:00	8
Units	Reference Range
mmol/L	4 - 11
Abnormal Flag	Status
	Final
Comments	
Performed by: OnePeak Medical Laboratory (OPML)	

Panel Description: Ferritin

Date And Time	Measure
Final	

Ferritin

Date And Time	Measure
Mar-20-2023 15:17:00	121

Units	Reference Range
ng/mL	11 - 307
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Panel Description: CBC with Auto Diff

Date And Time	Measure
Final	

WBC

Date And Time	Measure
Mar-20-2023 14:17:00	6.7
Units	Reference Range
K/uL	4.0 - 11.0
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Lymph %

Date And Time	Measure
Mar-20-2023 14:17:00	37.6
Units	Reference Range
%	17.0 - 48.0
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Mono %

Date And Time	Measure
Mar-20-2023 14:17:00	8.8

Units	Reference Range
%	2.0 - 12.0
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Neut %

Date And Time	Measure
Mar-20-2023 14:17:00	50.6
Units	Reference Range
%	35.0 - 75.0
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Eos %

Date And Time	Measure
Mar-20-2023 14:17:00	2.7
Units	Reference Range
%	1.0 - 5.0
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Baso %

Date And Time	Measure
Mar-20-2023 14:17:00	0.3
Units	Reference Range
%	0.0 - 2.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Lymph

Date And Time

Measure

Mar-20-2023 14:17:00

2.5

Units

Reference Range

K/uL

0.7 - 3.5

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Mono

Date And Time

Measure

Mar-20-2023 14:17:00

0.6

Units

Reference Range

K/uL

0.1 - 0.9

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Neut

Date And Time

Measure

Mar-20-2023 14:17:00

3.4

Units	Reference Range
K/uL	1.4 - 7.0
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Eos

Date And Time	Measure
Mar-20-2023 14:17:00	0.2
Units	Reference Range
K/uL	0.0 - 0.5
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Baso

Date And Time	Measure
Mar-20-2023 14:17:00	0.0
Units	Reference Range
K/uL	0.0 - 0.2
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

RBC

Date And Time	Measure
Mar-20-2023 14:17:00	4.89
Units	Reference Range
M/uL	3.80 - 5.00

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Hgb

Date And Time

Measure

Mar-20-2023 14:17:00

14.0

Units

Reference Range

g/dL

11.0 - 16.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Hct

Date And Time

Measure

Mar-20-2023 14:17:00

41.7

Units

Reference Range

%

35.0 - 47.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

MCV

Date And Time

Measure

Mar-20-2023 14:17:00

85.1

Units	Reference Range
fL	80.0 - 100.0
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

MCH

Date And Time	Measure
Mar-20-2023 14:17:00	28.7
Units	Reference Range
pg	27.0 - 34.0
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

MCHC

Date And Time	Measure
Mar-20-2023 14:17:00	33.7
Units	Reference Range
g/dL	32.0 - 36.0
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

RDW

Date And Time	Measure
Mar-20-2023 14:17:00	12.5
Units	Reference Range
%	11.0 - 15.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Plt

Date And Time

Measure

Mar-20-2023 14:17:00

270

Units

Reference Range

K/uL

140 - 450

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

MPV

Date And Time

Measure

Mar-20-2023 14:17:00

8.7

Units

Reference Range

fL

7.5 - 11.5

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Panel Description: CBC with Auto Diff

Date And Time

Measure

Final

WBC

Date And Time

Measure

Mar-20-2023 14:17:00

6.7

Units

Reference Range

K/uL

4.0 - 11.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Lymph %

Date And Time

Measure

Mar-20-2023 14:17:00

37.6

Units

Reference Range

%

17.0 - 48.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Mono %

Date And Time

Measure

Mar-20-2023 14:17:00

8.8

Units

Reference Range

%

2.0 - 12.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Neut %

Date And Time

Measure

Mar-20-2023 14:17:00

50.6

Units	Reference Range
%	35.0 - 75.0
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Eos %

Date And Time	Measure
Mar-20-2023 14:17:00	2.7
Units	Reference Range
%	1.0 - 5.0
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Baso %

Date And Time	Measure
Mar-20-2023 14:17:00	0.3
Units	Reference Range
%	0.0 - 2.0
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Lymph

Date And Time	Measure
Mar-20-2023 14:17:00	2.5
Units	Reference Range
K/uL	0.7 - 3.5

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Mono

Date And Time

Measure

Mar-20-2023 14:17:00

0.6

Units

Reference Range

K/uL

0.1 - 0.9

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Neut

Date And Time

Measure

Mar-20-2023 14:17:00

3.4

Units

Reference Range

K/uL

1.4 - 7.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Eos

Date And Time

Measure

Mar-20-2023 14:17:00

0.2

Units	Reference Range
K/uL	0.0 - 0.5
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Baso

Date And Time	Measure
Mar-20-2023 14:17:00	0.0
Units	Reference Range
K/uL	0.0 - 0.2
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

RBC

Date And Time	Measure
Mar-20-2023 14:17:00	4.89
Units	Reference Range
M/uL	3.80 - 5.00
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Hgb

Date And Time	Measure
Mar-20-2023 14:17:00	14.0
Units	Reference Range
g/dL	11.0 - 16.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Hct

Date And Time

Measure

Mar-20-2023 14:17:00

41.7

Units

Reference Range

%

35.0 - 47.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

MCV

Date And Time

Measure

Mar-20-2023 14:17:00

85.1

Units

Reference Range

fL

80.0 - 100.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

MCH

Date And Time

Measure

Mar-20-2023 14:17:00

28.7

Units	Reference Range
pg	27.0 - 34.0
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

MCHC

Date And Time	Measure
Mar-20-2023 14:17:00	33.7
Units	Reference Range
g/dL	32.0 - 36.0
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

RDW

Date And Time	Measure
Mar-20-2023 14:17:00	12.5
Units	Reference Range
%	11.0 - 15.0
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Plt

Date And Time	Measure
Mar-20-2023 14:17:00	270
Units	Reference Range
K/uL	140 - 450

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

MPV

Date And Time

Measure

Mar-20-2023 14:17:00

8.7

Units

Reference Range

fL

7.5 - 11.5

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Panel Description: Complete Metabolic Panel

Date And Time

Measure

Final

Glucose

Date And Time

Measure

Mar-20-2023 14:33:00

93

Units

Reference Range

mg/dL

65 - 99

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

BUN

Date And Time

Measure

Mar-20-2023 14:33:00

12

Units

Reference Range

mg/dL

7 - 25

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Creatinine

Date And Time

Measure

Mar-20-2023 14:33:00

0.78

Units

Reference Range

mg/dL

0.50 - 0.93

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

BUN/Creatinine Ratio

Date And Time

Measure

Mar-20-2023 14:33:00

15.00

Units

Reference Range

Ratio

9.00 - 28.00

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

eGFR Non-African American

Date And Time

Measure

Mar-20-2023 14:33:00

80.91

Units	Reference Range
mL/min/1.73 m ² ;	>60.00
Abnormal Flag	Status
	Final
Comments	
Performed by: OnePeak Medical Laboratory (OPML)	

eGFR African American

Date And Time	Measure
Mar-20-2023 14:33:00	97.90
Units	Reference Range
mL/min/1.73 m ² ;	>60.00
Abnormal Flag	Status
	Final
Comments	
Performed by: OnePeak Medical Laboratory (OPML)	

Sodium

Date And Time	Measure
Mar-20-2023 14:33:00	143
Units	Reference Range
mmol/L	135 - 146
Abnormal Flag	Status
	Final
Comments	
Performed by: OnePeak Medical Laboratory (OPML)	

Potassium

Date And Time	Measure
Mar-20-2023 14:33:00	3.9
Units	Reference Range
mmol/L	3.5 - 5.3

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Chloride

Date And Time

Measure

Mar-20-2023 14:33:00

107

Units

Reference Range

mmol/L

98 - 110

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

CO2

Date And Time

Measure

Mar-20-2023 14:33:00

28

Units

Reference Range

mmol/L

19 - 30

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Calcium

Date And Time

Measure

Mar-20-2023 14:33:00

8.9

Units	Reference Range
mg/dL	8.6 - 10.4
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Total Protein

Date And Time	Measure
Mar-20-2023 14:33:00	6.1
Units	Reference Range
g/dL	6.1 - 8.1
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Albumin

Date And Time	Measure
Mar-20-2023 14:33:00	4.2
Units	Reference Range
g/dL	3.6 - 5.1
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Globulin

Date And Time	Measure
Mar-20-2023 14:33:00	1.9
Units	Reference Range
mg/dL	1.9 - 3.7

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

A/G Ratio

Date And Time

Measure

Mar-20-2023 14:33:00

2.2

Units

Reference Range

Ratio

1.0 - 2.5

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Total Bilirubin

Date And Time

Measure

Mar-20-2023 14:33:00

0.7

Units

Reference Range

mg/dL

0.2 - 1.2

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

AST (SGOT)

Date And Time

Measure

Mar-20-2023 14:33:00

20

Units	Reference Range
U/L	10 - 35
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

ALT (SGPT)

Date And Time	Measure
Mar-20-2023 14:33:00	19
Units	Reference Range
U/L	6 - 29
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Alk Phos

Date And Time	Measure
Mar-20-2023 14:33:00	65
Units	Reference Range
U/L	33 - 130
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Anion Gap

Date And Time	Measure
Mar-20-2023 14:33:00	8
Units	Reference Range
mmol/L	4 - 11

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Panel Description: Ferritin

Date And Time

Measure

Final

Ferritin

Date And Time

Measure

Mar-20-2023 15:17:00

121

Units

Reference Range

ng/mL

11 - 307

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Panel Description: CBC with Auto Diff

Date And Time

Measure

Final

WBC

Date And Time

Measure

Mar-20-2023 14:17:00

6.7

Units

Reference Range

K/uL

4.0 - 11.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Lymph %

Date And Time	Measure
Mar-20-2023 14:17:00	37.6
Units	Reference Range
%	17.0 - 48.0
Abnormal Flag	Status
	Final
Comments	
Performed by: OnePeak Medical Laboratory (OPML)	

Mono %

Date And Time	Measure
Mar-20-2023 14:17:00	8.8
Units	Reference Range
%	2.0 - 12.0
Abnormal Flag	Status
	Final
Comments	
Performed by: OnePeak Medical Laboratory (OPML)	

Neut %

Date And Time	Measure
Mar-20-2023 14:17:00	50.6
Units	Reference Range
%	35.0 - 75.0
Abnormal Flag	Status
	Final
Comments	
Performed by: OnePeak Medical Laboratory (OPML)	

Eos %

Date And Time	Measure
Mar-20-2023 14:17:00	2.7

Units	Reference Range
%	1.0 - 5.0
Abnormal Flag	Status
	Final
Comments	
Performed by: OnePeak Medical Laboratory (OPML)	

Baso %

Date And Time	Measure
Mar-20-2023 14:17:00	0.3
Units	Reference Range
%	0.0 - 2.0
Abnormal Flag	Status
	Final
Comments	
Performed by: OnePeak Medical Laboratory (OPML)	

Lymph

Date And Time	Measure
Mar-20-2023 14:17:00	2.5
Units	Reference Range
K/uL	0.7 - 3.5
Abnormal Flag	Status
	Final
Comments	
Performed by: OnePeak Medical Laboratory (OPML)	

Mono

Date And Time	Measure
Mar-20-2023 14:17:00	0.6
Units	Reference Range
K/uL	0.1 - 0.9

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Neut

Date And Time

Measure

Mar-20-2023 14:17:00

3.4

Units

Reference Range

K/uL

1.4 - 7.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Eos

Date And Time

Measure

Mar-20-2023 14:17:00

0.2

Units

Reference Range

K/uL

0.0 - 0.5

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Baso

Date And Time

Measure

Mar-20-2023 14:17:00

0.0

Units	Reference Range
K/uL	0.0 - 0.2
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

RBC

Date And Time	Measure
Mar-20-2023 14:17:00	4.89
Units	Reference Range
M/uL	3.80 - 5.00
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Hgb

Date And Time	Measure
Mar-20-2023 14:17:00	14.0
Units	Reference Range
g/dL	11.0 - 16.0
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Hct

Date And Time	Measure
Mar-20-2023 14:17:00	41.7
Units	Reference Range
%	35.0 - 47.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

MCV

Date And Time

Measure

Mar-20-2023 14:17:00

85.1

Units

Reference Range

fL

80.0 - 100.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

MCH

Date And Time

Measure

Mar-20-2023 14:17:00

28.7

Units

Reference Range

pg

27.0 - 34.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

MCHC

Date And Time

Measure

Mar-20-2023 14:17:00

33.7

Units	Reference Range
g/dL	32.0 - 36.0
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

RDW

Date And Time	Measure
Mar-20-2023 14:17:00	12.5
Units	Reference Range
%	11.0 - 15.0
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Plt

Date And Time	Measure
Mar-20-2023 14:17:00	270
Units	Reference Range
K/uL	140 - 450
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

MPV

Date And Time	Measure
Mar-20-2023 14:17:00	8.7
Units	Reference Range
fL	7.5 - 11.5

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Panel Description: CBC with Auto Diff

Date And Time

Measure

Final

WBC

Date And Time

Measure

Mar-20-2023 14:17:00

6.7

Units

Reference Range

K/uL

4.0 - 11.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Lymph %

Date And Time

Measure

Mar-20-2023 14:17:00

37.6

Units

Reference Range

%

17.0 - 48.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Mono %

Date And Time

Measure

Mar-20-2023 14:17:00

8.8

Units

Reference Range

%

2.0 - 12.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Neut %

Date And Time

Measure

Mar-20-2023 14:17:00

50.6

Units

Reference Range

%

35.0 - 75.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Eos %

Date And Time

Measure

Mar-20-2023 14:17:00

2.7

Units

Reference Range

%

1.0 - 5.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Baso %

Date And Time

Measure

Mar-20-2023 14:17:00

0.3

Units	Reference Range
%	0.0 - 2.0
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Lymph

Date And Time	Measure
Mar-20-2023 14:17:00	2.5
Units	Reference Range
K/uL	0.7 - 3.5
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Mono

Date And Time	Measure
Mar-20-2023 14:17:00	0.6
Units	Reference Range
K/uL	0.1 - 0.9
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Neut

Date And Time	Measure
Mar-20-2023 14:17:00	3.4
Units	Reference Range
K/uL	1.4 - 7.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Eos

Date And Time

Measure

Mar-20-2023 14:17:00

0.2

Units

Reference Range

K/uL

0.0 - 0.5

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Baso

Date And Time

Measure

Mar-20-2023 14:17:00

0.0

Units

Reference Range

K/uL

0.0 - 0.2

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

RBC

Date And Time

Measure

Mar-20-2023 14:17:00

4.89

Units	Reference Range
M/uL	3.80 - 5.00
Abnormal Flag	Status
	Final
Comments	
Performed by: OnePeak Medical Laboratory (OPML)	

Hgb

Date And Time	Measure
Mar-20-2023 14:17:00	14.0
Units	Reference Range
g/dL	11.0 - 16.0
Abnormal Flag	Status
	Final
Comments	
Performed by: OnePeak Medical Laboratory (OPML)	

Hct

Date And Time	Measure
Mar-20-2023 14:17:00	41.7
Units	Reference Range
%	35.0 - 47.0
Abnormal Flag	Status
	Final
Comments	
Performed by: OnePeak Medical Laboratory (OPML)	

MCV

Date And Time	Measure
Mar-20-2023 14:17:00	85.1
Units	Reference Range
fL	80.0 - 100.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

MCH

Date And Time

Measure

Mar-20-2023 14:17:00

28.7

Units

Reference Range

pg

27.0 - 34.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

MCHC

Date And Time

Measure

Mar-20-2023 14:17:00

33.7

Units

Reference Range

g/dL

32.0 - 36.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

RDW

Date And Time

Measure

Mar-20-2023 14:17:00

12.5

Units	Reference Range
%	11.0 - 15.0
Abnormal Flag	Status
	Final
Comments	
Performed by: OnePeak Medical Laboratory (OPML)	

Plt	
Date And Time	Measure
Mar-20-2023 14:17:00	270
Units	Reference Range
K/uL	140 - 450
Abnormal Flag	Status
	Final
Comments	
Performed by: OnePeak Medical Laboratory (OPML)	

MPV	
Date And Time	Measure
Mar-20-2023 14:17:00	8.7
Units	Reference Range
fL	7.5 - 11.5
Abnormal Flag	Status
	Final
Comments	
Performed by: OnePeak Medical Laboratory (OPML)	

Panel Description: Complete Metabolic Panel	
Date And Time	Measure
Final	

Glucose	
Date And Time	Measure
Mar-20-2023 14:33:00	93

Units	Reference Range
mg/dL	65 - 99
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

BUN

Date And Time	Measure
Mar-20-2023 14:33:00	12
Units	Reference Range
mg/dL	7 - 25
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Creatinine

Date And Time	Measure
Mar-20-2023 14:33:00	0.78
Units	Reference Range
mg/dL	0.50 - 0.93
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

BUN/Creatinine Ratio

Date And Time	Measure
Mar-20-2023 14:33:00	15.00
Units	Reference Range
Ratio	9.00 - 28.00

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

eGFR Non-African American

Date And Time

Measure

Mar-20-2023 14:33:00

80.91

Units

Reference Range

mL/min/1.73 m²;

>60.00

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

eGFR African American

Date And Time

Measure

Mar-20-2023 14:33:00

97.90

Units

Reference Range

mL/min/1.73 m²;

>60.00

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Sodium

Date And Time

Measure

Mar-20-2023 14:33:00

143

Units	Reference Range
mmol/L	135 - 146
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Potassium

Date And Time	Measure
Mar-20-2023 14:33:00	3.9
Units	Reference Range
mmol/L	3.5 - 5.3
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Chloride

Date And Time	Measure
Mar-20-2023 14:33:00	107
Units	Reference Range
mmol/L	98 - 110
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

CO2

Date And Time	Measure
Mar-20-2023 14:33:00	28
Units	Reference Range
mmol/L	19 - 30

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Calcium

Date And Time

Measure

Mar-20-2023 14:33:00

8.9

Units

Reference Range

mg/dL

8.6 - 10.4

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Total Protein

Date And Time

Measure

Mar-20-2023 14:33:00

6.1

Units

Reference Range

g/dL

6.1 - 8.1

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Albumin

Date And Time

Measure

Mar-20-2023 14:33:00

4.2

Units	Reference Range
g/dL	3.6 - 5.1
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Globulin

Date And Time	Measure
Mar-20-2023 14:33:00	1.9
Units	Reference Range
mg/dL	1.9 - 3.7
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

A/G Ratio

Date And Time	Measure
Mar-20-2023 14:33:00	2.2
Units	Reference Range
Ratio	1.0 - 2.5
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Total Bilirubin

Date And Time	Measure
Mar-20-2023 14:33:00	0.7
Units	Reference Range
mg/dL	0.2 - 1.2

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

AST (SGOT)

Date And Time

Measure

Mar-20-2023 14:33:00

20

Units

Reference Range

U/L

10 - 35

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

ALT (SGPT)

Date And Time

Measure

Mar-20-2023 14:33:00

19

Units

Reference Range

U/L

6 - 29

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Alk Phos

Date And Time

Measure

Mar-20-2023 14:33:00

65

Units	Reference Range
U/L	33 - 130
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Anion Gap

Date And Time	Measure
Mar-20-2023 14:33:00	8
Units	Reference Range
mmol/L	4 - 11
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Panel Description: Ferritin

Date And Time	Measure
Final	

Ferritin

Date And Time	Measure
Mar-20-2023 15:17:00	121
Units	Reference Range
ng/mL	11 - 307
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Panel Description: CBC with Auto Diff

Date And Time	Measure
Final	

WBC

Date And Time	Measure
Mar-20-2023 14:17:00	6.7
Units	Reference Range
K/uL	4.0 - 11.0
Abnormal Flag	Status
	Final
Comments	
Performed by: OnePeak Medical Laboratory (OPML)	

Lymph %

Date And Time	Measure
Mar-20-2023 14:17:00	37.6
Units	Reference Range
%	17.0 - 48.0
Abnormal Flag	Status
	Final
Comments	
Performed by: OnePeak Medical Laboratory (OPML)	

Mono %

Date And Time	Measure
Mar-20-2023 14:17:00	8.8
Units	Reference Range
%	2.0 - 12.0
Abnormal Flag	Status
	Final
Comments	
Performed by: OnePeak Medical Laboratory (OPML)	

Neut %

Date And Time	Measure
Mar-20-2023 14:17:00	50.6

Units	Reference Range
%	35.0 - 75.0
Abnormal Flag	Status
	Final
Comments	
Performed by: OnePeak Medical Laboratory (OPML)	

Eos %

Date And Time	Measure
Mar-20-2023 14:17:00	2.7
Units	Reference Range
%	1.0 - 5.0
Abnormal Flag	Status
	Final
Comments	
Performed by: OnePeak Medical Laboratory (OPML)	

Baso %

Date And Time	Measure
Mar-20-2023 14:17:00	0.3
Units	Reference Range
%	0.0 - 2.0
Abnormal Flag	Status
	Final
Comments	
Performed by: OnePeak Medical Laboratory (OPML)	

Lymph

Date And Time	Measure
Mar-20-2023 14:17:00	2.5
Units	Reference Range
K/uL	0.7 - 3.5

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Mono

Date And Time

Measure

Mar-20-2023 14:17:00

0.6

Units

Reference Range

K/uL

0.1 - 0.9

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Neut

Date And Time

Measure

Mar-20-2023 14:17:00

3.4

Units

Reference Range

K/uL

1.4 - 7.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Eos

Date And Time

Measure

Mar-20-2023 14:17:00

0.2

Units	Reference Range
K/uL	0.0 - 0.5
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Baso

Date And Time	Measure
Mar-20-2023 14:17:00	0.0
Units	Reference Range
K/uL	0.0 - 0.2
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

RBC

Date And Time	Measure
Mar-20-2023 14:17:00	4.89
Units	Reference Range
M/uL	3.80 - 5.00
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Hgb

Date And Time	Measure
Mar-20-2023 14:17:00	14.0
Units	Reference Range
g/dL	11.0 - 16.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Hct

Date And Time

Measure

Mar-20-2023 14:17:00

41.7

Units

Reference Range

%

35.0 - 47.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

MCV

Date And Time

Measure

Mar-20-2023 14:17:00

85.1

Units

Reference Range

fL

80.0 - 100.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

MCH

Date And Time

Measure

Mar-20-2023 14:17:00

28.7

Units	Reference Range
pg	27.0 - 34.0
Abnormal Flag	Status
	Final
Comments	
Performed by: OnePeak Medical Laboratory (OPML)	

MCHC

Date And Time	Measure
Mar-20-2023 14:17:00	33.7
Units	Reference Range
g/dL	32.0 - 36.0
Abnormal Flag	Status
	Final
Comments	
Performed by: OnePeak Medical Laboratory (OPML)	

RDW

Date And Time	Measure
Mar-20-2023 14:17:00	12.5
Units	Reference Range
%	11.0 - 15.0
Abnormal Flag	Status
	Final
Comments	
Performed by: OnePeak Medical Laboratory (OPML)	

Plt

Date And Time	Measure
Mar-20-2023 14:17:00	270
Units	Reference Range
K/uL	140 - 450

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

MPV

Date And Time

Measure

Mar-20-2023 14:17:00

8.7

Units

Reference Range

fL

7.5 - 11.5

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Panel Description: CBC with Auto Diff

Date And Time

Measure

Final

WBC

Date And Time

Measure

Mar-20-2023 14:17:00

6.7

Units

Reference Range

K/uL

4.0 - 11.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Lymph %

Date And Time

Measure

Mar-20-2023 14:17:00

37.6

Units

Reference Range

%

17.0 - 48.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Mono %

Date And Time

Measure

Mar-20-2023 14:17:00

8.8

Units

Reference Range

%

2.0 - 12.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Neut %

Date And Time

Measure

Mar-20-2023 14:17:00

50.6

Units

Reference Range

%

35.0 - 75.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Eos %

Date And Time

Measure

Mar-20-2023 14:17:00

2.7

Units	Reference Range
%	1.0 - 5.0
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Baso %

Date And Time	Measure
Mar-20-2023 14:17:00	0.3
Units	Reference Range
%	0.0 - 2.0
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Lymph

Date And Time	Measure
Mar-20-2023 14:17:00	2.5
Units	Reference Range
K/uL	0.7 - 3.5
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Mono

Date And Time	Measure
Mar-20-2023 14:17:00	0.6
Units	Reference Range
K/uL	0.1 - 0.9

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Neut

Date And Time

Measure

Mar-20-2023 14:17:00

3.4

Units

Reference Range

K/uL

1.4 - 7.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Eos

Date And Time

Measure

Mar-20-2023 14:17:00

0.2

Units

Reference Range

K/uL

0.0 - 0.5

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Baso

Date And Time

Measure

Mar-20-2023 14:17:00

0.0

Units	Reference Range
K/uL	0.0 - 0.2
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

RBC

Date And Time	Measure
Mar-20-2023 14:17:00	4.89
Units	Reference Range
M/uL	3.80 - 5.00
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Hgb

Date And Time	Measure
Mar-20-2023 14:17:00	14.0
Units	Reference Range
g/dL	11.0 - 16.0
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Hct

Date And Time	Measure
Mar-20-2023 14:17:00	41.7
Units	Reference Range
%	35.0 - 47.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

MCV

Date And Time

Measure

Mar-20-2023 14:17:00

85.1

Units

Reference Range

fL

80.0 - 100.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

MCH

Date And Time

Measure

Mar-20-2023 14:17:00

28.7

Units

Reference Range

pg

27.0 - 34.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

MCHC

Date And Time

Measure

Mar-20-2023 14:17:00

33.7

Units	Reference Range
g/dL	32.0 - 36.0
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

RDW

Date And Time	Measure
Mar-20-2023 14:17:00	12.5
Units	Reference Range
%	11.0 - 15.0
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Plt

Date And Time	Measure
Mar-20-2023 14:17:00	270
Units	Reference Range
K/uL	140 - 450
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

MPV

Date And Time	Measure
Mar-20-2023 14:17:00	8.7
Units	Reference Range
fL	7.5 - 11.5

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Panel Description: Complete Metabolic Panel

Date And Time

Measure

Final

Glucose

Date And Time

Measure

Mar-20-2023 14:33:00

93

Units

Reference Range

mg/dL

65 - 99

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

BUN

Date And Time

Measure

Mar-20-2023 14:33:00

12

Units

Reference Range

mg/dL

7 - 25

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Creatinine

Date And Time

Measure

Mar-20-2023 14:33:00

0.78

Units

Reference Range

mg/dL

0.50 - 0.93

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

BUN/Creatinine Ratio

Date And Time

Measure

Mar-20-2023 14:33:00

15.00

Units

Reference Range

Ratio

9.00 - 28.00

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

eGFR Non-African American

Date And Time

Measure

Mar-20-2023 14:33:00

80.91

Units

Reference Range

mL/min/1.73 m²;

>60.00

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

eGFR African American

Date And Time

Measure

Mar-20-2023 14:33:00

97.90

Units	Reference Range
mL/min/1.73 m ² ;	>60.00
Abnormal Flag	Status
	Final
Comments	
Performed by: OnePeak Medical Laboratory (OPML)	

Sodium	
Date And Time	Measure
Mar-20-2023 14:33:00	143
Units	Reference Range
mmol/L	135 - 146
Abnormal Flag	Status
	Final
Comments	
Performed by: OnePeak Medical Laboratory (OPML)	

Potassium	
Date And Time	Measure
Mar-20-2023 14:33:00	3.9
Units	Reference Range
mmol/L	3.5 - 5.3
Abnormal Flag	Status
	Final
Comments	
Performed by: OnePeak Medical Laboratory (OPML)	

Chloride	
Date And Time	Measure
Mar-20-2023 14:33:00	107
Units	Reference Range
mmol/L	98 - 110

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

CO2

Date And Time

Measure

Mar-20-2023 14:33:00

28

Units

Reference Range

mmol/L

19 - 30

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Calcium

Date And Time

Measure

Mar-20-2023 14:33:00

8.9

Units

Reference Range

mg/dL

8.6 - 10.4

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Total Protein

Date And Time

Measure

Mar-20-2023 14:33:00

6.1

Units	Reference Range
g/dL	6.1 - 8.1
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Albumin

Date And Time	Measure
Mar-20-2023 14:33:00	4.2
Units	Reference Range
g/dL	3.6 - 5.1
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Globulin

Date And Time	Measure
Mar-20-2023 14:33:00	1.9
Units	Reference Range
mg/dL	1.9 - 3.7
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

A/G Ratio

Date And Time	Measure
Mar-20-2023 14:33:00	2.2
Units	Reference Range
Ratio	1.0 - 2.5

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Total Bilirubin

Date And Time

Measure

Mar-20-2023 14:33:00

0.7

Units

Reference Range

mg/dL

0.2 - 1.2

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

AST (SGOT)

Date And Time

Measure

Mar-20-2023 14:33:00

20

Units

Reference Range

U/L

10 - 35

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

ALT (SGPT)

Date And Time

Measure

Mar-20-2023 14:33:00

19

Units	Reference Range
U/L	6 - 29
Abnormal Flag	Status
	Final
Comments	
Performed by: OnePeak Medical Laboratory (OPML)	

Alk Phos

Date And Time	Measure
Mar-20-2023 14:33:00	65
Units	Reference Range
U/L	33 - 130
Abnormal Flag	Status
	Final
Comments	
Performed by: OnePeak Medical Laboratory (OPML)	

Anion Gap

Date And Time	Measure
Mar-20-2023 14:33:00	8
Units	Reference Range
mmol/L	4 - 11
Abnormal Flag	Status
	Final
Comments	
Performed by: OnePeak Medical Laboratory (OPML)	

Panel Description: Ferritin

Date And Time	Measure
Final	

Ferritin

Date And Time	Measure
Mar-20-2023 15:17:00	121

Units	Reference Range
ng/mL	11 - 307
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Panel Description: CBC with Auto Diff

Date And Time	Measure
Final	

WBC

Date And Time	Measure
Mar-20-2023 14:17:00	6.7
Units	Reference Range
K/uL	4.0 - 11.0
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Lymph %

Date And Time	Measure
Mar-20-2023 14:17:00	37.6
Units	Reference Range
%	17.0 - 48.0
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Mono %

Date And Time	Measure
Mar-20-2023 14:17:00	8.8

Units	Reference Range
%	2.0 - 12.0
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Neut %

Date And Time	Measure
Mar-20-2023 14:17:00	50.6
Units	Reference Range
%	35.0 - 75.0
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Eos %

Date And Time	Measure
Mar-20-2023 14:17:00	2.7
Units	Reference Range
%	1.0 - 5.0
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Baso %

Date And Time	Measure
Mar-20-2023 14:17:00	0.3
Units	Reference Range
%	0.0 - 2.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Lymph

Date And Time

Measure

Mar-20-2023 14:17:00

2.5

Units

Reference Range

K/uL

0.7 - 3.5

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Mono

Date And Time

Measure

Mar-20-2023 14:17:00

0.6

Units

Reference Range

K/uL

0.1 - 0.9

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Neut

Date And Time

Measure

Mar-20-2023 14:17:00

3.4

Units	Reference Range
K/uL	1.4 - 7.0
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Eos

Date And Time	Measure
Mar-20-2023 14:17:00	0.2
Units	Reference Range
K/uL	0.0 - 0.5
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Baso

Date And Time	Measure
Mar-20-2023 14:17:00	0.0
Units	Reference Range
K/uL	0.0 - 0.2
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

RBC

Date And Time	Measure
Mar-20-2023 14:17:00	4.89
Units	Reference Range
M/uL	3.80 - 5.00

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Hgb

Date And Time

Measure

Mar-20-2023 14:17:00

14.0

Units

Reference Range

g/dL

11.0 - 16.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Hct

Date And Time

Measure

Mar-20-2023 14:17:00

41.7

Units

Reference Range

%

35.0 - 47.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

MCV

Date And Time

Measure

Mar-20-2023 14:17:00

85.1

Units	Reference Range
fL	80.0 - 100.0
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

MCH

Date And Time	Measure
Mar-20-2023 14:17:00	28.7
Units	Reference Range
pg	27.0 - 34.0
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

MCHC

Date And Time	Measure
Mar-20-2023 14:17:00	33.7
Units	Reference Range
g/dL	32.0 - 36.0
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

RDW

Date And Time	Measure
Mar-20-2023 14:17:00	12.5
Units	Reference Range
%	11.0 - 15.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Plt

Date And Time

Measure

Mar-20-2023 14:17:00

270

Units

Reference Range

K/uL

140 - 450

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

MPV

Date And Time

Measure

Mar-20-2023 14:17:00

8.7

Units

Reference Range

fL

7.5 - 11.5

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Panel Description: CBC with Auto Diff

Date And Time

Measure

Final

WBC

Date And Time

Measure

Mar-20-2023 14:17:00

6.7

Units

Reference Range

K/uL

4.0 - 11.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Lymph %

Date And Time

Measure

Mar-20-2023 14:17:00

37.6

Units

Reference Range

%

17.0 - 48.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Mono %

Date And Time

Measure

Mar-20-2023 14:17:00

8.8

Units

Reference Range

%

2.0 - 12.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Neut %

Date And Time

Measure

Mar-20-2023 14:17:00

50.6

Units	Reference Range
%	35.0 - 75.0
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Eos %

Date And Time	Measure
Mar-20-2023 14:17:00	2.7
Units	Reference Range
%	1.0 - 5.0
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Baso %

Date And Time	Measure
Mar-20-2023 14:17:00	0.3
Units	Reference Range
%	0.0 - 2.0
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Lymph

Date And Time	Measure
Mar-20-2023 14:17:00	2.5
Units	Reference Range
K/uL	0.7 - 3.5

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Mono

Date And Time

Measure

Mar-20-2023 14:17:00

0.6

Units

Reference Range

K/uL

0.1 - 0.9

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Neut

Date And Time

Measure

Mar-20-2023 14:17:00

3.4

Units

Reference Range

K/uL

1.4 - 7.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Eos

Date And Time

Measure

Mar-20-2023 14:17:00

0.2

Units	Reference Range
K/uL	0.0 - 0.5
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Baso

Date And Time	Measure
Mar-20-2023 14:17:00	0.0
Units	Reference Range
K/uL	0.0 - 0.2
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

RBC

Date And Time	Measure
Mar-20-2023 14:17:00	4.89
Units	Reference Range
M/uL	3.80 - 5.00
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Hgb

Date And Time	Measure
Mar-20-2023 14:17:00	14.0
Units	Reference Range
g/dL	11.0 - 16.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Hct

Date And Time

Measure

Mar-20-2023 14:17:00

41.7

Units

Reference Range

%

35.0 - 47.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

MCV

Date And Time

Measure

Mar-20-2023 14:17:00

85.1

Units

Reference Range

fL

80.0 - 100.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

MCH

Date And Time

Measure

Mar-20-2023 14:17:00

28.7

Units	Reference Range
pg	27.0 - 34.0
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

MCHC

Date And Time	Measure
Mar-20-2023 14:17:00	33.7
Units	Reference Range
g/dL	32.0 - 36.0
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

RDW

Date And Time	Measure
Mar-20-2023 14:17:00	12.5
Units	Reference Range
%	11.0 - 15.0
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Plt

Date And Time	Measure
Mar-20-2023 14:17:00	270
Units	Reference Range
K/uL	140 - 450

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

MPV

Date And Time

Measure

Mar-20-2023 14:17:00

8.7

Units

Reference Range

fL

7.5 - 11.5

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Panel Description: Complete Metabolic Panel

Date And Time

Measure

Final

Glucose

Date And Time

Measure

Mar-20-2023 14:33:00

93

Units

Reference Range

mg/dL

65 - 99

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

BUN

Date And Time

Measure

Mar-20-2023 14:33:00

12

Units

Reference Range

mg/dL

7 - 25

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Creatinine

Date And Time

Measure

Mar-20-2023 14:33:00

0.78

Units

Reference Range

mg/dL

0.50 - 0.93

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

BUN/Creatinine Ratio

Date And Time

Measure

Mar-20-2023 14:33:00

15.00

Units

Reference Range

Ratio

9.00 - 28.00

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

eGFR Non-African American

Date And Time

Measure

Mar-20-2023 14:33:00

80.91

Units	Reference Range
mL/min/1.73 m ² ;	>60.00
Abnormal Flag	Status
	Final
Comments	
Performed by: OnePeak Medical Laboratory (OPML)	

eGFR African American

Date And Time	Measure
Mar-20-2023 14:33:00	97.90
Units	Reference Range
mL/min/1.73 m ² ;	>60.00
Abnormal Flag	Status
	Final
Comments	
Performed by: OnePeak Medical Laboratory (OPML)	

Sodium

Date And Time	Measure
Mar-20-2023 14:33:00	143
Units	Reference Range
mmol/L	135 - 146
Abnormal Flag	Status
	Final
Comments	
Performed by: OnePeak Medical Laboratory (OPML)	

Potassium

Date And Time	Measure
Mar-20-2023 14:33:00	3.9
Units	Reference Range
mmol/L	3.5 - 5.3

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Chloride

Date And Time

Measure

Mar-20-2023 14:33:00

107

Units

Reference Range

mmol/L

98 - 110

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

CO2

Date And Time

Measure

Mar-20-2023 14:33:00

28

Units

Reference Range

mmol/L

19 - 30

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Calcium

Date And Time

Measure

Mar-20-2023 14:33:00

8.9

Units	Reference Range
mg/dL	8.6 - 10.4
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Total Protein

Date And Time	Measure
Mar-20-2023 14:33:00	6.1
Units	Reference Range
g/dL	6.1 - 8.1
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Albumin

Date And Time	Measure
Mar-20-2023 14:33:00	4.2
Units	Reference Range
g/dL	3.6 - 5.1
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Globulin

Date And Time	Measure
Mar-20-2023 14:33:00	1.9
Units	Reference Range
mg/dL	1.9 - 3.7

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

A/G Ratio

Date And Time

Measure

Mar-20-2023 14:33:00

2.2

Units

Reference Range

Ratio

1.0 - 2.5

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Total Bilirubin

Date And Time

Measure

Mar-20-2023 14:33:00

0.7

Units

Reference Range

mg/dL

0.2 - 1.2

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

AST (SGOT)

Date And Time

Measure

Mar-20-2023 14:33:00

20

Units	Reference Range
U/L	10 - 35
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

ALT (SGPT)

Date And Time	Measure
Mar-20-2023 14:33:00	19
Units	Reference Range
U/L	6 - 29
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Alk Phos

Date And Time	Measure
Mar-20-2023 14:33:00	65
Units	Reference Range
U/L	33 - 130
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Anion Gap

Date And Time	Measure
Mar-20-2023 14:33:00	8
Units	Reference Range
mmol/L	4 - 11

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Panel Description: Ferritin

Date And Time

Measure

Final

Ferritin

Date And Time

Measure

Mar-20-2023 15:17:00

121

Units

Reference Range

ng/mL

11 - 307

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Panel Description: CBC with Auto Diff

Date And Time

Measure

Final

WBC

Date And Time

Measure

Mar-20-2023 14:17:00

6.7

Units

Reference Range

K/uL

4.0 - 11.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Lymph %

Date And Time	Measure
Mar-20-2023 14:17:00	37.6
Units	Reference Range
%	17.0 - 48.0
Abnormal Flag	Status
	Final
Comments	
Performed by: OnePeak Medical Laboratory (OPML)	

Mono %

Date And Time	Measure
Mar-20-2023 14:17:00	8.8
Units	Reference Range
%	2.0 - 12.0
Abnormal Flag	Status
	Final
Comments	
Performed by: OnePeak Medical Laboratory (OPML)	

Neut %

Date And Time	Measure
Mar-20-2023 14:17:00	50.6
Units	Reference Range
%	35.0 - 75.0
Abnormal Flag	Status
	Final
Comments	
Performed by: OnePeak Medical Laboratory (OPML)	

Eos %

Date And Time	Measure
Mar-20-2023 14:17:00	2.7

Units	Reference Range
%	1.0 - 5.0
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Baso %

Date And Time	Measure
Mar-20-2023 14:17:00	0.3
Units	Reference Range
%	0.0 - 2.0
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Lymph

Date And Time	Measure
Mar-20-2023 14:17:00	2.5
Units	Reference Range
K/uL	0.7 - 3.5
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Mono

Date And Time	Measure
Mar-20-2023 14:17:00	0.6
Units	Reference Range
K/uL	0.1 - 0.9

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Neut

Date And Time

Measure

Mar-20-2023 14:17:00

3.4

Units

Reference Range

K/uL

1.4 - 7.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Eos

Date And Time

Measure

Mar-20-2023 14:17:00

0.2

Units

Reference Range

K/uL

0.0 - 0.5

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Baso

Date And Time

Measure

Mar-20-2023 14:17:00

0.0

Units	Reference Range
K/uL	0.0 - 0.2
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

RBC

Date And Time	Measure
Mar-20-2023 14:17:00	4.89
Units	Reference Range
M/uL	3.80 - 5.00
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Hgb

Date And Time	Measure
Mar-20-2023 14:17:00	14.0
Units	Reference Range
g/dL	11.0 - 16.0
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Hct

Date And Time	Measure
Mar-20-2023 14:17:00	41.7
Units	Reference Range
%	35.0 - 47.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

MCV

Date And Time

Measure

Mar-20-2023 14:17:00

85.1

Units

Reference Range

fL

80.0 - 100.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

MCH

Date And Time

Measure

Mar-20-2023 14:17:00

28.7

Units

Reference Range

pg

27.0 - 34.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

MCHC

Date And Time

Measure

Mar-20-2023 14:17:00

33.7

Units	Reference Range
g/dL	32.0 - 36.0
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

RDW

Date And Time	Measure
Mar-20-2023 14:17:00	12.5
Units	Reference Range
%	11.0 - 15.0
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Plt

Date And Time	Measure
Mar-20-2023 14:17:00	270
Units	Reference Range
K/uL	140 - 450
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

MPV

Date And Time	Measure
Mar-20-2023 14:17:00	8.7
Units	Reference Range
fL	7.5 - 11.5

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Panel Description: CBC with Auto Diff

Date And Time

Measure

Final

WBC

Date And Time

Measure

Mar-20-2023 14:17:00

6.7

Units

Reference Range

K/uL

4.0 - 11.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Lymph %

Date And Time

Measure

Mar-20-2023 14:17:00

37.6

Units

Reference Range

%

17.0 - 48.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Mono %

Date And Time

Measure

Mar-20-2023 14:17:00

8.8

Units

Reference Range

%

2.0 - 12.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Neut %

Date And Time

Measure

Mar-20-2023 14:17:00

50.6

Units

Reference Range

%

35.0 - 75.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Eos %

Date And Time

Measure

Mar-20-2023 14:17:00

2.7

Units

Reference Range

%

1.0 - 5.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Baso %

Date And Time

Measure

Mar-20-2023 14:17:00

0.3

Units	Reference Range
%	0.0 - 2.0
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Lymph

Date And Time	Measure
Mar-20-2023 14:17:00	2.5
Units	Reference Range
K/uL	0.7 - 3.5
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Mono

Date And Time	Measure
Mar-20-2023 14:17:00	0.6
Units	Reference Range
K/uL	0.1 - 0.9
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Neut

Date And Time	Measure
Mar-20-2023 14:17:00	3.4
Units	Reference Range
K/uL	1.4 - 7.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Eos

Date And Time

Measure

Mar-20-2023 14:17:00

0.2

Units

Reference Range

K/uL

0.0 - 0.5

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Baso

Date And Time

Measure

Mar-20-2023 14:17:00

0.0

Units

Reference Range

K/uL

0.0 - 0.2

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

RBC

Date And Time

Measure

Mar-20-2023 14:17:00

4.89

Units	Reference Range
M/uL	3.80 - 5.00
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Hgb

Date And Time	Measure
Mar-20-2023 14:17:00	14.0
Units	Reference Range
g/dL	11.0 - 16.0
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Hct

Date And Time	Measure
Mar-20-2023 14:17:00	41.7
Units	Reference Range
%	35.0 - 47.0
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

MCV

Date And Time	Measure
Mar-20-2023 14:17:00	85.1
Units	Reference Range
fL	80.0 - 100.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

MCH

Date And Time

Measure

Mar-20-2023 14:17:00

28.7

Units

Reference Range

pg

27.0 - 34.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

MCHC

Date And Time

Measure

Mar-20-2023 14:17:00

33.7

Units

Reference Range

g/dL

32.0 - 36.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

RDW

Date And Time

Measure

Mar-20-2023 14:17:00

12.5

Units	Reference Range
%	11.0 - 15.0
Abnormal Flag	Status
	Final
Comments	
Performed by: OnePeak Medical Laboratory (OPML)	

Plt	
Date And Time	Measure
Mar-20-2023 14:17:00	270
Units	Reference Range
K/uL	140 - 450
Abnormal Flag	Status
	Final
Comments	
Performed by: OnePeak Medical Laboratory (OPML)	

MPV	
Date And Time	Measure
Mar-20-2023 14:17:00	8.7
Units	Reference Range
fL	7.5 - 11.5
Abnormal Flag	Status
	Final
Comments	
Performed by: OnePeak Medical Laboratory (OPML)	

Panel Description: Complete Metabolic Panel	
Date And Time	Measure
Final	

Glucose	
Date And Time	Measure
Mar-20-2023 14:33:00	93

Units	Reference Range
mg/dL	65 - 99
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

BUN

Date And Time	Measure
Mar-20-2023 14:33:00	12
Units	Reference Range
mg/dL	7 - 25
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Creatinine

Date And Time	Measure
Mar-20-2023 14:33:00	0.78
Units	Reference Range
mg/dL	0.50 - 0.93
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

BUN/Creatinine Ratio

Date And Time	Measure
Mar-20-2023 14:33:00	15.00
Units	Reference Range
Ratio	9.00 - 28.00

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

eGFR Non-African American

Date And Time

Measure

Mar-20-2023 14:33:00

80.91

Units

Reference Range

mL/min/1.73 m²;

>60.00

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

eGFR African American

Date And Time

Measure

Mar-20-2023 14:33:00

97.90

Units

Reference Range

mL/min/1.73 m²;

>60.00

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Sodium

Date And Time

Measure

Mar-20-2023 14:33:00

143

Units	Reference Range
mmol/L	135 - 146
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Potassium

Date And Time	Measure
Mar-20-2023 14:33:00	3.9
Units	Reference Range
mmol/L	3.5 - 5.3
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Chloride

Date And Time	Measure
Mar-20-2023 14:33:00	107
Units	Reference Range
mmol/L	98 - 110
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

CO2

Date And Time	Measure
Mar-20-2023 14:33:00	28
Units	Reference Range
mmol/L	19 - 30

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Calcium

Date And Time

Measure

Mar-20-2023 14:33:00

8.9

Units

Reference Range

mg/dL

8.6 - 10.4

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Total Protein

Date And Time

Measure

Mar-20-2023 14:33:00

6.1

Units

Reference Range

g/dL

6.1 - 8.1

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Albumin

Date And Time

Measure

Mar-20-2023 14:33:00

4.2

Units	Reference Range
g/dL	3.6 - 5.1
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Globulin

Date And Time	Measure
Mar-20-2023 14:33:00	1.9
Units	Reference Range
mg/dL	1.9 - 3.7
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

A/G Ratio

Date And Time	Measure
Mar-20-2023 14:33:00	2.2
Units	Reference Range
Ratio	1.0 - 2.5
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Total Bilirubin

Date And Time	Measure
Mar-20-2023 14:33:00	0.7
Units	Reference Range
mg/dL	0.2 - 1.2

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

AST (SGOT)

Date And Time

Measure

Mar-20-2023 14:33:00

20

Units

Reference Range

U/L

10 - 35

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

ALT (SGPT)

Date And Time

Measure

Mar-20-2023 14:33:00

19

Units

Reference Range

U/L

6 - 29

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Alk Phos

Date And Time

Measure

Mar-20-2023 14:33:00

65

Units	Reference Range
U/L	33 - 130
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Anion Gap

Date And Time	Measure
Mar-20-2023 14:33:00	8
Units	Reference Range
mmol/L	4 - 11
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Panel Description: Ferritin

Date And Time	Measure
Final	

Ferritin

Date And Time	Measure
Mar-20-2023 15:17:00	121
Units	Reference Range
ng/mL	11 - 307
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Panel Description: CBC with Auto Diff

Date And Time	Measure
Final	

WBC

Date And Time	Measure
Mar-20-2023 14:17:00	6.7
Units	Reference Range
K/uL	4.0 - 11.0
Abnormal Flag	Status
	Final
Comments	
Performed by: OnePeak Medical Laboratory (OPML)	

Lymph %

Date And Time	Measure
Mar-20-2023 14:17:00	37.6
Units	Reference Range
%	17.0 - 48.0
Abnormal Flag	Status
	Final
Comments	
Performed by: OnePeak Medical Laboratory (OPML)	

Mono %

Date And Time	Measure
Mar-20-2023 14:17:00	8.8
Units	Reference Range
%	2.0 - 12.0
Abnormal Flag	Status
	Final
Comments	
Performed by: OnePeak Medical Laboratory (OPML)	

Neut %

Date And Time	Measure
Mar-20-2023 14:17:00	50.6

Units	Reference Range
%	35.0 - 75.0
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Eos %

Date And Time	Measure
Mar-20-2023 14:17:00	2.7
Units	Reference Range
%	1.0 - 5.0
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Baso %

Date And Time	Measure
Mar-20-2023 14:17:00	0.3
Units	Reference Range
%	0.0 - 2.0
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Lymph

Date And Time	Measure
Mar-20-2023 14:17:00	2.5
Units	Reference Range
K/uL	0.7 - 3.5

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Mono

Date And Time

Measure

Mar-20-2023 14:17:00

0.6

Units

Reference Range

K/uL

0.1 - 0.9

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Neut

Date And Time

Measure

Mar-20-2023 14:17:00

3.4

Units

Reference Range

K/uL

1.4 - 7.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Eos

Date And Time

Measure

Mar-20-2023 14:17:00

0.2

Units	Reference Range
K/uL	0.0 - 0.5
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Baso

Date And Time	Measure
Mar-20-2023 14:17:00	0.0
Units	Reference Range
K/uL	0.0 - 0.2
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

RBC

Date And Time	Measure
Mar-20-2023 14:17:00	4.89
Units	Reference Range
M/uL	3.80 - 5.00
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Hgb

Date And Time	Measure
Mar-20-2023 14:17:00	14.0
Units	Reference Range
g/dL	11.0 - 16.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Hct

Date And Time

Measure

Mar-20-2023 14:17:00

41.7

Units

Reference Range

%

35.0 - 47.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

MCV

Date And Time

Measure

Mar-20-2023 14:17:00

85.1

Units

Reference Range

fL

80.0 - 100.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

MCH

Date And Time

Measure

Mar-20-2023 14:17:00

28.7

Units	Reference Range
pg	27.0 - 34.0
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

MCHC

Date And Time	Measure
Mar-20-2023 14:17:00	33.7
Units	Reference Range
g/dL	32.0 - 36.0
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

RDW

Date And Time	Measure
Mar-20-2023 14:17:00	12.5
Units	Reference Range
%	11.0 - 15.0
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Plt

Date And Time	Measure
Mar-20-2023 14:17:00	270
Units	Reference Range
K/uL	140 - 450

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

MPV

Date And Time

Measure

Mar-20-2023 14:17:00

8.7

Units

Reference Range

fL

7.5 - 11.5

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Panel Description: CBC with Auto Diff

Date And Time

Measure

Final

WBC

Date And Time

Measure

Mar-20-2023 14:17:00

6.7

Units

Reference Range

K/uL

4.0 - 11.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Lymph %

Date And Time

Measure

Mar-20-2023 14:17:00

37.6

Units

Reference Range

%

17.0 - 48.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Mono %

Date And Time

Measure

Mar-20-2023 14:17:00

8.8

Units

Reference Range

%

2.0 - 12.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Neut %

Date And Time

Measure

Mar-20-2023 14:17:00

50.6

Units

Reference Range

%

35.0 - 75.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Eos %

Date And Time

Measure

Mar-20-2023 14:17:00

2.7

Units	Reference Range
%	1.0 - 5.0
Abnormal Flag	Status
	Final
Comments	
Performed by: OnePeak Medical Laboratory (OPML)	

Baso %

Date And Time	Measure
Mar-20-2023 14:17:00	0.3
Units	Reference Range
%	0.0 - 2.0
Abnormal Flag	Status
	Final
Comments	
Performed by: OnePeak Medical Laboratory (OPML)	

Lymph

Date And Time	Measure
Mar-20-2023 14:17:00	2.5
Units	Reference Range
K/uL	0.7 - 3.5
Abnormal Flag	Status
	Final
Comments	
Performed by: OnePeak Medical Laboratory (OPML)	

Mono

Date And Time	Measure
Mar-20-2023 14:17:00	0.6
Units	Reference Range
K/uL	0.1 - 0.9

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Neut

Date And Time

Measure

Mar-20-2023 14:17:00

3.4

Units

Reference Range

K/uL

1.4 - 7.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Eos

Date And Time

Measure

Mar-20-2023 14:17:00

0.2

Units

Reference Range

K/uL

0.0 - 0.5

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Baso

Date And Time

Measure

Mar-20-2023 14:17:00

0.0

Units	Reference Range
K/uL	0.0 - 0.2
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

RBC

Date And Time	Measure
Mar-20-2023 14:17:00	4.89
Units	Reference Range
M/uL	3.80 - 5.00
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Hgb

Date And Time	Measure
Mar-20-2023 14:17:00	14.0
Units	Reference Range
g/dL	11.0 - 16.0
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Hct

Date And Time	Measure
Mar-20-2023 14:17:00	41.7
Units	Reference Range
%	35.0 - 47.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

MCV

Date And Time

Measure

Mar-20-2023 14:17:00

85.1

Units

Reference Range

fL

80.0 - 100.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

MCH

Date And Time

Measure

Mar-20-2023 14:17:00

28.7

Units

Reference Range

pg

27.0 - 34.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

MCHC

Date And Time

Measure

Mar-20-2023 14:17:00

33.7

Units	Reference Range
g/dL	32.0 - 36.0
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

RDW

Date And Time	Measure
Mar-20-2023 14:17:00	12.5
Units	Reference Range
%	11.0 - 15.0
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Plt

Date And Time	Measure
Mar-20-2023 14:17:00	270
Units	Reference Range
K/uL	140 - 450
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

MPV

Date And Time	Measure
Mar-20-2023 14:17:00	8.7
Units	Reference Range
fL	7.5 - 11.5

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Panel Description: Complete Metabolic Panel

Date And Time

Measure

Final

Glucose

Date And Time

Measure

Mar-20-2023 14:33:00

93

Units

Reference Range

mg/dL

65 - 99

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

BUN

Date And Time

Measure

Mar-20-2023 14:33:00

12

Units

Reference Range

mg/dL

7 - 25

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Creatinine

Date And Time

Measure

Mar-20-2023 14:33:00

0.78

Units

Reference Range

mg/dL

0.50 - 0.93

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

BUN/Creatinine Ratio

Date And Time

Measure

Mar-20-2023 14:33:00

15.00

Units

Reference Range

Ratio

9.00 - 28.00

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

eGFR Non-African American

Date And Time

Measure

Mar-20-2023 14:33:00

80.91

Units

Reference Range

mL/min/1.73 m²;

>60.00

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

eGFR African American

Date And Time

Measure

Mar-20-2023 14:33:00

97.90

Units	Reference Range
mL/min/1.73 m ² ;	>60.00
Abnormal Flag	Status
	Final
Comments	
Performed by: OnePeak Medical Laboratory (OPML)	

Sodium

Date And Time	Measure
Mar-20-2023 14:33:00	143
Units	Reference Range
mmol/L	135 - 146
Abnormal Flag	Status
	Final
Comments	
Performed by: OnePeak Medical Laboratory (OPML)	

Potassium

Date And Time	Measure
Mar-20-2023 14:33:00	3.9
Units	Reference Range
mmol/L	3.5 - 5.3
Abnormal Flag	Status
	Final
Comments	
Performed by: OnePeak Medical Laboratory (OPML)	

Chloride

Date And Time	Measure
Mar-20-2023 14:33:00	107
Units	Reference Range
mmol/L	98 - 110

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

CO2

Date And Time

Measure

Mar-20-2023 14:33:00

28

Units

Reference Range

mmol/L

19 - 30

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Calcium

Date And Time

Measure

Mar-20-2023 14:33:00

8.9

Units

Reference Range

mg/dL

8.6 - 10.4

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Total Protein

Date And Time

Measure

Mar-20-2023 14:33:00

6.1

Units	Reference Range
g/dL	6.1 - 8.1
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Albumin

Date And Time	Measure
Mar-20-2023 14:33:00	4.2
Units	Reference Range
g/dL	3.6 - 5.1
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Globulin

Date And Time	Measure
Mar-20-2023 14:33:00	1.9
Units	Reference Range
mg/dL	1.9 - 3.7
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

A/G Ratio

Date And Time	Measure
Mar-20-2023 14:33:00	2.2
Units	Reference Range
Ratio	1.0 - 2.5

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Total Bilirubin

Date And Time

Measure

Mar-20-2023 14:33:00

0.7

Units

Reference Range

mg/dL

0.2 - 1.2

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

AST (SGOT)

Date And Time

Measure

Mar-20-2023 14:33:00

20

Units

Reference Range

U/L

10 - 35

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

ALT (SGPT)

Date And Time

Measure

Mar-20-2023 14:33:00

19

Units	Reference Range
U/L	6 - 29
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Alk Phos

Date And Time	Measure
Mar-20-2023 14:33:00	65
Units	Reference Range
U/L	33 - 130
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Anion Gap

Date And Time	Measure
Mar-20-2023 14:33:00	8
Units	Reference Range
mmol/L	4 - 11
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Panel Description: Ferritin

Date And Time	Measure
Final	

Ferritin

Date And Time	Measure
Mar-20-2023 15:17:00	121

Units	Reference Range
ng/mL	11 - 307
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Panel Description: CBC with Auto Diff

Date And Time	Measure
Final	

WBC

Date And Time	Measure
Mar-20-2023 14:17:00	6.7
Units	Reference Range
K/uL	4.0 - 11.0
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Lymph %

Date And Time	Measure
Mar-20-2023 14:17:00	37.6
Units	Reference Range
%	17.0 - 48.0
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Mono %

Date And Time	Measure
Mar-20-2023 14:17:00	8.8

Units	Reference Range
%	2.0 - 12.0
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Neut %

Date And Time	Measure
Mar-20-2023 14:17:00	50.6
Units	Reference Range
%	35.0 - 75.0
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Eos %

Date And Time	Measure
Mar-20-2023 14:17:00	2.7
Units	Reference Range
%	1.0 - 5.0
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Baso %

Date And Time	Measure
Mar-20-2023 14:17:00	0.3
Units	Reference Range
%	0.0 - 2.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Lymph

Date And Time

Measure

Mar-20-2023 14:17:00

2.5

Units

Reference Range

K/uL

0.7 - 3.5

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Mono

Date And Time

Measure

Mar-20-2023 14:17:00

0.6

Units

Reference Range

K/uL

0.1 - 0.9

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Neut

Date And Time

Measure

Mar-20-2023 14:17:00

3.4

Units	Reference Range
K/uL	1.4 - 7.0
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Eos

Date And Time	Measure
Mar-20-2023 14:17:00	0.2
Units	Reference Range
K/uL	0.0 - 0.5
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Baso

Date And Time	Measure
Mar-20-2023 14:17:00	0.0
Units	Reference Range
K/uL	0.0 - 0.2
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

RBC

Date And Time	Measure
Mar-20-2023 14:17:00	4.89
Units	Reference Range
M/uL	3.80 - 5.00

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Hgb

Date And Time

Measure

Mar-20-2023 14:17:00

14.0

Units

Reference Range

g/dL

11.0 - 16.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Hct

Date And Time

Measure

Mar-20-2023 14:17:00

41.7

Units

Reference Range

%

35.0 - 47.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

MCV

Date And Time

Measure

Mar-20-2023 14:17:00

85.1

Units	Reference Range
fL	80.0 - 100.0
Abnormal Flag	Status
	Final
Comments	
Performed by: OnePeak Medical Laboratory (OPML)	

MCH

Date And Time	Measure
Mar-20-2023 14:17:00	28.7
Units	Reference Range
pg	27.0 - 34.0
Abnormal Flag	Status
	Final
Comments	
Performed by: OnePeak Medical Laboratory (OPML)	

MCHC

Date And Time	Measure
Mar-20-2023 14:17:00	33.7
Units	Reference Range
g/dL	32.0 - 36.0
Abnormal Flag	Status
	Final
Comments	
Performed by: OnePeak Medical Laboratory (OPML)	

RDW

Date And Time	Measure
Mar-20-2023 14:17:00	12.5
Units	Reference Range
%	11.0 - 15.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Plt

Date And Time

Measure

Mar-20-2023 14:17:00

270

Units

Reference Range

K/uL

140 - 450

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

MPV

Date And Time

Measure

Mar-20-2023 14:17:00

8.7

Units

Reference Range

fL

7.5 - 11.5

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Panel Description: CBC with Auto Diff

Date And Time

Measure

Final

WBC

Date And Time

Measure

Mar-20-2023 14:17:00

6.7

Units

Reference Range

K/uL

4.0 - 11.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Lymph %

Date And Time

Measure

Mar-20-2023 14:17:00

37.6

Units

Reference Range

%

17.0 - 48.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Mono %

Date And Time

Measure

Mar-20-2023 14:17:00

8.8

Units

Reference Range

%

2.0 - 12.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Neut %

Date And Time

Measure

Mar-20-2023 14:17:00

50.6

Units	Reference Range
%	35.0 - 75.0
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Eos %

Date And Time	Measure
Mar-20-2023 14:17:00	2.7
Units	Reference Range
%	1.0 - 5.0
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Baso %

Date And Time	Measure
Mar-20-2023 14:17:00	0.3
Units	Reference Range
%	0.0 - 2.0
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Lymph

Date And Time	Measure
Mar-20-2023 14:17:00	2.5
Units	Reference Range
K/uL	0.7 - 3.5

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Mono

Date And Time

Measure

Mar-20-2023 14:17:00

0.6

Units

Reference Range

K/uL

0.1 - 0.9

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Neut

Date And Time

Measure

Mar-20-2023 14:17:00

3.4

Units

Reference Range

K/uL

1.4 - 7.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Eos

Date And Time

Measure

Mar-20-2023 14:17:00

0.2

Units	Reference Range
K/uL	0.0 - 0.5
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Baso

Date And Time	Measure
Mar-20-2023 14:17:00	0.0
Units	Reference Range
K/uL	0.0 - 0.2
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

RBC

Date And Time	Measure
Mar-20-2023 14:17:00	4.89
Units	Reference Range
M/uL	3.80 - 5.00
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Hgb

Date And Time	Measure
Mar-20-2023 14:17:00	14.0
Units	Reference Range
g/dL	11.0 - 16.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Hct

Date And Time

Measure

Mar-20-2023 14:17:00

41.7

Units

Reference Range

%

35.0 - 47.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

MCV

Date And Time

Measure

Mar-20-2023 14:17:00

85.1

Units

Reference Range

fL

80.0 - 100.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

MCH

Date And Time

Measure

Mar-20-2023 14:17:00

28.7

Units	Reference Range
pg	27.0 - 34.0
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

MCHC

Date And Time	Measure
Mar-20-2023 14:17:00	33.7
Units	Reference Range
g/dL	32.0 - 36.0
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

RDW

Date And Time	Measure
Mar-20-2023 14:17:00	12.5
Units	Reference Range
%	11.0 - 15.0
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Plt

Date And Time	Measure
Mar-20-2023 14:17:00	270
Units	Reference Range
K/uL	140 - 450

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

MPV

Date And Time

Measure

Mar-20-2023 14:17:00

8.7

Units

Reference Range

fL

7.5 - 11.5

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Panel Description: Complete Metabolic Panel

Date And Time

Measure

Final

Glucose

Date And Time

Measure

Mar-20-2023 14:33:00

93

Units

Reference Range

mg/dL

65 - 99

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

BUN

Date And Time

Measure

Mar-20-2023 14:33:00

12

Units

Reference Range

mg/dL

7 - 25

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Creatinine

Date And Time

Measure

Mar-20-2023 14:33:00

0.78

Units

Reference Range

mg/dL

0.50 - 0.93

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

BUN/Creatinine Ratio

Date And Time

Measure

Mar-20-2023 14:33:00

15.00

Units

Reference Range

Ratio

9.00 - 28.00

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

eGFR Non-African American

Date And Time

Measure

Mar-20-2023 14:33:00

80.91

Units	Reference Range
mL/min/1.73 m ² ;	>60.00
Abnormal Flag	Status
	Final
Comments	
Performed by: OnePeak Medical Laboratory (OPML)	

eGFR African American

Date And Time	Measure
Mar-20-2023 14:33:00	97.90
Units	Reference Range
mL/min/1.73 m ² ;	>60.00
Abnormal Flag	Status
	Final
Comments	
Performed by: OnePeak Medical Laboratory (OPML)	

Sodium

Date And Time	Measure
Mar-20-2023 14:33:00	143
Units	Reference Range
mmol/L	135 - 146
Abnormal Flag	Status
	Final
Comments	
Performed by: OnePeak Medical Laboratory (OPML)	

Potassium

Date And Time	Measure
Mar-20-2023 14:33:00	3.9
Units	Reference Range
mmol/L	3.5 - 5.3

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Chloride

Date And Time

Measure

Mar-20-2023 14:33:00

107

Units

Reference Range

mmol/L

98 - 110

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

CO2

Date And Time

Measure

Mar-20-2023 14:33:00

28

Units

Reference Range

mmol/L

19 - 30

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Calcium

Date And Time

Measure

Mar-20-2023 14:33:00

8.9

Units	Reference Range
mg/dL	8.6 - 10.4
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Total Protein

Date And Time	Measure
Mar-20-2023 14:33:00	6.1
Units	Reference Range
g/dL	6.1 - 8.1
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Albumin

Date And Time	Measure
Mar-20-2023 14:33:00	4.2
Units	Reference Range
g/dL	3.6 - 5.1
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Globulin

Date And Time	Measure
Mar-20-2023 14:33:00	1.9
Units	Reference Range
mg/dL	1.9 - 3.7

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

A/G Ratio

Date And Time

Measure

Mar-20-2023 14:33:00

2.2

Units

Reference Range

Ratio

1.0 - 2.5

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Total Bilirubin

Date And Time

Measure

Mar-20-2023 14:33:00

0.7

Units

Reference Range

mg/dL

0.2 - 1.2

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

AST (SGOT)

Date And Time

Measure

Mar-20-2023 14:33:00

20

Units	Reference Range
U/L	10 - 35
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

ALT (SGPT)

Date And Time	Measure
Mar-20-2023 14:33:00	19
Units	Reference Range
U/L	6 - 29
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Alk Phos

Date And Time	Measure
Mar-20-2023 14:33:00	65
Units	Reference Range
U/L	33 - 130
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Anion Gap

Date And Time	Measure
Mar-20-2023 14:33:00	8
Units	Reference Range
mmol/L	4 - 11

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Panel Description: Ferritin

Date And Time

Measure

Final

Ferritin

Date And Time

Measure

Mar-20-2023 15:17:00

121

Units

Reference Range

ng/mL

11 - 307

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Panel Description: CBC with Auto Diff

Date And Time

Measure

Final

WBC

Date And Time

Measure

Mar-20-2023 14:17:00

6.7

Units

Reference Range

K/uL

4.0 - 11.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Lymph %

Date And Time	Measure
Mar-20-2023 14:17:00	37.6
Units	Reference Range
%	17.0 - 48.0
Abnormal Flag	Status
	Final
Comments	
Performed by: OnePeak Medical Laboratory (OPML)	

Mono %

Date And Time	Measure
Mar-20-2023 14:17:00	8.8
Units	Reference Range
%	2.0 - 12.0
Abnormal Flag	Status
	Final
Comments	
Performed by: OnePeak Medical Laboratory (OPML)	

Neut %

Date And Time	Measure
Mar-20-2023 14:17:00	50.6
Units	Reference Range
%	35.0 - 75.0
Abnormal Flag	Status
	Final
Comments	
Performed by: OnePeak Medical Laboratory (OPML)	

Eos %

Date And Time	Measure
Mar-20-2023 14:17:00	2.7

Units	Reference Range
%	1.0 - 5.0
Abnormal Flag	Status
	Final
Comments	
Performed by: OnePeak Medical Laboratory (OPML)	

Baso %

Date And Time	Measure
Mar-20-2023 14:17:00	0.3
Units	Reference Range
%	0.0 - 2.0
Abnormal Flag	Status
	Final
Comments	
Performed by: OnePeak Medical Laboratory (OPML)	

Lymph

Date And Time	Measure
Mar-20-2023 14:17:00	2.5
Units	Reference Range
K/uL	0.7 - 3.5
Abnormal Flag	Status
	Final
Comments	
Performed by: OnePeak Medical Laboratory (OPML)	

Mono

Date And Time	Measure
Mar-20-2023 14:17:00	0.6
Units	Reference Range
K/uL	0.1 - 0.9

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Neut

Date And Time

Measure

Mar-20-2023 14:17:00

3.4

Units

Reference Range

K/uL

1.4 - 7.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Eos

Date And Time

Measure

Mar-20-2023 14:17:00

0.2

Units

Reference Range

K/uL

0.0 - 0.5

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Baso

Date And Time

Measure

Mar-20-2023 14:17:00

0.0

Units	Reference Range
K/uL	0.0 - 0.2
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

RBC

Date And Time	Measure
Mar-20-2023 14:17:00	4.89
Units	Reference Range
M/uL	3.80 - 5.00
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Hgb

Date And Time	Measure
Mar-20-2023 14:17:00	14.0
Units	Reference Range
g/dL	11.0 - 16.0
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Hct

Date And Time	Measure
Mar-20-2023 14:17:00	41.7
Units	Reference Range
%	35.0 - 47.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

MCV

Date And Time

Measure

Mar-20-2023 14:17:00

85.1

Units

Reference Range

fL

80.0 - 100.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

MCH

Date And Time

Measure

Mar-20-2023 14:17:00

28.7

Units

Reference Range

pg

27.0 - 34.0

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

MCHC

Date And Time

Measure

Mar-20-2023 14:17:00

33.7

Units	Reference Range
g/dL	32.0 - 36.0
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

RDW

Date And Time	Measure
Mar-20-2023 14:17:00	12.5
Units	Reference Range
%	11.0 - 15.0
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Plt

Date And Time	Measure
Mar-20-2023 14:17:00	270
Units	Reference Range
K/uL	140 - 450
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

MPV

Date And Time	Measure
Mar-20-2023 14:17:00	8.7
Units	Reference Range
fL	7.5 - 11.5

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Panel Description: Complete Metabolic Panel

Date And Time

Measure

Final

Glucose

Date And Time

Measure

Mar-20-2023 14:33:00

93

Units

Reference Range

mg/dL

65 - 99

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

BUN

Date And Time

Measure

Mar-20-2023 14:33:00

12

Units

Reference Range

mg/dL

7 - 25

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Creatinine

Date And Time

Measure

Mar-20-2023 14:33:00

0.78

Units

Reference Range

mg/dL

0.50 - 0.93

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

BUN/Creatinine Ratio

Date And Time

Measure

Mar-20-2023 14:33:00

15.00

Units

Reference Range

Ratio

9.00 - 28.00

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

eGFR Non-African American

Date And Time

Measure

Mar-20-2023 14:33:00

80.91

Units

Reference Range

mL/min/1.73 m²;

>60.00

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

eGFR African American

Date And Time

Measure

Mar-20-2023 14:33:00

97.90

Units	Reference Range
mL/min/1.73 m ² ;	>60.00
Abnormal Flag	Status
	Final
Comments	
Performed by: OnePeak Medical Laboratory (OPML)	

Sodium

Date And Time	Measure
Mar-20-2023 14:33:00	143
Units	Reference Range
mmol/L	135 - 146
Abnormal Flag	Status
	Final
Comments	
Performed by: OnePeak Medical Laboratory (OPML)	

Potassium

Date And Time	Measure
Mar-20-2023 14:33:00	3.9
Units	Reference Range
mmol/L	3.5 - 5.3
Abnormal Flag	Status
	Final
Comments	
Performed by: OnePeak Medical Laboratory (OPML)	

Chloride

Date And Time	Measure
Mar-20-2023 14:33:00	107
Units	Reference Range
mmol/L	98 - 110

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

CO2

Date And Time

Measure

Mar-20-2023 14:33:00

28

Units

Reference Range

mmol/L

19 - 30

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Calcium

Date And Time

Measure

Mar-20-2023 14:33:00

8.9

Units

Reference Range

mg/dL

8.6 - 10.4

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Total Protein

Date And Time

Measure

Mar-20-2023 14:33:00

6.1

Units	Reference Range
g/dL	6.1 - 8.1
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Albumin

Date And Time	Measure
Mar-20-2023 14:33:00	4.2
Units	Reference Range
g/dL	3.6 - 5.1
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Globulin

Date And Time	Measure
Mar-20-2023 14:33:00	1.9
Units	Reference Range
mg/dL	1.9 - 3.7
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

A/G Ratio

Date And Time	Measure
Mar-20-2023 14:33:00	2.2
Units	Reference Range
Ratio	1.0 - 2.5

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Total Bilirubin

Date And Time

Measure

Mar-20-2023 14:33:00

0.7

Units

Reference Range

mg/dL

0.2 - 1.2

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

AST (SGOT)

Date And Time

Measure

Mar-20-2023 14:33:00

20

Units

Reference Range

U/L

10 - 35

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

ALT (SGPT)

Date And Time

Measure

Mar-20-2023 14:33:00

19

Units	Reference Range
U/L	6 - 29
Abnormal Flag	Status
	Final
Comments	
Performed by: OnePeak Medical Laboratory (OPML)	

Alk Phos	
Date And Time	Measure
Mar-20-2023 14:33:00	65
Units	Reference Range
U/L	33 - 130
Abnormal Flag	Status
	Final
Comments	
Performed by: OnePeak Medical Laboratory (OPML)	

Anion Gap	
Date And Time	Measure
Mar-20-2023 14:33:00	8
Units	Reference Range
mmol/L	4 - 11
Abnormal Flag	Status
	Final
Comments	
Performed by: OnePeak Medical Laboratory (OPML)	

Panel Description: Complete Metabolic Panel	
Date And Time	Measure
Final	

Glucose	
Date And Time	Measure
Mar-20-2023 14:33:00	93

Units	Reference Range
mg/dL	65 - 99
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

BUN

Date And Time	Measure
Mar-20-2023 14:33:00	12
Units	Reference Range
mg/dL	7 - 25
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Creatinine

Date And Time	Measure
Mar-20-2023 14:33:00	0.78
Units	Reference Range
mg/dL	0.50 - 0.93
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

BUN/Creatinine Ratio

Date And Time	Measure
Mar-20-2023 14:33:00	15.00
Units	Reference Range
Ratio	9.00 - 28.00

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

eGFR Non-African American

Date And Time

Measure

Mar-20-2023 14:33:00

80.91

Units

Reference Range

mL/min/1.73 m²;

>60.00

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

eGFR African American

Date And Time

Measure

Mar-20-2023 14:33:00

97.90

Units

Reference Range

mL/min/1.73 m²;

>60.00

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Sodium

Date And Time

Measure

Mar-20-2023 14:33:00

143

Units	Reference Range
mmol/L	135 - 146
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Potassium

Date And Time	Measure
Mar-20-2023 14:33:00	3.9
Units	Reference Range
mmol/L	3.5 - 5.3
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Chloride

Date And Time	Measure
Mar-20-2023 14:33:00	107
Units	Reference Range
mmol/L	98 - 110
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

CO2

Date And Time	Measure
Mar-20-2023 14:33:00	28
Units	Reference Range
mmol/L	19 - 30

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Calcium

Date And Time

Measure

Mar-20-2023 14:33:00

8.9

Units

Reference Range

mg/dL

8.6 - 10.4

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Total Protein

Date And Time

Measure

Mar-20-2023 14:33:00

6.1

Units

Reference Range

g/dL

6.1 - 8.1

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Albumin

Date And Time

Measure

Mar-20-2023 14:33:00

4.2

Units	Reference Range
g/dL	3.6 - 5.1
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Globulin

Date And Time	Measure
Mar-20-2023 14:33:00	1.9
Units	Reference Range
mg/dL	1.9 - 3.7
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

A/G Ratio

Date And Time	Measure
Mar-20-2023 14:33:00	2.2
Units	Reference Range
Ratio	1.0 - 2.5
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Total Bilirubin

Date And Time	Measure
Mar-20-2023 14:33:00	0.7
Units	Reference Range
mg/dL	0.2 - 1.2

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

AST (SGOT)

Date And Time

Measure

Mar-20-2023 14:33:00

20

Units

Reference Range

U/L

10 - 35

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

ALT (SGPT)

Date And Time

Measure

Mar-20-2023 14:33:00

19

Units

Reference Range

U/L

6 - 29

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Alk Phos

Date And Time

Measure

Mar-20-2023 14:33:00

65

Units	Reference Range
U/L	33 - 130
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Anion Gap

Date And Time	Measure
Mar-20-2023 14:33:00	8
Units	Reference Range
mmol/L	4 - 11
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Panel Description: Complete Metabolic Panel

Date And Time	Measure
Final	

Glucose

Date And Time	Measure
Mar-20-2023 14:33:00	93
Units	Reference Range
mg/dL	65 - 99
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

BUN

Date And Time	Measure
Mar-20-2023 14:33:00	12

Units	Reference Range
mg/dL	7 - 25
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Creatinine

Date And Time	Measure
Mar-20-2023 14:33:00	0.78
Units	Reference Range
mg/dL	0.50 - 0.93
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

BUN/Creatinine Ratio

Date And Time	Measure
Mar-20-2023 14:33:00	15.00
Units	Reference Range
Ratio	9.00 - 28.00
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

eGFR Non-African American

Date And Time	Measure
Mar-20-2023 14:33:00	80.91
Units	Reference Range
mL/min/1.73 m ²	>60.00

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

eGFR African American

Date And Time

Measure

Mar-20-2023 14:33:00

97.90

Units

Reference Range

mL/min/1.73 m²;

>60.00

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Sodium

Date And Time

Measure

Mar-20-2023 14:33:00

143

Units

Reference Range

mmol/L

135 - 146

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Potassium

Date And Time

Measure

Mar-20-2023 14:33:00

3.9

Units	Reference Range
mmol/L	3.5 - 5.3
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Chloride

Date And Time	Measure
Mar-20-2023 14:33:00	107
Units	Reference Range
mmol/L	98 - 110
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

CO2

Date And Time	Measure
Mar-20-2023 14:33:00	28
Units	Reference Range
mmol/L	19 - 30
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Calcium

Date And Time	Measure
Mar-20-2023 14:33:00	8.9
Units	Reference Range
mg/dL	8.6 - 10.4

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Total Protein

Date And Time

Measure

Mar-20-2023 14:33:00

6.1

Units

Reference Range

g/dL

6.1 - 8.1

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Albumin

Date And Time

Measure

Mar-20-2023 14:33:00

4.2

Units

Reference Range

g/dL

3.6 - 5.1

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Globulin

Date And Time

Measure

Mar-20-2023 14:33:00

1.9

Units	Reference Range
mg/dL	1.9 - 3.7
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

A/G Ratio

Date And Time	Measure
Mar-20-2023 14:33:00	2.2
Units	Reference Range
Ratio	1.0 - 2.5
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Total Bilirubin

Date And Time	Measure
Mar-20-2023 14:33:00	0.7
Units	Reference Range
mg/dL	0.2 - 1.2
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

AST (SGOT)

Date And Time	Measure
Mar-20-2023 14:33:00	20
Units	Reference Range
U/L	10 - 35

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

ALT (SGPT)

Date And Time

Measure

Mar-20-2023 14:33:00

19

Units

Reference Range

U/L

6 - 29

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Alk Phos

Date And Time

Measure

Mar-20-2023 14:33:00

65

Units

Reference Range

U/L

33 - 130

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Anion Gap

Date And Time

Measure

Mar-20-2023 14:33:00

8

Units	Reference Range
mmol/L	4 - 11
Abnormal Flag	Status
	Final
Comments	
Performed by: OnePeak Medical Laboratory (OPML)	

Panel Description: Complete Metabolic Panel

Date And Time	Measure
Final	

Glucose

Date And Time	Measure
Mar-20-2023 14:33:00	93
Units	Reference Range
mg/dL	65 - 99
Abnormal Flag	Status
	Final
Comments	
Performed by: OnePeak Medical Laboratory (OPML)	

BUN

Date And Time	Measure
Mar-20-2023 14:33:00	12
Units	Reference Range
mg/dL	7 - 25
Abnormal Flag	Status
	Final
Comments	
Performed by: OnePeak Medical Laboratory (OPML)	

Creatinine

Date And Time	Measure
Mar-20-2023 14:33:00	0.78

Units	Reference Range
mg/dL	0.50 - 0.93
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

BUN/Creatinine Ratio

Date And Time	Measure
Mar-20-2023 14:33:00	15.00
Units	Reference Range
Ratio	9.00 - 28.00
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

eGFR Non-African American

Date And Time	Measure
Mar-20-2023 14:33:00	80.91
Units	Reference Range
mL/min/1.73 m ²	>60.00
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

eGFR African American

Date And Time	Measure
Mar-20-2023 14:33:00	97.90
Units	Reference Range
mL/min/1.73 m ²	>60.00

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Sodium

Date And Time

Measure

Mar-20-2023 14:33:00

143

Units

Reference Range

mmol/L

135 - 146

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Potassium

Date And Time

Measure

Mar-20-2023 14:33:00

3.9

Units

Reference Range

mmol/L

3.5 - 5.3

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Chloride

Date And Time

Measure

Mar-20-2023 14:33:00

107

Units	Reference Range
mmol/L	98 - 110
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

CO2

Date And Time	Measure
Mar-20-2023 14:33:00	28
Units	Reference Range
mmol/L	19 - 30
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Calcium

Date And Time	Measure
Mar-20-2023 14:33:00	8.9
Units	Reference Range
mg/dL	8.6 - 10.4
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Total Protein

Date And Time	Measure
Mar-20-2023 14:33:00	6.1
Units	Reference Range
g/dL	6.1 - 8.1

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Albumin

Date And Time

Measure

Mar-20-2023 14:33:00

4.2

Units

Reference Range

g/dL

3.6 - 5.1

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Globulin

Date And Time

Measure

Mar-20-2023 14:33:00

1.9

Units

Reference Range

mg/dL

1.9 - 3.7

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

A/G Ratio

Date And Time

Measure

Mar-20-2023 14:33:00

2.2

Units	Reference Range
Ratio	1.0 - 2.5
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Total Bilirubin

Date And Time	Measure
Mar-20-2023 14:33:00	0.7
Units	Reference Range
mg/dL	0.2 - 1.2
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

AST (SGOT)

Date And Time	Measure
Mar-20-2023 14:33:00	20
Units	Reference Range
U/L	10 - 35
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

ALT (SGPT)

Date And Time	Measure
Mar-20-2023 14:33:00	19
Units	Reference Range
U/L	6 - 29

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Alk Phos

Date And Time

Measure

Mar-20-2023 14:33:00

65

Units

Reference Range

U/L

33 - 130

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Anion Gap

Date And Time

Measure

Mar-20-2023 14:33:00

8

Units

Reference Range

mmol/L

4 - 11

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Panel Description: Complete Metabolic Panel

Date And Time

Measure

Final

Glucose

Date And Time

Measure

Mar-20-2023 14:33:00

93

Units

Reference Range

mg/dL

65 - 99

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

BUN

Date And Time

Measure

Mar-20-2023 14:33:00

12

Units

Reference Range

mg/dL

7 - 25

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Creatinine

Date And Time

Measure

Mar-20-2023 14:33:00

0.78

Units

Reference Range

mg/dL

0.50 - 0.93

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

BUN/Creatinine Ratio

Date And Time

Measure

Mar-20-2023 14:33:00

15.00

Units	Reference Range
Ratio	9.00 - 28.00
Abnormal Flag	Status
	Final
Comments	
Performed by: OnePeak Medical Laboratory (OPML)	

eGFR Non-African American

Date And Time	Measure
Mar-20-2023 14:33:00	80.91
Units	Reference Range
mL/min/1.73 m ²	>60.00
Abnormal Flag	Status
	Final
Comments	
Performed by: OnePeak Medical Laboratory (OPML)	

eGFR African American

Date And Time	Measure
Mar-20-2023 14:33:00	97.90
Units	Reference Range
mL/min/1.73 m ²	>60.00
Abnormal Flag	Status
	Final
Comments	
Performed by: OnePeak Medical Laboratory (OPML)	

Sodium

Date And Time	Measure
Mar-20-2023 14:33:00	143
Units	Reference Range
mmol/L	135 - 146

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Potassium

Date And Time

Measure

Mar-20-2023 14:33:00

3.9

Units

Reference Range

mmol/L

3.5 - 5.3

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Chloride

Date And Time

Measure

Mar-20-2023 14:33:00

107

Units

Reference Range

mmol/L

98 - 110

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

CO2

Date And Time

Measure

Mar-20-2023 14:33:00

28

Units	Reference Range
mmol/L	19 - 30
Abnormal Flag	Status
	Final
Comments	
Performed by: OnePeak Medical Laboratory (OPML)	

Calcium

Date And Time	Measure
Mar-20-2023 14:33:00	8.9
Units	Reference Range
mg/dL	8.6 - 10.4
Abnormal Flag	Status
	Final
Comments	
Performed by: OnePeak Medical Laboratory (OPML)	

Total Protein

Date And Time	Measure
Mar-20-2023 14:33:00	6.1
Units	Reference Range
g/dL	6.1 - 8.1
Abnormal Flag	Status
	Final
Comments	
Performed by: OnePeak Medical Laboratory (OPML)	

Albumin

Date And Time	Measure
Mar-20-2023 14:33:00	4.2
Units	Reference Range
g/dL	3.6 - 5.1

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Globulin

Date And Time

Measure

Mar-20-2023 14:33:00

1.9

Units

Reference Range

mg/dL

1.9 - 3.7

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

A/G Ratio

Date And Time

Measure

Mar-20-2023 14:33:00

2.2

Units

Reference Range

Ratio

1.0 - 2.5

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Total Bilirubin

Date And Time

Measure

Mar-20-2023 14:33:00

0.7

Units	Reference Range
mg/dL	0.2 - 1.2
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

AST (SGOT)

Date And Time	Measure
Mar-20-2023 14:33:00	20
Units	Reference Range
U/L	10 - 35
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

ALT (SGPT)

Date And Time	Measure
Mar-20-2023 14:33:00	19
Units	Reference Range
U/L	6 - 29
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Alk Phos

Date And Time	Measure
Mar-20-2023 14:33:00	65
Units	Reference Range
U/L	33 - 130

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Anion Gap

Date And Time

Measure

Mar-20-2023 14:33:00

8

Units

Reference Range

mmol/L

4 - 11

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Panel Description: Complete Metabolic Panel

Date And Time

Measure

Final

Glucose

Date And Time

Measure

Mar-20-2023 14:33:00

93

Units

Reference Range

mg/dL

65 - 99

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

BUN

Date And Time

Measure

Mar-20-2023 14:33:00

12

Units

Reference Range

mg/dL

7 - 25

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Creatinine

Date And Time

Measure

Mar-20-2023 14:33:00

0.78

Units

Reference Range

mg/dL

0.50 - 0.93

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

BUN/Creatinine Ratio

Date And Time

Measure

Mar-20-2023 14:33:00

15.00

Units

Reference Range

Ratio

9.00 - 28.00

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

eGFR Non-African American

Date And Time

Measure

Mar-20-2023 14:33:00

80.91

Units	Reference Range
mL/min/1.73 m ² ;	>60.00
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

eGFR African American

Date And Time	Measure
Mar-20-2023 14:33:00	97.90
Units	Reference Range
mL/min/1.73 m ² ;	>60.00
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Sodium

Date And Time	Measure
Mar-20-2023 14:33:00	143
Units	Reference Range
mmol/L	135 - 146
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Potassium

Date And Time	Measure
Mar-20-2023 14:33:00	3.9
Units	Reference Range
mmol/L	3.5 - 5.3

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Chloride

Date And Time

Measure

Mar-20-2023 14:33:00

107

Units

Reference Range

mmol/L

98 - 110

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

CO2

Date And Time

Measure

Mar-20-2023 14:33:00

28

Units

Reference Range

mmol/L

19 - 30

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Calcium

Date And Time

Measure

Mar-20-2023 14:33:00

8.9

Units	Reference Range
mg/dL	8.6 - 10.4
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Total Protein

Date And Time	Measure
Mar-20-2023 14:33:00	6.1
Units	Reference Range
g/dL	6.1 - 8.1
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Albumin

Date And Time	Measure
Mar-20-2023 14:33:00	4.2
Units	Reference Range
g/dL	3.6 - 5.1
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Globulin

Date And Time	Measure
Mar-20-2023 14:33:00	1.9
Units	Reference Range
mg/dL	1.9 - 3.7

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

A/G Ratio

Date And Time

Measure

Mar-20-2023 14:33:00

2.2

Units

Reference Range

Ratio

1.0 - 2.5

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Total Bilirubin

Date And Time

Measure

Mar-20-2023 14:33:00

0.7

Units

Reference Range

mg/dL

0.2 - 1.2

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

AST (SGOT)

Date And Time

Measure

Mar-20-2023 14:33:00

20

Units	Reference Range
U/L	10 - 35
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

ALT (SGPT)

Date And Time	Measure
Mar-20-2023 14:33:00	19
Units	Reference Range
U/L	6 - 29
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Alk Phos

Date And Time	Measure
Mar-20-2023 14:33:00	65
Units	Reference Range
U/L	33 - 130
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Anion Gap

Date And Time	Measure
Mar-20-2023 14:33:00	8
Units	Reference Range
mmol/L	4 - 11

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Panel Description: Complete Metabolic Panel

Date And Time

Measure

Final

Glucose

Date And Time

Measure

Mar-20-2023 14:33:00

93

Units

Reference Range

mg/dL

65 - 99

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

BUN

Date And Time

Measure

Mar-20-2023 14:33:00

12

Units

Reference Range

mg/dL

7 - 25

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Creatinine

Date And Time

Measure

Mar-20-2023 14:33:00

0.78

Units

Reference Range

mg/dL

0.50 - 0.93

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

BUN/Creatinine Ratio

Date And Time

Measure

Mar-20-2023 14:33:00

15.00

Units

Reference Range

Ratio

9.00 - 28.00

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

eGFR Non-African American

Date And Time

Measure

Mar-20-2023 14:33:00

80.91

Units

Reference Range

mL/min/1.73 m²;

>60.00

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

eGFR African American

Date And Time

Measure

Mar-20-2023 14:33:00

97.90

Units	Reference Range
mL/min/1.73 m ²	>60.00
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Sodium

Date And Time	Measure
Mar-20-2023 14:33:00	143
Units	Reference Range
mmol/L	135 - 146
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Potassium

Date And Time	Measure
Mar-20-2023 14:33:00	3.9
Units	Reference Range
mmol/L	3.5 - 5.3
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Chloride

Date And Time	Measure
Mar-20-2023 14:33:00	107
Units	Reference Range
mmol/L	98 - 110

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

CO2

Date And Time

Measure

Mar-20-2023 14:33:00

28

Units

Reference Range

mmol/L

19 - 30

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Calcium

Date And Time

Measure

Mar-20-2023 14:33:00

8.9

Units

Reference Range

mg/dL

8.6 - 10.4

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Total Protein

Date And Time

Measure

Mar-20-2023 14:33:00

6.1

Units	Reference Range
g/dL	6.1 - 8.1
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Albumin

Date And Time	Measure
Mar-20-2023 14:33:00	4.2
Units	Reference Range
g/dL	3.6 - 5.1
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Globulin

Date And Time	Measure
Mar-20-2023 14:33:00	1.9
Units	Reference Range
mg/dL	1.9 - 3.7
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

A/G Ratio

Date And Time	Measure
Mar-20-2023 14:33:00	2.2
Units	Reference Range
Ratio	1.0 - 2.5

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Total Bilirubin

Date And Time

Measure

Mar-20-2023 14:33:00

0.7

Units

Reference Range

mg/dL

0.2 - 1.2

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

AST (SGOT)

Date And Time

Measure

Mar-20-2023 14:33:00

20

Units

Reference Range

U/L

10 - 35

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

ALT (SGPT)

Date And Time

Measure

Mar-20-2023 14:33:00

19

Units	Reference Range
U/L	6 - 29
Abnormal Flag	Status
	Final
Comments	
Performed by: OnePeak Medical Laboratory (OPML)	

Alk Phos

Date And Time	Measure
Mar-20-2023 14:33:00	65
Units	Reference Range
U/L	33 - 130
Abnormal Flag	Status
	Final
Comments	
Performed by: OnePeak Medical Laboratory (OPML)	

Anion Gap

Date And Time	Measure
Mar-20-2023 14:33:00	8
Units	Reference Range
mmol/L	4 - 11
Abnormal Flag	Status
	Final
Comments	
Performed by: OnePeak Medical Laboratory (OPML)	

Panel Description: Complete Metabolic Panel

Date And Time	Measure
Final	

Glucose

Date And Time	Measure
Mar-20-2023 14:33:00	93

Units	Reference Range
mg/dL	65 - 99
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

BUN

Date And Time	Measure
Mar-20-2023 14:33:00	12
Units	Reference Range
mg/dL	7 - 25
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Creatinine

Date And Time	Measure
Mar-20-2023 14:33:00	0.78
Units	Reference Range
mg/dL	0.50 - 0.93
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

BUN/Creatinine Ratio

Date And Time	Measure
Mar-20-2023 14:33:00	15.00
Units	Reference Range
Ratio	9.00 - 28.00

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

eGFR Non-African American

Date And Time

Measure

Mar-20-2023 14:33:00

80.91

Units

Reference Range

mL/min/1.73 m²;

>60.00

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

eGFR African American

Date And Time

Measure

Mar-20-2023 14:33:00

97.90

Units

Reference Range

mL/min/1.73 m²;

>60.00

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Sodium

Date And Time

Measure

Mar-20-2023 14:33:00

143

Units	Reference Range
mmol/L	135 - 146
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Potassium

Date And Time	Measure
Mar-20-2023 14:33:00	3.9
Units	Reference Range
mmol/L	3.5 - 5.3
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Chloride

Date And Time	Measure
Mar-20-2023 14:33:00	107
Units	Reference Range
mmol/L	98 - 110
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

CO2

Date And Time	Measure
Mar-20-2023 14:33:00	28
Units	Reference Range
mmol/L	19 - 30

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Calcium

Date And Time

Measure

Mar-20-2023 14:33:00

8.9

Units

Reference Range

mg/dL

8.6 - 10.4

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Total Protein

Date And Time

Measure

Mar-20-2023 14:33:00

6.1

Units

Reference Range

g/dL

6.1 - 8.1

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Albumin

Date And Time

Measure

Mar-20-2023 14:33:00

4.2

Units	Reference Range
g/dL	3.6 - 5.1
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Globulin

Date And Time	Measure
Mar-20-2023 14:33:00	1.9
Units	Reference Range
mg/dL	1.9 - 3.7
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

A/G Ratio

Date And Time	Measure
Mar-20-2023 14:33:00	2.2
Units	Reference Range
Ratio	1.0 - 2.5
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Total Bilirubin

Date And Time	Measure
Mar-20-2023 14:33:00	0.7
Units	Reference Range
mg/dL	0.2 - 1.2

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

AST (SGOT)

Date And Time

Measure

Mar-20-2023 14:33:00

20

Units

Reference Range

U/L

10 - 35

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

ALT (SGPT)

Date And Time

Measure

Mar-20-2023 14:33:00

19

Units

Reference Range

U/L

6 - 29

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Alk Phos

Date And Time

Measure

Mar-20-2023 14:33:00

65

Units	Reference Range
U/L	33 - 130
Abnormal Flag	Status
	Final
Comments	
Performed by: OnePeak Medical Laboratory (OPML)	

Anion Gap	
Date And Time	Measure
Mar-20-2023 14:33:00	8
Units	Reference Range
mmol/L	4 - 11
Abnormal Flag	Status
	Final
Comments	
Performed by: OnePeak Medical Laboratory (OPML)	

Panel Description: Complete Metabolic Panel	
Date And Time	Measure
Final	

Glucose	
Date And Time	Measure
Mar-20-2023 14:33:00	93
Units	Reference Range
mg/dL	65 - 99
Abnormal Flag	Status
	Final
Comments	
Performed by: OnePeak Medical Laboratory (OPML)	

BUN	
Date And Time	Measure
Mar-20-2023 14:33:00	12

Units	Reference Range
mg/dL	7 - 25
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Creatinine

Date And Time	Measure
Mar-20-2023 14:33:00	0.78
Units	Reference Range
mg/dL	0.50 - 0.93
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

BUN/Creatinine Ratio

Date And Time	Measure
Mar-20-2023 14:33:00	15.00
Units	Reference Range
Ratio	9.00 - 28.00
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

eGFR Non-African American

Date And Time	Measure
Mar-20-2023 14:33:00	80.91
Units	Reference Range
mL/min/1.73 m ²	>60.00

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

eGFR African American

Date And Time

Measure

Mar-20-2023 14:33:00

97.90

Units

Reference Range

mL/min/1.73 m²;

>60.00

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Sodium

Date And Time

Measure

Mar-20-2023 14:33:00

143

Units

Reference Range

mmol/L

135 - 146

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Potassium

Date And Time

Measure

Mar-20-2023 14:33:00

3.9

Units	Reference Range
mmol/L	3.5 - 5.3
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Chloride

Date And Time	Measure
Mar-20-2023 14:33:00	107
Units	Reference Range
mmol/L	98 - 110
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

CO2

Date And Time	Measure
Mar-20-2023 14:33:00	28
Units	Reference Range
mmol/L	19 - 30
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Calcium

Date And Time	Measure
Mar-20-2023 14:33:00	8.9
Units	Reference Range
mg/dL	8.6 - 10.4

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Total Protein

Date And Time

Measure

Mar-20-2023 14:33:00

6.1

Units

Reference Range

g/dL

6.1 - 8.1

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Albumin

Date And Time

Measure

Mar-20-2023 14:33:00

4.2

Units

Reference Range

g/dL

3.6 - 5.1

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Globulin

Date And Time

Measure

Mar-20-2023 14:33:00

1.9

Units	Reference Range
mg/dL	1.9 - 3.7
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

A/G Ratio

Date And Time	Measure
Mar-20-2023 14:33:00	2.2
Units	Reference Range
Ratio	1.0 - 2.5
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Total Bilirubin

Date And Time	Measure
Mar-20-2023 14:33:00	0.7
Units	Reference Range
mg/dL	0.2 - 1.2
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

AST (SGOT)

Date And Time	Measure
Mar-20-2023 14:33:00	20
Units	Reference Range
U/L	10 - 35

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

ALT (SGPT)

Date And Time

Measure

Mar-20-2023 14:33:00

19

Units

Reference Range

U/L

6 - 29

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Alk Phos

Date And Time

Measure

Mar-20-2023 14:33:00

65

Units

Reference Range

U/L

33 - 130

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Anion Gap

Date And Time

Measure

Mar-20-2023 14:33:00

8

Units	Reference Range
mmol/L	4 - 11
Abnormal Flag	Status
	Final
Comments	
Performed by: OnePeak Medical Laboratory (OPML)	

Panel Description: Complete Metabolic Panel

Date And Time	Measure
Final	

Glucose

Date And Time	Measure
Mar-20-2023 14:33:00	93
Units	Reference Range
mg/dL	65 - 99
Abnormal Flag	Status
	Final
Comments	
Performed by: OnePeak Medical Laboratory (OPML)	

BUN

Date And Time	Measure
Mar-20-2023 14:33:00	12
Units	Reference Range
mg/dL	7 - 25
Abnormal Flag	Status
	Final
Comments	
Performed by: OnePeak Medical Laboratory (OPML)	

Creatinine

Date And Time	Measure
Mar-20-2023 14:33:00	0.78

Units	Reference Range
mg/dL	0.50 - 0.93
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

BUN/Creatinine Ratio

Date And Time	Measure
Mar-20-2023 14:33:00	15.00
Units	Reference Range
Ratio	9.00 - 28.00
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

eGFR Non-African American

Date And Time	Measure
Mar-20-2023 14:33:00	80.91
Units	Reference Range
mL/min/1.73 m ²	>60.00
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

eGFR African American

Date And Time	Measure
Mar-20-2023 14:33:00	97.90
Units	Reference Range
mL/min/1.73 m ²	>60.00

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Sodium

Date And Time

Measure

Mar-20-2023 14:33:00

143

Units

Reference Range

mmol/L

135 - 146

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Potassium

Date And Time

Measure

Mar-20-2023 14:33:00

3.9

Units

Reference Range

mmol/L

3.5 - 5.3

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Chloride

Date And Time

Measure

Mar-20-2023 14:33:00

107

Units	Reference Range
mmol/L	98 - 110
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

CO2

Date And Time	Measure
Mar-20-2023 14:33:00	28
Units	Reference Range
mmol/L	19 - 30
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Calcium

Date And Time	Measure
Mar-20-2023 14:33:00	8.9
Units	Reference Range
mg/dL	8.6 - 10.4
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Total Protein

Date And Time	Measure
Mar-20-2023 14:33:00	6.1
Units	Reference Range
g/dL	6.1 - 8.1

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Albumin

Date And Time

Measure

Mar-20-2023 14:33:00

4.2

Units

Reference Range

g/dL

3.6 - 5.1

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Globulin

Date And Time

Measure

Mar-20-2023 14:33:00

1.9

Units

Reference Range

mg/dL

1.9 - 3.7

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

A/G Ratio

Date And Time

Measure

Mar-20-2023 14:33:00

2.2

Units	Reference Range
Ratio	1.0 - 2.5
Abnormal Flag	Status
	Final
Comments	
Performed by: OnePeak Medical Laboratory (OPML)	

Total Bilirubin

Date And Time	Measure
Mar-20-2023 14:33:00	0.7
Units	Reference Range
mg/dL	0.2 - 1.2
Abnormal Flag	Status
	Final
Comments	
Performed by: OnePeak Medical Laboratory (OPML)	

AST (SGOT)

Date And Time	Measure
Mar-20-2023 14:33:00	20
Units	Reference Range
U/L	10 - 35
Abnormal Flag	Status
	Final
Comments	
Performed by: OnePeak Medical Laboratory (OPML)	

ALT (SGPT)

Date And Time	Measure
Mar-20-2023 14:33:00	19
Units	Reference Range
U/L	6 - 29

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Alk Phos

Date And Time

Measure

Mar-20-2023 14:33:00

65

Units

Reference Range

U/L

33 - 130

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Anion Gap

Date And Time

Measure

Mar-20-2023 14:33:00

8

Units

Reference Range

mmol/L

4 - 11

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Panel Description: Complete Metabolic Panel

Date And Time

Measure

Final

Glucose

Date And Time

Measure

Mar-20-2023 14:33:00

93

Units

Reference Range

mg/dL

65 - 99

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

BUN

Date And Time

Measure

Mar-20-2023 14:33:00

12

Units

Reference Range

mg/dL

7 - 25

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Creatinine

Date And Time

Measure

Mar-20-2023 14:33:00

0.78

Units

Reference Range

mg/dL

0.50 - 0.93

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

BUN/Creatinine Ratio

Date And Time

Measure

Mar-20-2023 14:33:00

15.00

Units	Reference Range
Ratio	9.00 - 28.00
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

eGFR Non-African American

Date And Time	Measure
Mar-20-2023 14:33:00	80.91
Units	Reference Range
mL/min/1.73 m ²	>60.00
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

eGFR African American

Date And Time	Measure
Mar-20-2023 14:33:00	97.90
Units	Reference Range
mL/min/1.73 m ²	>60.00
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Sodium

Date And Time	Measure
Mar-20-2023 14:33:00	143
Units	Reference Range
mmol/L	135 - 146

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Potassium

Date And Time

Measure

Mar-20-2023 14:33:00

3.9

Units

Reference Range

mmol/L

3.5 - 5.3

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Chloride

Date And Time

Measure

Mar-20-2023 14:33:00

107

Units

Reference Range

mmol/L

98 - 110

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

CO2

Date And Time

Measure

Mar-20-2023 14:33:00

28

Units	Reference Range
mmol/L	19 - 30
Abnormal Flag	Status
	Final
Comments	
Performed by: OnePeak Medical Laboratory (OPML)	

Calcium

Date And Time	Measure
Mar-20-2023 14:33:00	8.9
Units	Reference Range
mg/dL	8.6 - 10.4
Abnormal Flag	Status
	Final
Comments	
Performed by: OnePeak Medical Laboratory (OPML)	

Total Protein

Date And Time	Measure
Mar-20-2023 14:33:00	6.1
Units	Reference Range
g/dL	6.1 - 8.1
Abnormal Flag	Status
	Final
Comments	
Performed by: OnePeak Medical Laboratory (OPML)	

Albumin

Date And Time	Measure
Mar-20-2023 14:33:00	4.2
Units	Reference Range
g/dL	3.6 - 5.1

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Globulin

Date And Time

Measure

Mar-20-2023 14:33:00

1.9

Units

Reference Range

mg/dL

1.9 - 3.7

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

A/G Ratio

Date And Time

Measure

Mar-20-2023 14:33:00

2.2

Units

Reference Range

Ratio

1.0 - 2.5

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Total Bilirubin

Date And Time

Measure

Mar-20-2023 14:33:00

0.7

Units	Reference Range
mg/dL	0.2 - 1.2
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

AST (SGOT)

Date And Time	Measure
Mar-20-2023 14:33:00	20
Units	Reference Range
U/L	10 - 35
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

ALT (SGPT)

Date And Time	Measure
Mar-20-2023 14:33:00	19
Units	Reference Range
U/L	6 - 29
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Alk Phos

Date And Time	Measure
Mar-20-2023 14:33:00	65
Units	Reference Range
U/L	33 - 130

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Anion Gap

Date And Time

Measure

Mar-20-2023 14:33:00

8

Units

Reference Range

mmol/L

4 - 11

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Panel Description: Complete Metabolic Panel

Date And Time

Measure

Final

Glucose

Date And Time

Measure

Mar-20-2023 14:33:00

93

Units

Reference Range

mg/dL

65 - 99

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

BUN

Date And Time

Measure

Mar-20-2023 14:33:00

12

Units

Reference Range

mg/dL

7 - 25

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Creatinine

Date And Time

Measure

Mar-20-2023 14:33:00

0.78

Units

Reference Range

mg/dL

0.50 - 0.93

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

BUN/Creatinine Ratio

Date And Time

Measure

Mar-20-2023 14:33:00

15.00

Units

Reference Range

Ratio

9.00 - 28.00

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

eGFR Non-African American

Date And Time

Measure

Mar-20-2023 14:33:00

80.91

Units	Reference Range
mL/min/1.73 m ² ;	>60.00
Abnormal Flag	Status
	Final
Comments	
Performed by: OnePeak Medical Laboratory (OPML)	

eGFR African American

Date And Time	Measure
Mar-20-2023 14:33:00	97.90
Units	Reference Range
mL/min/1.73 m ² ;	>60.00
Abnormal Flag	Status
	Final
Comments	
Performed by: OnePeak Medical Laboratory (OPML)	

Sodium

Date And Time	Measure
Mar-20-2023 14:33:00	143
Units	Reference Range
mmol/L	135 - 146
Abnormal Flag	Status
	Final
Comments	
Performed by: OnePeak Medical Laboratory (OPML)	

Potassium

Date And Time	Measure
Mar-20-2023 14:33:00	3.9
Units	Reference Range
mmol/L	3.5 - 5.3

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Chloride

Date And Time

Measure

Mar-20-2023 14:33:00

107

Units

Reference Range

mmol/L

98 - 110

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

CO2

Date And Time

Measure

Mar-20-2023 14:33:00

28

Units

Reference Range

mmol/L

19 - 30

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Calcium

Date And Time

Measure

Mar-20-2023 14:33:00

8.9

Units	Reference Range
mg/dL	8.6 - 10.4
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Total Protein

Date And Time	Measure
Mar-20-2023 14:33:00	6.1
Units	Reference Range
g/dL	6.1 - 8.1
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Albumin

Date And Time	Measure
Mar-20-2023 14:33:00	4.2
Units	Reference Range
g/dL	3.6 - 5.1
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Globulin

Date And Time	Measure
Mar-20-2023 14:33:00	1.9
Units	Reference Range
mg/dL	1.9 - 3.7

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

A/G Ratio

Date And Time

Measure

Mar-20-2023 14:33:00

2.2

Units

Reference Range

Ratio

1.0 - 2.5

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Total Bilirubin

Date And Time

Measure

Mar-20-2023 14:33:00

0.7

Units

Reference Range

mg/dL

0.2 - 1.2

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

AST (SGOT)

Date And Time

Measure

Mar-20-2023 14:33:00

20

Units	Reference Range
U/L	10 - 35
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

ALT (SGPT)

Date And Time	Measure
Mar-20-2023 14:33:00	19
Units	Reference Range
U/L	6 - 29
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Alk Phos

Date And Time	Measure
Mar-20-2023 14:33:00	65
Units	Reference Range
U/L	33 - 130
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Anion Gap

Date And Time	Measure
Mar-20-2023 14:33:00	8
Units	Reference Range
mmol/L	4 - 11

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Panel Description: Complete Metabolic Panel

Date And Time

Measure

Final

Glucose

Date And Time

Measure

Mar-20-2023 14:33:00

93

Units

Reference Range

mg/dL

65 - 99

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

BUN

Date And Time

Measure

Mar-20-2023 14:33:00

12

Units

Reference Range

mg/dL

7 - 25

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Creatinine

Date And Time

Measure

Mar-20-2023 14:33:00

0.78

Units

Reference Range

mg/dL

0.50 - 0.93

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

BUN/Creatinine Ratio

Date And Time

Measure

Mar-20-2023 14:33:00

15.00

Units

Reference Range

Ratio

9.00 - 28.00

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

eGFR Non-African American

Date And Time

Measure

Mar-20-2023 14:33:00

80.91

Units

Reference Range

mL/min/1.73 m²;

>60.00

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

eGFR African American

Date And Time

Measure

Mar-20-2023 14:33:00

97.90

Units	Reference Range
mL/min/1.73 m ² ;	>60.00
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Sodium

Date And Time	Measure
Mar-20-2023 14:33:00	143
Units	Reference Range
mmol/L	135 - 146
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Potassium

Date And Time	Measure
Mar-20-2023 14:33:00	3.9
Units	Reference Range
mmol/L	3.5 - 5.3
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Chloride

Date And Time	Measure
Mar-20-2023 14:33:00	107
Units	Reference Range
mmol/L	98 - 110

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

CO2

Date And Time

Measure

Mar-20-2023 14:33:00

28

Units

Reference Range

mmol/L

19 - 30

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Calcium

Date And Time

Measure

Mar-20-2023 14:33:00

8.9

Units

Reference Range

mg/dL

8.6 - 10.4

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Total Protein

Date And Time

Measure

Mar-20-2023 14:33:00

6.1

Units	Reference Range
g/dL	6.1 - 8.1
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Albumin

Date And Time	Measure
Mar-20-2023 14:33:00	4.2
Units	Reference Range
g/dL	3.6 - 5.1
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Globulin

Date And Time	Measure
Mar-20-2023 14:33:00	1.9
Units	Reference Range
mg/dL	1.9 - 3.7
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

A/G Ratio

Date And Time	Measure
Mar-20-2023 14:33:00	2.2
Units	Reference Range
Ratio	1.0 - 2.5

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Total Bilirubin

Date And Time

Measure

Mar-20-2023 14:33:00

0.7

Units

Reference Range

mg/dL

0.2 - 1.2

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

AST (SGOT)

Date And Time

Measure

Mar-20-2023 14:33:00

20

Units

Reference Range

U/L

10 - 35

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

ALT (SGPT)

Date And Time

Measure

Mar-20-2023 14:33:00

19

Units	Reference Range
U/L	6 - 29
Abnormal Flag	Status
	Final
Comments	
Performed by: OnePeak Medical Laboratory (OPML)	

Alk Phos

Date And Time	Measure
Mar-20-2023 14:33:00	65
Units	Reference Range
U/L	33 - 130
Abnormal Flag	Status
	Final
Comments	
Performed by: OnePeak Medical Laboratory (OPML)	

Anion Gap

Date And Time	Measure
Mar-20-2023 14:33:00	8
Units	Reference Range
mmol/L	4 - 11
Abnormal Flag	Status
	Final
Comments	
Performed by: OnePeak Medical Laboratory (OPML)	

Panel Description: Complete Metabolic Panel

Date And Time	Measure
Final	

Glucose

Date And Time	Measure
Mar-20-2023 14:33:00	93

Units	Reference Range
mg/dL	65 - 99
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

BUN

Date And Time	Measure
Mar-20-2023 14:33:00	12
Units	Reference Range
mg/dL	7 - 25
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Creatinine

Date And Time	Measure
Mar-20-2023 14:33:00	0.78
Units	Reference Range
mg/dL	0.50 - 0.93
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

BUN/Creatinine Ratio

Date And Time	Measure
Mar-20-2023 14:33:00	15.00
Units	Reference Range
Ratio	9.00 - 28.00

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

eGFR Non-African American

Date And Time

Measure

Mar-20-2023 14:33:00

80.91

Units

Reference Range

mL/min/1.73 m²;

>60.00

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

eGFR African American

Date And Time

Measure

Mar-20-2023 14:33:00

97.90

Units

Reference Range

mL/min/1.73 m²;

>60.00

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Sodium

Date And Time

Measure

Mar-20-2023 14:33:00

143

Units	Reference Range
mmol/L	135 - 146
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Potassium

Date And Time	Measure
Mar-20-2023 14:33:00	3.9
Units	Reference Range
mmol/L	3.5 - 5.3
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Chloride

Date And Time	Measure
Mar-20-2023 14:33:00	107
Units	Reference Range
mmol/L	98 - 110
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

CO2

Date And Time	Measure
Mar-20-2023 14:33:00	28
Units	Reference Range
mmol/L	19 - 30

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Calcium

Date And Time

Measure

Mar-20-2023 14:33:00

8.9

Units

Reference Range

mg/dL

8.6 - 10.4

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Total Protein

Date And Time

Measure

Mar-20-2023 14:33:00

6.1

Units

Reference Range

g/dL

6.1 - 8.1

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Albumin

Date And Time

Measure

Mar-20-2023 14:33:00

4.2

Units	Reference Range
g/dL	3.6 - 5.1
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Globulin

Date And Time	Measure
Mar-20-2023 14:33:00	1.9
Units	Reference Range
mg/dL	1.9 - 3.7
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

A/G Ratio

Date And Time	Measure
Mar-20-2023 14:33:00	2.2
Units	Reference Range
Ratio	1.0 - 2.5
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Total Bilirubin

Date And Time	Measure
Mar-20-2023 14:33:00	0.7
Units	Reference Range
mg/dL	0.2 - 1.2

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

AST (SGOT)

Date And Time

Measure

Mar-20-2023 14:33:00

20

Units

Reference Range

U/L

10 - 35

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

ALT (SGPT)

Date And Time

Measure

Mar-20-2023 14:33:00

19

Units

Reference Range

U/L

6 - 29

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Alk Phos

Date And Time

Measure

Mar-20-2023 14:33:00

65

Units	Reference Range
U/L	33 - 130
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Anion Gap

Date And Time	Measure
Mar-20-2023 14:33:00	8
Units	Reference Range
mmol/L	4 - 11
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Panel Description: Complete Metabolic Panel

Date And Time	Measure
Final	

Glucose

Date And Time	Measure
Mar-20-2023 14:33:00	93
Units	Reference Range
mg/dL	65 - 99
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

BUN

Date And Time	Measure
Mar-20-2023 14:33:00	12

Units	Reference Range
mg/dL	7 - 25
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Creatinine

Date And Time	Measure
Mar-20-2023 14:33:00	0.78
Units	Reference Range
mg/dL	0.50 - 0.93
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

BUN/Creatinine Ratio

Date And Time	Measure
Mar-20-2023 14:33:00	15.00
Units	Reference Range
Ratio	9.00 - 28.00
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

eGFR Non-African American

Date And Time	Measure
Mar-20-2023 14:33:00	80.91
Units	Reference Range
mL/min/1.73 m ²	>60.00

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

eGFR African American

Date And Time

Measure

Mar-20-2023 14:33:00

97.90

Units

Reference Range

mL/min/1.73 m²;

>60.00

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Sodium

Date And Time

Measure

Mar-20-2023 14:33:00

143

Units

Reference Range

mmol/L

135 - 146

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Potassium

Date And Time

Measure

Mar-20-2023 14:33:00

3.9

Units	Reference Range
mmol/L	3.5 - 5.3
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Chloride

Date And Time	Measure
Mar-20-2023 14:33:00	107
Units	Reference Range
mmol/L	98 - 110
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

CO2

Date And Time	Measure
Mar-20-2023 14:33:00	28
Units	Reference Range
mmol/L	19 - 30
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Calcium

Date And Time	Measure
Mar-20-2023 14:33:00	8.9
Units	Reference Range
mg/dL	8.6 - 10.4

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Total Protein

Date And Time

Measure

Mar-20-2023 14:33:00

6.1

Units

Reference Range

g/dL

6.1 - 8.1

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Albumin

Date And Time

Measure

Mar-20-2023 14:33:00

4.2

Units

Reference Range

g/dL

3.6 - 5.1

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Globulin

Date And Time

Measure

Mar-20-2023 14:33:00

1.9

Units	Reference Range
mg/dL	1.9 - 3.7
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

A/G Ratio

Date And Time	Measure
Mar-20-2023 14:33:00	2.2
Units	Reference Range
Ratio	1.0 - 2.5
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Total Bilirubin

Date And Time	Measure
Mar-20-2023 14:33:00	0.7
Units	Reference Range
mg/dL	0.2 - 1.2
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

AST (SGOT)

Date And Time	Measure
Mar-20-2023 14:33:00	20
Units	Reference Range
U/L	10 - 35

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

ALT (SGPT)

Date And Time

Measure

Mar-20-2023 14:33:00

19

Units

Reference Range

U/L

6 - 29

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Alk Phos

Date And Time

Measure

Mar-20-2023 14:33:00

65

Units

Reference Range

U/L

33 - 130

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Anion Gap

Date And Time

Measure

Mar-20-2023 14:33:00

8

Units	Reference Range
mmol/L	4 - 11
Abnormal Flag	Status
	Final
Comments	
Performed by: OnePeak Medical Laboratory (OPML)	

Panel Description: Complete Metabolic Panel

Date And Time	Measure
Final	

Glucose

Date And Time	Measure
Mar-20-2023 14:33:00	93
Units	Reference Range
mg/dL	65 - 99
Abnormal Flag	Status
	Final
Comments	
Performed by: OnePeak Medical Laboratory (OPML)	

BUN

Date And Time	Measure
Mar-20-2023 14:33:00	12
Units	Reference Range
mg/dL	7 - 25
Abnormal Flag	Status
	Final
Comments	
Performed by: OnePeak Medical Laboratory (OPML)	

Creatinine

Date And Time	Measure
Mar-20-2023 14:33:00	0.78

Units	Reference Range
mg/dL	0.50 - 0.93
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

BUN/Creatinine Ratio

Date And Time	Measure
Mar-20-2023 14:33:00	15.00
Units	Reference Range
Ratio	9.00 - 28.00
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

eGFR Non-African American

Date And Time	Measure
Mar-20-2023 14:33:00	80.91
Units	Reference Range
mL/min/1.73 m ²	>60.00
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

eGFR African American

Date And Time	Measure
Mar-20-2023 14:33:00	97.90
Units	Reference Range
mL/min/1.73 m ²	>60.00

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Sodium

Date And Time

Measure

Mar-20-2023 14:33:00

143

Units

Reference Range

mmol/L

135 - 146

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Potassium

Date And Time

Measure

Mar-20-2023 14:33:00

3.9

Units

Reference Range

mmol/L

3.5 - 5.3

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Chloride

Date And Time

Measure

Mar-20-2023 14:33:00

107

Units	Reference Range
mmol/L	98 - 110
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

CO2

Date And Time	Measure
Mar-20-2023 14:33:00	28
Units	Reference Range
mmol/L	19 - 30
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Calcium

Date And Time	Measure
Mar-20-2023 14:33:00	8.9
Units	Reference Range
mg/dL	8.6 - 10.4
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Total Protein

Date And Time	Measure
Mar-20-2023 14:33:00	6.1
Units	Reference Range
g/dL	6.1 - 8.1

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Albumin

Date And Time

Measure

Mar-20-2023 14:33:00

4.2

Units

Reference Range

g/dL

3.6 - 5.1

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Globulin

Date And Time

Measure

Mar-20-2023 14:33:00

1.9

Units

Reference Range

mg/dL

1.9 - 3.7

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

A/G Ratio

Date And Time

Measure

Mar-20-2023 14:33:00

2.2

Units	Reference Range
Ratio	1.0 - 2.5
Abnormal Flag	Status
	Final
Comments	
Performed by: OnePeak Medical Laboratory (OPML)	

Total Bilirubin

Date And Time	Measure
Mar-20-2023 14:33:00	0.7
Units	Reference Range
mg/dL	0.2 - 1.2
Abnormal Flag	Status
	Final
Comments	
Performed by: OnePeak Medical Laboratory (OPML)	

AST (SGOT)

Date And Time	Measure
Mar-20-2023 14:33:00	20
Units	Reference Range
U/L	10 - 35
Abnormal Flag	Status
	Final
Comments	
Performed by: OnePeak Medical Laboratory (OPML)	

ALT (SGPT)

Date And Time	Measure
Mar-20-2023 14:33:00	19
Units	Reference Range
U/L	6 - 29

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Alk Phos

Date And Time

Measure

Mar-20-2023 14:33:00

65

Units

Reference Range

U/L

33 - 130

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Anion Gap

Date And Time

Measure

Mar-20-2023 14:33:00

8

Units

Reference Range

mmol/L

4 - 11

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Panel Description: Complete Metabolic Panel

Date And Time

Measure

Final

Glucose

Date And Time

Measure

Mar-20-2023 14:33:00

93

Units

Reference Range

mg/dL

65 - 99

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

BUN

Date And Time

Measure

Mar-20-2023 14:33:00

12

Units

Reference Range

mg/dL

7 - 25

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Creatinine

Date And Time

Measure

Mar-20-2023 14:33:00

0.78

Units

Reference Range

mg/dL

0.50 - 0.93

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

BUN/Creatinine Ratio

Date And Time

Measure

Mar-20-2023 14:33:00

15.00

Units	Reference Range
Ratio	9.00 - 28.00
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

eGFR Non-African American

Date And Time	Measure
Mar-20-2023 14:33:00	80.91
Units	Reference Range
mL/min/1.73 m ²	>60.00
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

eGFR African American

Date And Time	Measure
Mar-20-2023 14:33:00	97.90
Units	Reference Range
mL/min/1.73 m ²	>60.00
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Sodium

Date And Time	Measure
Mar-20-2023 14:33:00	143
Units	Reference Range
mmol/L	135 - 146

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Potassium

Date And Time

Measure

Mar-20-2023 14:33:00

3.9

Units

Reference Range

mmol/L

3.5 - 5.3

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Chloride

Date And Time

Measure

Mar-20-2023 14:33:00

107

Units

Reference Range

mmol/L

98 - 110

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

CO2

Date And Time

Measure

Mar-20-2023 14:33:00

28

Units	Reference Range
mmol/L	19 - 30
Abnormal Flag	Status
	Final
Comments	
Performed by: OnePeak Medical Laboratory (OPML)	

Calcium

Date And Time	Measure
Mar-20-2023 14:33:00	8.9
Units	Reference Range
mg/dL	8.6 - 10.4
Abnormal Flag	Status
	Final
Comments	
Performed by: OnePeak Medical Laboratory (OPML)	

Total Protein

Date And Time	Measure
Mar-20-2023 14:33:00	6.1
Units	Reference Range
g/dL	6.1 - 8.1
Abnormal Flag	Status
	Final
Comments	
Performed by: OnePeak Medical Laboratory (OPML)	

Albumin

Date And Time	Measure
Mar-20-2023 14:33:00	4.2
Units	Reference Range
g/dL	3.6 - 5.1

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Globulin

Date And Time

Measure

Mar-20-2023 14:33:00

1.9

Units

Reference Range

mg/dL

1.9 - 3.7

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

A/G Ratio

Date And Time

Measure

Mar-20-2023 14:33:00

2.2

Units

Reference Range

Ratio

1.0 - 2.5

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Total Bilirubin

Date And Time

Measure

Mar-20-2023 14:33:00

0.7

Units	Reference Range
mg/dL	0.2 - 1.2
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

AST (SGOT)

Date And Time	Measure
Mar-20-2023 14:33:00	20
Units	Reference Range
U/L	10 - 35
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

ALT (SGPT)

Date And Time	Measure
Mar-20-2023 14:33:00	19
Units	Reference Range
U/L	6 - 29
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Alk Phos

Date And Time	Measure
Mar-20-2023 14:33:00	65
Units	Reference Range
U/L	33 - 130

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Anion Gap

Date And Time

Measure

Mar-20-2023 14:33:00

8

Units

Reference Range

mmol/L

4 - 11

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Panel Description: Complete Metabolic Panel

Date And Time

Measure

Final

Glucose

Date And Time

Measure

Mar-20-2023 14:33:00

93

Units

Reference Range

mg/dL

65 - 99

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

BUN

Date And Time

Measure

Mar-20-2023 14:33:00

12

Units

Reference Range

mg/dL

7 - 25

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Creatinine

Date And Time

Measure

Mar-20-2023 14:33:00

0.78

Units

Reference Range

mg/dL

0.50 - 0.93

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

BUN/Creatinine Ratio

Date And Time

Measure

Mar-20-2023 14:33:00

15.00

Units

Reference Range

Ratio

9.00 - 28.00

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

eGFR Non-African American

Date And Time

Measure

Mar-20-2023 14:33:00

80.91

Units	Reference Range
mL/min/1.73 m ² ;	>60.00
Abnormal Flag	Status
	Final
Comments	
Performed by: OnePeak Medical Laboratory (OPML)	

eGFR African American

Date And Time	Measure
Mar-20-2023 14:33:00	97.90
Units	Reference Range
mL/min/1.73 m ² ;	>60.00
Abnormal Flag	Status
	Final
Comments	
Performed by: OnePeak Medical Laboratory (OPML)	

Sodium

Date And Time	Measure
Mar-20-2023 14:33:00	143
Units	Reference Range
mmol/L	135 - 146
Abnormal Flag	Status
	Final
Comments	
Performed by: OnePeak Medical Laboratory (OPML)	

Potassium

Date And Time	Measure
Mar-20-2023 14:33:00	3.9
Units	Reference Range
mmol/L	3.5 - 5.3

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Chloride

Date And Time

Measure

Mar-20-2023 14:33:00

107

Units

Reference Range

mmol/L

98 - 110

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

CO2

Date And Time

Measure

Mar-20-2023 14:33:00

28

Units

Reference Range

mmol/L

19 - 30

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Calcium

Date And Time

Measure

Mar-20-2023 14:33:00

8.9

Units	Reference Range
mg/dL	8.6 - 10.4
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Total Protein

Date And Time	Measure
Mar-20-2023 14:33:00	6.1
Units	Reference Range
g/dL	6.1 - 8.1
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Albumin

Date And Time	Measure
Mar-20-2023 14:33:00	4.2
Units	Reference Range
g/dL	3.6 - 5.1
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Globulin

Date And Time	Measure
Mar-20-2023 14:33:00	1.9
Units	Reference Range
mg/dL	1.9 - 3.7

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

A/G Ratio

Date And Time

Measure

Mar-20-2023 14:33:00

2.2

Units

Reference Range

Ratio

1.0 - 2.5

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Total Bilirubin

Date And Time

Measure

Mar-20-2023 14:33:00

0.7

Units

Reference Range

mg/dL

0.2 - 1.2

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

AST (SGOT)

Date And Time

Measure

Mar-20-2023 14:33:00

20

Units	Reference Range
U/L	10 - 35
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

ALT (SGPT)

Date And Time	Measure
Mar-20-2023 14:33:00	19
Units	Reference Range
U/L	6 - 29
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Alk Phos

Date And Time	Measure
Mar-20-2023 14:33:00	65
Units	Reference Range
U/L	33 - 130
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Anion Gap

Date And Time	Measure
Mar-20-2023 14:33:00	8
Units	Reference Range
mmol/L	4 - 11

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Panel Description: Complete Metabolic Panel

Date And Time

Measure

Final

Glucose

Date And Time

Measure

Mar-20-2023 14:33:00

93

Units

Reference Range

mg/dL

65 - 99

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

BUN

Date And Time

Measure

Mar-20-2023 14:33:00

12

Units

Reference Range

mg/dL

7 - 25

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Creatinine

Date And Time

Measure

Mar-20-2023 14:33:00

0.78

Units

Reference Range

mg/dL

0.50 - 0.93

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

BUN/Creatinine Ratio

Date And Time

Measure

Mar-20-2023 14:33:00

15.00

Units

Reference Range

Ratio

9.00 - 28.00

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

eGFR Non-African American

Date And Time

Measure

Mar-20-2023 14:33:00

80.91

Units

Reference Range

mL/min/1.73 m²;

>60.00

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

eGFR African American

Date And Time

Measure

Mar-20-2023 14:33:00

97.90

Units	Reference Range
mL/min/1.73 m ² ;	>60.00
Abnormal Flag	Status
	Final
Comments	
Performed by: OnePeak Medical Laboratory (OPML)	

Sodium	
Date And Time	Measure
Mar-20-2023 14:33:00	143
Units	Reference Range
mmol/L	135 - 146
Abnormal Flag	Status
	Final
Comments	
Performed by: OnePeak Medical Laboratory (OPML)	

Potassium	
Date And Time	Measure
Mar-20-2023 14:33:00	3.9
Units	Reference Range
mmol/L	3.5 - 5.3
Abnormal Flag	Status
	Final
Comments	
Performed by: OnePeak Medical Laboratory (OPML)	

Chloride	
Date And Time	Measure
Mar-20-2023 14:33:00	107
Units	Reference Range
mmol/L	98 - 110

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

CO2

Date And Time

Measure

Mar-20-2023 14:33:00

28

Units

Reference Range

mmol/L

19 - 30

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Calcium

Date And Time

Measure

Mar-20-2023 14:33:00

8.9

Units

Reference Range

mg/dL

8.6 - 10.4

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Total Protein

Date And Time

Measure

Mar-20-2023 14:33:00

6.1

Units	Reference Range
g/dL	6.1 - 8.1
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Albumin

Date And Time	Measure
Mar-20-2023 14:33:00	4.2
Units	Reference Range
g/dL	3.6 - 5.1
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Globulin

Date And Time	Measure
Mar-20-2023 14:33:00	1.9
Units	Reference Range
mg/dL	1.9 - 3.7
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

A/G Ratio

Date And Time	Measure
Mar-20-2023 14:33:00	2.2
Units	Reference Range
Ratio	1.0 - 2.5

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Total Bilirubin

Date And Time

Measure

Mar-20-2023 14:33:00

0.7

Units

Reference Range

mg/dL

0.2 - 1.2

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

AST (SGOT)

Date And Time

Measure

Mar-20-2023 14:33:00

20

Units

Reference Range

U/L

10 - 35

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

ALT (SGPT)

Date And Time

Measure

Mar-20-2023 14:33:00

19

Units	Reference Range
U/L	6 - 29
Abnormal Flag	Status
	Final
Comments	
Performed by: OnePeak Medical Laboratory (OPML)	

Alk Phos

Date And Time	Measure
Mar-20-2023 14:33:00	65
Units	Reference Range
U/L	33 - 130
Abnormal Flag	Status
	Final
Comments	
Performed by: OnePeak Medical Laboratory (OPML)	

Anion Gap

Date And Time	Measure
Mar-20-2023 14:33:00	8
Units	Reference Range
mmol/L	4 - 11
Abnormal Flag	Status
	Final
Comments	
Performed by: OnePeak Medical Laboratory (OPML)	

Panel Description: Ferritin

Date And Time	Measure
Final	

Ferritin

Date And Time	Measure
Mar-20-2023 15:17:00	121

Units	Reference Range
ng/mL	11 - 307
Abnormal Flag	Status
	Final
Comments	
Performed by: OnePeak Medical Laboratory (OPML)	

Panel Description: Ferritin

Date And Time	Measure
Final	

Ferritin

Date And Time	Measure
Mar-20-2023 15:17:00	121
Units	Reference Range
ng/mL	11 - 307
Abnormal Flag	Status
	Final
Comments	
Performed by: OnePeak Medical Laboratory (OPML)	

Panel Description: Ferritin

Date And Time	Measure
Final	

Ferritin

Date And Time	Measure
Mar-20-2023 15:17:00	121
Units	Reference Range
ng/mL	11 - 307
Abnormal Flag	Status
	Final
Comments	
Performed by: OnePeak Medical Laboratory (OPML)	

Panel Description: Ferritin

Date And Time Measure

Final

Ferritin

Date And Time Measure

Mar-20-2023 15:17:00 121

Units Reference Range

ng/mL 11 - 307

Abnormal Flag Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)**Panel Description: Ferritin**

Date And Time Measure

Final

Ferritin

Date And Time Measure

Mar-20-2023 15:17:00 121

Units Reference Range

ng/mL 11 - 307

Abnormal Flag Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)**Panel Description: Ferritin**

Date And Time Measure

Final

Ferritin

Date And Time

Mar-20-2023 15:17:00

Measure

121

Units

ng/mL

Reference Range

11 - 307

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Panel Description: Ferritin

Date And Time

Final

Measure

Ferritin

Date And Time

Mar-20-2023 15:17:00

Measure

121

Units

ng/mL

Reference Range

11 - 307

Abnormal Flag

Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Panel Description: Ferritin

Date And Time

Final

Measure

Ferritin

Date And Time

Mar-20-2023 15:17:00

Measure

121

Units

ng/mL

Reference Range

11 - 307

Abnormal Flag	Status
	Final
Comments	
Performed by: OnePeak Medical Laboratory (OPML)	

Panel Description: Ferritin

Date And Time	Measure
Final	

Ferritin

Date And Time	Measure
Mar-20-2023 15:17:00	121
Units	Reference Range
ng/mL	11 - 307
Abnormal Flag	Status
	Final
Comments	
Performed by: OnePeak Medical Laboratory (OPML)	

Panel Description: Ferritin

Date And Time	Measure
Final	

Ferritin

Date And Time	Measure
Mar-20-2023 15:17:00	121
Units	Reference Range
ng/mL	11 - 307
Abnormal Flag	Status
	Final
Comments	
Performed by: OnePeak Medical Laboratory (OPML)	

Panel Description: Ferritin

Date And Time Measure

Final

Ferritin

Date And Time Measure

Mar-20-2023 15:17:00 121

Units Reference Range

ng/mL 11 - 307

Abnormal Flag Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Panel Description: Ferritin

Date And Time Measure

Final

Ferritin

Date And Time Measure

Mar-20-2023 15:17:00 121

Units Reference Range

ng/mL 11 - 307

Abnormal Flag Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Panel Description: Ferritin

Date And Time Measure

Final

Ferritin

Date And Time Measure

Mar-20-2023 15:17:00 121

Units	Reference Range
ng/mL	11 - 307
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Panel Description: Ferritin

Date And Time	Measure
Final	

Ferritin

Date And Time	Measure
Mar-20-2023 15:17:00	121
Units	Reference Range
ng/mL	11 - 307
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Panel Description: Ferritin

Date And Time	Measure
Final	

Ferritin

Date And Time	Measure
Mar-20-2023 15:17:00	121
Units	Reference Range
ng/mL	11 - 307
Abnormal Flag	Status
	Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Panel Description: Ferritin

Date And Time Measure

Final

Ferritin

Date And Time Measure

Mar-20-2023 15:17:00 121

Units Reference Range

ng/mL 11 - 307

Abnormal Flag Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Panel Description: Ferritin

Date And Time Measure

Final

Ferritin

Date And Time Measure

Mar-20-2023 15:17:00 121

Units Reference Range

ng/mL 11 - 307

Abnormal Flag Status

Final

Comments

Performed by: OnePeak Medical
Laboratory (OPML)

Panel Description: Ferritin

Date And Time Measure

Final

Ferritin

Date And Time	Measure
Mar-20-2023 15:17:00	121
Units	Reference Range
ng/mL	11 - 307
Abnormal Flag	Status
	Final
Comments	

Performed by: OnePeak Medical
Laboratory (OPML)

Panel Description: Ferritin

Date And Time	Measure
Final	

Ferritin

Date And Time	Measure
Mar-20-2023 15:17:00	121
Units	Reference Range
ng/mL	11 - 307
Abnormal Flag	Status
	Final
Comments	

Performed by: OnePeak Medical
Laboratory (OPML)

Advance Directives

No Information

Encounters

Practice

OnePeak Medical, 3265 Hillcrest Park
Dr, Medford, OR, 975047657, US

Location

OnePeak Central Point

Reason(s) For Visit

Discuss Ear Issues (chief Complaint)
Discuss Fatigue Discuss Mental
(chief Complaint) Health (chief
 Complaint)

Diagnoses

Otalgia, Left Ear
Post COVID-19 Attention Deficit
Condition Disorder W/
 Hyperactivity
 Predominantly
 Inattentive Type

Date

Apr-26-2023

Provider

Shrader Ashley. 2205 Ashland St, Ste
102, Ashland, OR, 975201995, US. tel:
+1-5415269016

Providers Copied On Encounter

Practice

OnePeak Medical, 3265 Hillcrest Park
Dr, Medford, OR, 975047657, US

Location

OnePeak Central Point

Reason(s) For Visit

Diagnoses

No Information

Date

Apr-26-2023

Provider

Shrader Ashley. 2205 Ashland St, Ste
102, Ashland, OR, 975201995, US. tel:
+1-5415269016

Providers Copied On Encounter

Practice

OnePeak Medical, 3265 Hillcrest Park
Dr, Medford, OR, 975047657, US

Location

OnePeak Siskiyou

Reason(s) For Visit

Diagnoses

Person Encountering Health Service

Date

Apr-14-2023

Provider

Babbitt Hulcy Jessica. 2655 Siskiyou Blvd, Medford, OR, 975048125, US. tel: +1-5413048008

Providers Copied On Encounter

OFFICE/OUTPATIENT VISIT, EST

Practice

OnePeak Medical, 3265 Hillcrest Park Dr, Medford, OR, 975047657, US

Location

OnePeak Siskiyou

Reason(s) For Visit

Urgent Visit (chief Complaint)
Neck Pain (chief Complaint) Headache (chief Complaint)

Diagnoses

Cervicalgia
Cervicogenic
Headache

Date

Apr-14-2023

Provider

Payne Johnny. 2655 Siskiyou Blvd, Medford, OR, 975048125, US. tel:+1-5413048008

Providers Copied On Encounter

Practice

OnePeak Medical, 3265 Hillcrest Park Dr, Medford, OR, 975047657, US

Location

OnePeak Siskiyou

Reason(s) For Visit

Diagnoses

Person Encountering Health Service

Date

Mar-24-2023

Provider

Shrader Ashley. 2205 Ashland St, Ste 102, Ashland, OR, 975201995, US. tel: +1-5415269016

Providers Copied On Encounter

Practice

OnePeak Medical, 3265 Hillcrest Park Dr, Medford, OR, 975047657, US

Location

OnePeak Siskiyou

Reason(s) For Visit

Diagnoses

No Information

Date

Mar-20-2023

Provider

Jackson Nisha. 3265 Hillcrest Park
Drive, Medford, OR, 975047657, US. tel:
+1-5412756655

Providers Copied On Encounter

Practice

OnePeak Medical, 3265 Hillcrest Park
Dr, Medford, OR, 975047657, US

Location

OnePeak Siskiyou

Reason(s) For Visit

Diagnoses

No Information

Date

Mar-13-2023

Provider

Shrader Ashley. 2205 Ashland St, Ste
102, Ashland, OR, 975201995, US. tel:
+1-5415269016

Providers Copied On Encounter

Practice

OnePeak Medical, 3265 Hillcrest Park
Dr, Medford, OR, 975047657, US

Location

OnePeak Siskiyou

Reason(s) For Visit

Diagnoses

No Information

Date

Mar-10-2023

Provider

Babbitt Hulcy Jessica. 2655 Siskiyou
Blvd, Medford, OR, 975048125, US. tel:
+1-5413048008

Providers Copied On Encounter

OFFICE/OUTPATIENT VISIT, EST

Practice

OnePeak Medical, 3265 Hillcrest Park
Dr, Medford, OR, 975047657, US

Location

OnePeak Central Point

Reason(s) For Visit

Follow Up Of Chronic Fatigue (chief Complaint)

Hair Loss (chief Complaint) Body Inflammation (chief Complaint)

Date

Mar-08-2023

Providers Copied On Encounter

Diagnoses

Post COVID-19 Condition

Dry Mouth Hyperlipidemia, Unspecified

Hypothyroidism, Unspecified

Provider

Shrader Ashley. 2205 Ashland St, Ste 102, Ashland, OR, 975201995, US. tel: +1-5415269016

Practice

OnePeak Medical, 3265 Hillcrest Park Dr, Medford, OR, 975047657, US

Reason(s) For Visit

Date

Mar-07-2023

Providers Copied On Encounter

Location

OnePeak Central Point

Diagnoses

No Information

Provider

Shrader Ashley. 2205 Ashland St, Ste 102, Ashland, OR, 975201995, US. tel: +1-5415269016

Practice

OnePeak Medical, 3265 Hillcrest Park Dr, Medford, OR, 975047657, US

Reason(s) For Visit

Date

Jan-01-2023

Providers Copied On Encounter

Location

OnePeak Central Point

Diagnoses

No Information

Provider

Shrader Ashley. 2205 Ashland St, Ste 102, Ashland, OR, 975201995, US. tel: +1-5415269016

Family History

Type

Problem

Age At Onset

Diagnosis

Family history of Cancer, breast

Father

Type

Problem

Age At Onset

Diagnosis

Myocardial infarction

Immunizations

No Information

Payers

No Information

Social History

Alcohol Use Details

Description

Unknown

Date Captured

Apr-26-2023

Quantity

Comments

Caffeine Use Details

Description

Unknown

Date Captured

Apr-26-2023

Quantity

Comments

Tobacco Use Status

Description	Quantity
No Information	
Date Captured	Comments
Apr-26-2023	

Smoking Status

Description	Quantity
Former smoker	
Date Captured	Comments
Apr-26-2023	

Alcohol Use Details

Description	Quantity
Unknown	
Date Captured	Comments
Apr-14-2023	

Caffeine Use Details

Description	Quantity
Unknown	
Date Captured	Comments
Apr-14-2023	

Tobacco Use Status

Description	Quantity
No Information	
Date Captured	Comments
Apr-14-2023	

Smoking Status

Description	Quantity
No Information	
Date Captured	Comments
Apr-14-2023	

Alcohol Use Details

Description	Quantity
Unknown	
Date Captured	Comments
Apr-14-2023	

Caffeine Use Details

Description	Quantity
Unknown	
Date Captured	Comments
Apr-14-2023	

Tobacco Use Status

Description	Quantity
No Information	
Date Captured	Comments
Apr-14-2023	

Smoking Status

Description	Quantity
Former smoker	
Date Captured	Comments
Apr-14-2023	

Alcohol Use Details

Description	Quantity
Unknown	
Date Captured	Comments
Mar-24-2023	

Caffeine Use Details

Description	Quantity
Unknown	
Date Captured	Comments
Mar-24-2023	

Tobacco Use Status

Description	Quantity
No Information	
Date Captured	Comments
Mar-24-2023	

Smoking Status

Description	Quantity
No Information	
Date Captured	Comments
Mar-24-2023	

Alcohol Use Details

Description	Quantity
Unknown	
Date Captured	Comments
Mar-08-2023	

Caffeine Use Details

Description	Quantity
Unknown	
Date Captured	Comments
Mar-08-2023	

Tobacco Use Status

Description	Quantity
No Information	
Date Captured	Comments
Mar-08-2023	

Smoking Status

Description	Quantity
Former smoker	
Date Captured	Comments
Mar-08-2023	

Non-Smoking Tobacco Use Details

Description

Quantity

: No Details Available

: No Details Available

Date Captured

Comments

Mar-08-2023

Alcohol Use Details

Description

Quantity

Unknown

Date Captured

Comments

Mar-07-2023

Caffeine Use Details

Description

Quantity

Unknown

Date Captured

Comments

Mar-07-2023

Tobacco Use Status

Description

Quantity

No Information

Date Captured

Comments

Mar-07-2023

Smoking Status

Description

Quantity

No Information

Date Captured

Comments

Mar-07-2023

Alcohol Use Details

Description

Quantity

Unknown

Date Captured

Comments

Apr-26-2023

Caffeine Use Details

Description	Quantity
Unknown	
Date Captured	Comments
Apr-26-2023	

Tobacco Use Status

Description	Quantity
No Information	
Date Captured	Comments
Apr-26-2023	

Smoking Status

Description	Quantity
No Information	
Date Captured	Comments
Apr-26-2023	

Birth Sex

Description	Quantity
Female	
Date Captured	Comments

Vital Signs

Apr-26-2023 11:31 AM

Height	Weight
67.00 in	72.575 kg (160.00 lbs)
BMI	Pulse Rate
25.06 kg/meter(2)	99 /min
Blood Pressure	Temperature
120/80 mm[Hg]	
Respiratory Rate	Body Surface Area

Head Circumference

Head Circ. Percentile

Wt./Len. Percentile

BMI Percentile

Pulse Ox

Inhaled Ox

98 %

Apr-14-2023 2:06 PM

Height

Weight

67.00 in

72.575 kg (160.00 lbs)

BMI

Pulse Rate

25.06 kg/meter(2)

79 /min

Blood Pressure

Temperature

110/80 mm[Hg]

97.80 F

Respiratory Rate

Body Surface Area

Head Circumference

Head Circ. Percentile

Wt./Len. Percentile

BMI Percentile

Pulse Ox

Inhaled Ox

97 %

Mar-08-2023 3:04 PM

Height

Weight

67.00 in

72.575 kg (160.00 lbs)

BMI

Pulse Rate

25.06 kg/meter(2)

68 /min

Blood Pressure

Temperature

110/70 mm[Hg]

Respiratory Rate

Body Surface Area

Head Circumference

Head Circ. Percentile

Wt./Len. Percentile

BMI Percentile

Pulse Ox

Inhaled Ox

99 %

Mar-08-2023 3:06 PM

Height

Weight

BMI	Pulse Rate
	68 /min
Blood Pressure	Temperature
Respiratory Rate	Body Surface Area
Head Circumference	Head Circ. Percentile
Wt./Len. Percentile	BMI Percentile
Pulse Ox	Inhaled Ox

Chief Complaint And Reason For Visit

*** Most recent encounter only, dated '04/26/2023 11:30'. ***

Discuss ear issues (chief complaint). Description: c/o L ear pain, muffled hearing. Denies fever, chills. No improvement with neti pot. Wears hearing aid in L ear. Hx TMJ. c/o fatigue since severe Covid 19 in 1/14/22. Scheduling nerve ablation with SO Pain. Trying to get in with counselor. Aunt recent passed away, she is the executor. Her insurance isn't helping her find counseling. Ophtho told her she has bl eye inflammation; but she does not know the dx. Reports her vision is not as clear as it used to be. She is on topical abx Rx by ophtho.

Discuss fatigue (chief complaint)

Discuss Mental Health (chief complaint)

Reason For Referral

No Information

Plan Of Treatment

May-24-2023

Type	Action
Appointment	Clarkpugsley, Kimberly MEDICAL BOTOX
Status	
BOOKED	

Jun-15-2023

Type

Appointment

Action

Clarkpugsley, Kimberly

Status

BOOKED

Mar-20-2023

Type

Future Order: Lab Order

Action

ANA, 12 Plus Profile (NG520175), Body Site: Left Arm, Collected on: Mar-20-2023, Sent on: Mar-20-2023

Status

Sent

Mar-20-2023

Type

Future Order: Lab Order

Action

Sed rate (NG005215), Body Site: Left Arm, Collected on: Mar-20-2023, Sent on: Mar-20-2023

Status

Sent

Mar-20-2023

Type

Future Order: Lab Order

Action

Epstein-Barr Virus (NG138289), Body Site: Left Arm, Collected on: Mar-20-2023, Sent on: Mar-20-2023

Status

Sent

Mar-20-2023

Type

Future Order: Lab Order

Action

Toxoplasma gondii Ab, IgM, Quant (NG096651), Body Site: Left Arm, Collected on: Mar-20-2023, Sent on: Mar-20-2023

Status

Sent

Mar-20-2023

Type

Future Order: Lab Order

Action

Toxoplasma gondii Ab,IgG (NG006478),
Body Site: Left Arm, Collected on: Mar-
20-2023, Sent on: Mar-20-2023

Status

Sent

Mar-20-2023

Type

Future Order: Lab Order

Action

Cytomegalovirus (CMV) Ab, IgG
(NG006494), Body Site: Left Arm,
Collected on: Mar-20-2023, Sent on:
Mar-20-2023

Status

Sent

Mar-20-2023

Type

Future Order: Lab Order

Action

Cytomegalovirus (CMV) Ab, IgM
(NG096727), Body Site: Left Arm,
Collected on: Mar-20-2023, Sent on:
Mar-20-2023

Status

Sent

Mar-08-2023

Type

Future Order: Lab Order

Action

CMP (NG322000), Sent on: Mar-14-2023

Status

Sent

Mar-08-2023

Type

Future Order: Lab Order

Action

CBC w/diff (NG005009), Sent on: Mar-
14-2023

Status

Sent

Mar-08-2023

Type

Future Order: Lab Order

Action

Thyroid Panel (NG000620), Sent on:
Mar-14-2023

Status

Sent

Mar-08-2023

Type

Future Order: Lab Order

Action

Hemoglobin A1c (NG001453), Sent on:
Mar-14-2023

Status

Sent

Mar-08-2023

Type

Future Order: Lab Order

Action

DHEA (NG004101), Sent on: Mar-14-
2023

Status

Sent

Mar-08-2023

Type

Future Order: Lab Order

Action

Cortisol (NG004051), Sent on: Mar-14-
2023

Status

Sent

Mar-08-2023

Type

Future Order: Lab Order

Action

Lipid Panel (NG303756), Sent on: Mar-
14-2023

Status

Sent

Mar-08-2023

Type

Future Order: Lab Order

Action

Insulin (NG004333), Sent on: Mar-14-2023

Status

Sent

Mar-08-2023

Type

Future Order: Lab Order

Action

Reverse T3 (NG002212), Sent on: Mar-14-2023

Status

Sent

History Of Present Illness**Apr-26-2023**

Complaint

Discuss ear issues

History Of Present Illness

c/o L ear pain, muffled hearing. Denies fever, chills. No improvement with neti pot. Wears hearing aid in L ear. Hx TMJ. c/o fatigue since severe Covid 19 in 1/14/22. Scheduling nerve ablation with SO Pain. Trying to get in with counselor. Aunt recent passed away, she is the executor. Her insurance isn't helping her find counseling. Ophtho told her she has bl eye inflammation; but she does not know the dx. Reports her vision is not as clear as it used to be. She is on topical abx Rx by ophtho.

Apr-26-2023

Complaint

Discuss fatigue

History Of Present Illness

Apr-26-2023

Complaint

History Of Present Illness

Discuss Mental Health

Apr-14-2023

Complaint

History Of Present Illness

urgent visit

Apr-14-2023

Complaint

History Of Present Illness

neck pain

Onset: sudden. The problem is severe. The problem has worsened. The frequency of pain is constant.

Apr-14-2023

Complaint

History Of Present Illness

headache

Onset: 2 Days. The problem has worsened. The symptoms are constant.

Mar-13-2023

Complaint

History Of Present Illness

Not Listed

Mar-08-2023

Complaint

History Of Present Illness

Follow Up of Chronic fatigue

Mar-08-2023

Complaint

History Of Present Illness

Body inflammation

Mar-08-2023

Complaint

History Of Present Illness

Hair loss

Functional Status

No Information

Medications Administered

No Information

Instructions

Apr-26-2023

Instruction

Diagnosed with ADHD by psychiatric nurse practitioner. Symptoms have resolved with methylphenidate. Patient needs refill while she is transferring care to local psych provider. Refill was placed todayReferral to Paradigm wellness placed

Additional Information

Related to Attention deficit disorder w/ hyperactivity predominantly inattentive type

Apr-26-2023

Instruction

c/o L ear pain, muffled hearing x 1mo. Denies fever, chills, ear DC. No improvement with neti pot. Wears hearing aid in L ear. Hx TMJ. Otalgia-FU with audiologist for hearing aid adjustment. Rx flonase daily

Additional Information

Related to Otalgia, left ear

Apr-26-2023

Instruction

c/o fatigue since severe Covid 19 in 1/14 /22. Referral Paradigm Wellness. Refer to Emily G for Long Covid treatment

Additional Information

Related to Post COVID-19 condition

Mar-08-2023

Instruction

TSH, free T4, free T3 stable on recent labs. Continue levothyroxine and liothyronine as prescribed.

Additional Information

Related to Hypothyroidism, unspecified

Mar-08-2023

Instruction

Metabolic markers improved on recent labs. A1c normal at 5.5%. LDL reduced from 190s to 124. Triglycerides moderately elevated at 205. Recommend decreasing sugar in diet. Follow-up with nutritionist as scheduled. HDL optimal 49. Insulin improved from 23-15.7. Continue to monitor.

Additional Information

Related to Hyperlipidemia, unspecified

Mar-08-2023

Instruction

Patient complains of chronic fatigue, dry mouth, skin, nails for several months since COVID-19 3 months ago., She feels inflamed. She has seen Nisha Jackson for long COVID evaluation. She is pending labs and follow-up with Emily G nurse practitioner. On recent labs, patient is negative for ANA, RF, CRP, ESR. She denies joint pain, rash, or other new symptoms. Scheduled for long COVID treatment consultation.

Additional Information

Related to Post COVID-19 condition

Mar-08-2023

Instruction

Patient complains of chronic fatigue, dry mouth, skin, nails for several months since COVID-19 3 months ago., She feels inflamed. She has seen Nisha Jackson for long COVID evaluation. She is pending labs and follow-up with Emily G nurse practitioner. On recent labs, patient is negative for ANA, RF, CRP, ESR. She denies joint pain, rash, or other new symptoms. Scheduled for long COVID treatment consultation.

Additional Information

Related to Dry mouth

Assessments

assessment

Assessment	Date
Post COVID-19 condition	Mar-08-2023

assessment

Assessment	Date
Dry mouth	Mar-08-2023

assessment

Assessment	Date
Hyperlipidemia, unspecified	Mar-08-2023

assessment

Assessment	Date
Hypothyroidism, unspecified	Mar-08-2023

assessment

Assessment	Date
Person encountering health service	Mar-24-2023

assessment

Assessment	Date
Cervicalgia	Apr-14-2023

assessment

Assessment	Date
Cervicogenic headache	Apr-14-2023

impression

Assessment

Date

Kimberly has come to clinic today because she has developed recurrent severe muscle spasms of the cervical spine. She has history of chronic migraine and receives Botox injections on a regular basis. She is overdue right now because of delays in approval from her insurance company. Her headaches are often associated with neck pain and muscle spasms/occipital neuralgia. She came into clinic today hoping to avoid developing a migraine headache by receiving a Toradol injection. On assessment her neck is very tender and her range of motion is very limited. I am going to prescribe a short course of prednisone to help reduce the inflammation. We talked about the risks of prednisone, potential side effects and expected benefits from it. She does have the care of a pain management provider.

Apr-14-2023

assessment

Assessment

Date

Person encountering health service

Apr-14-2023

assessment

Assessment

Date

Otalgia, left ear

Apr-26-2023

assessment

Assessment

Date

Post COVID-19 condition

Apr-26-2023

assessment

Assessment

Date

Attention deficit disorder w/ hyperactivity predominantly inattentive type

Apr-26-2023

Goals

No Information

Medical Equipment

No Information

Mental Status

Apr-26-2023

Cognitive Assessment

Orientation - Oriented To Time, Place,
Person, Situation.

Mar-08-2023

Cognitive Assessment

Orientation - Oriented To Time, Place,
Person, Situation.

Health Concerns

No Information

No Information

Patient Care Teams

No Information

General Status

Normal

Details

Well developed.

Normal

Details

Well developed.

Review of Systems

Constitutional

Pos/Neg

Findings

Comments

See HPI.

Reproductive

Pos/Neg

Findings

Positive

The patient is post-menopausal.

Neuro

Pos/Neg

Findings

Positive

Headache.

MS

Pos/Neg

Findings

Positive

Neck pain.

Reproductive

Pos/Neg

Findings

Positive

The patient is post-menopausal.

Constitutional

Pos/Neg

Findings

Comments

See HPI.

Reproductive

Pos/Neg

Findings

Positive

The patient is post-menopausal.

Past Medical History

Anxiety

Effective Dates (start - Stop)

Outcome

Arthritis

Effective Dates (start - Stop)

Outcome

Breast cancer

Effective Dates (start - Stop)

Outcome

Depression

Effective Dates (start - Stop)

Outcome

Hypercholesterolemia

Effective Dates (start - Stop)

Outcome

Migraines

Effective Dates (start - Stop)

Outcome

Bronchitis

Effective Dates (start - Stop)

Outcome

ADHD

Effective Dates (start - Stop)

Outcome

Discharge Summary Notes

No Information

Consultation Notes

No Information

History and Physical Notes

No Information

Progress Notes

No Information